




Таблицы выбора

Technical data

P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i				P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i				
0.09								0.12								
63A6 (900 об/мин)	45	14	3.2	20	CM040		B5/B14	56B2 (2800 об/мин)	35	20	1.4	80	CM040		B5/B14	
	36	17	2.6	25	CM040		B5/B14		31	24	2.4	90	CM040	CMP056/040	B14	
	30	19	3.0	30	CM040		B5/B14		28	23	1.0	100	CM040		B5/B14	
	23	23	2.1	40	CM040		B5/B14		23	29	1.7	120		CMP056/040	B14	
	18	27	1.7	50	CM040		B5/B14		19	34	1.3	150		CMP056/040	B14	
	15	30	1.4	60	CM040		B5/B14		16	38	1.1	180		CMP056/040	B14	
	15	38	1.8	60		CMP063/040	B14		12	44	0.9	240		CMP056/040	B14	
	12	45	1.3	75		CMP063/040	B14		63A4 (1400 об/мин)							
	11	35	1.1	80	CM040		B5/B14		280	4	5.1	5	CM030		B5/B14	
	10	48	1.7	90		CMP063/040	B14		187	5	3.8	7.5	CM030		B5/B14	
	9	39	0.9	100	CM040		B5/B14	140	7	3.1	10	CM030		B5/B14		
	7.5	58	1.1	120		CMP063/040	B14	93	10	2.2	15	CM030		B5/B14		
								70	12	1.5	20	CM030		B5/B14		
	15	32	2.4	60		CM050	B5/B14	56	15	1.4	25	CM030		B5/B14		
	15	38	3.2	60		CMP063/050	B14	47	16	1.3	30	CM030		B5/B14		
	12	45	2.5	75		CMP063/050	B14	35	20	1.0	40	CM030		B5/B14		
	11	37	1.9	80	CM050		B5/B14	28	24	0.8	50	CM030		B5/B14		
	10	49	3.0	90		CMP063/050	B14	280								
	9	41	1.6	100	CM050		B5/B14	4	11.4	5	CM040		B5/B14			
	7.5	60	2.0	120		CMP063/050	B14	5	8.3	7.5	CM040		B5/B14			
6.0	67	1.7	150		CMP063/050	B14	140	7	6.5	10	CM040		B5/B14			
5.0	74	1.4	180		CMP063/050	B14	93	10	4.5	15	CM040		B5/B14			
3.8	85	1.0	240		CMP063/050	B14	70	13	3.1	20	CM040		B5/B14			
							56	15	2.5	25	CM040		B5/B14			
6.0	70	3.0	150			CMP063/063	B14	47	17	2.8	30	CM040		B5/B14		
5.0	77	2.5	180			CMP063/063	B14	35	21	2.0	40	CM040		B5/B14		
3.8	90	1.9	240			CMP063/063	B14	28	25	1.6	50	CM040		B5/B14		
3.0	98	1.5	300			CMP063/063	B14	23	28	1.3	60	CM040		B5/B14		
							23	34	1.7	60		CMP063/040	B14			
0.12								19	40	1.3	75		CMP063/040	B14		
56B2 (2800 об/мин)	560	2	5.5	5	CM026		B14	18	34	1.0	80	CM040		B5/B14		
	373	3	4.1	7.5	CM026		B14	16	45	1.6	90		CMP063/040	B14		
	280	3	3.2	10	CM026		B14	14	38	0.8	100	CM040		B5/B14		
	187	5	2.2	15	CM026		B14	12	56	1.1	120		CMP063/040	B14		
	140	7	1.7	20	CM026		B14	35								
	93	9	1.3	30	CM026		B14	22	3.5	40	CM050		B5/B14			
	70	11	1.0	40	CM026		B14	28	26	2.8	50	CM050		B5/B14		
	56	13	0.8	50	CM026		B14	23	29	2.3	60	CM050		B5/B14		
								23	34	3.0	60		CMP063/050	B14		
	560	2	7.1	5	CM030		B5/B14	19	40	2.3	75		CMP063/050	B14		
	373	3	5.6	7.5	CM030		B5/B14	18	35	1.7	80	CM050		B5/B14		
	280	4	4.5	10	CM030		B5/B14	16	47	2.7	90		CMP063/050	B14		
	187	5	3.1	15	CM030		B5/B14	14	40	1.4	100	CM050		B5/B14		
	140	7	2.1	20	CM030		B5/B14	12	57	1.9	120		CMP063/050	B14		
	112	8	1.9	25	CM030		B5/B14	9.3	66	1.6	150		CMP063/050	B14		
	93	9	2.0	30	CM030		B5/B14	7.8	74	1.3	180		CMP063/050	B14		
	70	11	1.4	40	CM030		B5/B14	5.8	85	1.0	240		CMP063/050	B14		
	56	13	1.1	50	CM030		B5/B14	9.3								
	47	15	0.9	60	CM030		B5/B14	69	2.8	150		CMP063/063	B14			
	47	17	1.3	60		CMP056/030	B14	7.8	77	2.3	180		CMP063/063	B14		
37	20	1.1	75		CMP056/030	B14	5.8	90	1.7	240		CMP063/063	B14			
31	22	1.2	90		CMP056/030	B14	4.7	101	1.4	300		CMP063/063	B14			
23	28	0.8	120		CMP056/030	B14	63B6 (900 об/мин)									
							180	5	3.9	5	CM030		B5/B14			
93	9	4.0	30		CM040	B5/B14	120	8	3.0	7.5	CM030		B5/B14			
70	12	2.8	40		CM040	B5/B14	90	10	2.3	10	CM030		B5/B14			
56	14	2.3	50		CM040	B5/B14	60	14	1.7	15	CM030		B5/B14			
47	16	1.8	60		CM040	B5/B14	45	18	1.2	20	CM030		B5/B14			
47	18	2.5	60			CMP056/040	B5/B14	36	22	1.0	25	CM030		B5/B14		
37	21	2.1	75		CMP056/040	B14	30	24	1.1	30	CM030		B5/B14			
							23	30	0.8	40	CM030		B5/B14			

CM/CMP




Таблицы выбора

Technical data

P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i				P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i				
0.18								0.22								
71A6 (900 об/мин)	180	8	5.7	5	CM040			63C4 (1400 об/мин)	35	40	1.9	40	CM050			B5/B14
	120	12	4.2	7.5	CM040				28	47	1.5	50	CM050			B5/B14
	90	16	3.3	10	CM040				23	54	1.3	60	CM050			B5/B14
	60	22	2.4	15	CM040				23	63	1.6	60	CM050	CMP063/050		B14
	45	28	1.6	20	CM040				19	74	1.2	75	CM050	CMP063/050		B14
	36	33	1.3	25	CM040				18	65	0.9	80	CM050			B5/B14
	30	38	1.5	30	CM040				16	86	1.5	90	CM050	CMP063/050		B14
	23	46	1.0	40	CM040				14	74	0.8	100	CM050			B5/B14
	36	34	2.2	25	CM050				12	104	1.1	120	CM050	CMP063/050		B14
	30	39	2.5	30	CM050				9.3	121	0.9	150	CM050	CMP063/050		B14
	23	47	1.8	40	CM050				23	57	2.2	60	CM063			B5
	18	56	1.4	50	CM050				23	64	2.9	60	CM063	CMP063/063		B14
	15	63	1.2	60	CM050				19	77	2.2	75	CM063	CMP063/063		B14
	15	76	1.6	60		CMP071/050			18	68	1.7	80	CM063			B5
	12	90	1.2	75		CMP071/050			16	85	2.8	90	CM063	CMP063/063		B14
	11	73	0.9	80	CM050				16	85	2.8	90	CM063	CMP063/063		B14
	10	98	1.5	90		CMP071/050			14	78	1.5	100	CM063			B5
	15	66	2.1	60	CM063				12	106	1.9	120		CMP063/063		B14
	15	75	3.1	60		CMP071/063			9.3	126	1.5	150		CMP063/063		B14
	12	88	2.3	75		CMP071/063			7.8	140	1.3	180		CMP063/063		B14
	11	79	1.6	80	CM063				5.8	166	0.9	240		CMP063/063		B14
	10	101	2.8	90		CMP071/063			4.7	185	0.8	300		CMP063/063		B14
	9	90	1.4	100	CM063											
	7.5	121	1.9	120		CMP071/063										
	6.0	140	1.5	150		CMP071/063										
	5.0	155	1.3	180		CMP071/063										
	11	84	2.5	80	CM075											
	9	96	2.0	100	CM075											
	7.5	128	3.0	120		CMP071/075										
	6.0	149	2.3	150		CMP071/075										
	5.0	165	1.9	180		CMP071/075										
	3.8	193	1.4	240		CMP071/075										
	3.0	213	1.1	300		CMP071/075										
	5.0	179	2.9	180		CMP071/090										
	3.8	211	2.1	240		CMP071/090										
	3.0	236	1.7	300		CMP071/090										
0.25								0.25								
								63B2 (2800 об/мин)	560	4	3.4	5	CM030			B5/B14
									373	6	2.7	7.5	CM030			B5/B14
									280	7	2.2	10	CM030			B5/B14
									187	11	1.5	15	CM030			B5/B14
									140	14	1.0	20	CM030			B5/B14
									112	17	0.9	25	CM030			B5/B14
									93	19	1.0	30	CM030			B5/B14
									140	14	2.2	20	CM040			B5/B14
									112	17	1.6	25	CM040			B5/B14
									93	20	1.9	30	CM040			B5/B14
									70	25	1.4	40	CM040			B5/B14
									56	29	1.1	50	CM040			B5/B14
									47	34	0.9	60	CM040			B5/B14
									47	37	1.2	60		CMP063/040		B14
									37	44	1.0	75		CMP063/040		B14
									31	50	1.1	90		CMP063/040		B14
									23	60	0.8	120		CMP063/040		B14
									47	35	1.5	60	CM050			B5/B14
									47	38	2.1	60	CM050	CMP063/050		B14
									37	45	1.7	75	CM050	CMP063/050		B14
									35	42	1.1	80	CM050			B5/B14
									31	51	1.9	90	CM050	CMP063/050		B14
									28	49	0.9	100	CM050			B5/B14
									23	62	1.4	120		CMP063/050		B14
									19	74	1.1	150		CMP063/050		B14
									16	83	0.9	180		CMP063/050		B14
									47	39	3.9	60		CMP063/063		B14
									37	47	2.9	75		CMP063/063		B14
									35	44	2.0	80	CM063			B5
									31	53	3.5	90	CM063	CMP063/063		B14
									28	51	1.6	100	CM063			B5
0.22								0.22								
63C4 (1400 об/мин)	280	6	2.8	5	CM030											B5/B14
	187	10	2.1	7.5	CM030											B5/B14
	140	13	1.7	10	CM030											B5/B14
	93	18	1.2	15	CM030											B5/B14
	70	23	0.8	20	CM030											B5/B14
	280	7	6.2	5	CM040											B5/B14
	187	10	4.5	7.5	CM040											B5/B14
	140	13	3.6	10	CM040											B5/B14
	93	18	2.5	15	CM040											B5/B14
	70	23	1.7	20	CM040											B5/B14
	56	28	1.4	25	CM040											B5/B14
	47	32	1.5	30	CM040											B5/B14
	35	39	1.1	40	CM040											B5/B14
	28	45	0.9	50	CM040											B5/B14
	23	62	0.9	60		CMP063/040										B14
	19	73	0.7	75		CMP063/040										B14
	16	83	0.9	90		CMP063/040										B14

CM/CMP



CM/СМР

ЧЕРВЯЧНЫЕ РЕДУКТОРЫ WORMGEARBOXES

ПРОМЫШЛЕННЫЕ РЕДУКТОРЫ

Таблицы выбора

Technical data

P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i				P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i			
-------------------------	----------------------------	------------------------	----	---	--	--	--	-------------------------	----------------------------	------------------------	----	---	--	--	--

0.25

63B2 (2800 об/мин)	23	65	2.5	120				CMP063/063	B14
	19	76	2.0	150					B14
	16	87	1.6	180					B14
	12	104	1.2	240					B14
	9.3	118	1.0	300				CMP063/063	B14

71A4 (1400 об/мин)

71A4 (1400 об/мин)	280	8	5.5	5	CM040				B5/B14
	187	11	4.0	7.5	CM040				B5/B14
	140	14	3.1	10	CM040				B5/B14
	93	21	2.2	15	CM040				B5/B14
	70	27	1.5	20	CM040				B5/B14
	56	32	1.2	25	CM040				B5/B14
	47	36	1.3	30	CM040				B5/B14
	35	44	0.9	40	CM040				B5/B14
	70	27	2.7	20	CM050				B5/B14
	56	32	2.2	25	CM050				B5/B14
	47	37	2.4	30	CM050				B5/B14
	35	46	1.7	40	CM050				B5/B14
	28	54	1.3	50	CM050				B5/B14
	23	61	1.1	60	CM050				B5/B14
	23	71	1.4	60		CMP071/050			B14
	19	84	1.1	75		CMP071/050			B14
18	74	0.8	80	CM050				B5/B14	
16	98	1.3	90		CMP071/050			B14	
28	56	2.4	50	CM063				B5/B14	
23	64	2.0	60	CM063				B5/B14	
23	73	2.6	60		CMP071/063			B14	
19	88	2.0	75		CMP071/063			B14	
18	78	1.5	80	CM063				B5/B14	
16	96	2.4	90		CMP071/063			B14	
14	89	1.3	100	CM063				B5/B14	
12	120	1.7	120		CMP071/063			B14	
9.3	143	1.3	150		CMP071/063			B14	
7.8	159	1.1	180		CMP071/063			B14	
23	68	3.1	60	CM075				B5	
23	75	4.2	60		CMP071/075			B14	
19	90	3.1	75		CMP071/075			B14	
18	82	2.3	80	CM075				B5	
16	105	3.6	90		CMP071/075			B14	
14	96	1.8	100	CM075				B5	
12	130	2.6	120		CMP071/075			B14	
9.3	153	2.0	150		CMP071/075			B14	
7.8	171	1.7	180		CMP071/075			B14	
5.8	201	1.2	240		CMP071/075			B14	
4.7	226	1.0	300		CMP071/075			B14	
7.8	177	2.6	180		CMP071/090			B14	
5.8	213	2.0	240		CMP071/090			B14	
4.7	241	1.5	300		CMP071/090			B14	

71B6 (900 об/мин)


71B6 (900 об/мин)	180	11	4.1	5	CM040				B5/B14
	120	17	3.1	7.5	CM040				B5/B14
	90	22	2.4	10	CM040				B5/B14
	60	31	1.8	15	CM040				B5/B14
	45	39	1.1	20	CM040				B5/B14
	36	46	0.9	25	CM040				B5/B14
	30	53	1.1	30	CM040				B5/B14
	23	64	0.8	40	CM040				B5/B14
	180	11	4.1	5	CM040				B5/B14
	120	17	3.1	7.5	CM040				B5/B14
	90	22	2.4	10	CM040				B5/B14
	60	31	1.8	15	CM040				B5/B14
	45	39	1.1	20	CM040				B5/B14
	36	46	0.9	25	CM040				B5/B14

0.25

71B6 (900 об/мин)	45	40	2.0	20	CM050				B5/B14
	36	48	1.6	25	CM050				B5/B14
	30	54	1.8	30	CM050				B5/B14
	23	66	1.3	40	CM050				B5/B14
	18	78	1.0	50	CM050				B5/B14
	15	88	0.9	60	CM050				B5/B14
	15	106	1.2	60		CMP071/050			B14
	12	125	0.9	75		CMP071/050			B14
	10	136	1.1	90		CMP071/050			B14
	18	81	1.9	50	CM063				B5/B14
	15	92	1.5	60	CM063				B5/B14
	15	105	2.2	60		CMP071/063			B14
	12	123	1.7	75		CMP071/063			B14
	11	110	1.2	80	CM063				B5/B14
10	140	2.0	90		CMP071/063			B14	
9	125	1.0	100	CM063				B5/B14	
7.5	168	1.4	120		CMP071/063			B14	
6.0	195	1.1	150		CMP071/063			B14	
5.0	215	0.9	180		CMP071/063			B14	
15	97	2.4	60	CM075				B5	
15	108	3.6	60		CMP071/075			B14	
12	129	2.7	75		CMP071/075			B14	
11	117	1.8	80	CM075				B5	
10	147	3.1	90		CMP071/075			B14	
9	133	1.5	100	CM075				B5	
7.5	178	2.2	120		CMP071/075			B14	
6.0	207	1.6	150		CMP071/075			B14	
5.0	229	1.4	180		CMP071/075			B14	
3.8	268	1.0	240		CMP071/075			B14	
3.0	296	0.8	300		CMP071/075			B14	
6.0	222	2.6	150		CMP071/090			B14	
5.0	248	2.1	180		CMP071/090			B14	
3.8	293	1.5	240		CMP071/090			B14	
3.0	328	1.2	300		CMP071/090			B14	

0.37

71A2 (2800 об/мин)	560	6	5.1	5	CM040				B5/B14
	373	8	3.7	7.5	CM040				B5/B14
	280	11	3.0	10	CM040				B5/B14
	187	16	2.2	15	CM040				B5/B14
	140	21	1.5	20	CM040				B5/B14
	112	25	1.1	25	CM040				B5/B14
	93	29	1.3	30	CM040				B5/B14
	70	37	0.9	40	CM040				B5/B14
	70	37	1.6	40	CM050				B5/B14
	56	45	1.3	50	CM050				B5/B14
	47	51	1.0	60	CM050				B5/B14
	37	67	1.1	75		CMP071/050			B14
	31	76	1.3	90		CMP071/050			B14
	56	46	2.2	50	CM063				B5/B14
47	53	1.8	60	CM063				B5/B14	
47	58	2.7	60		CMP071/063			B14	
37	70	2.0	75		CMP071/063			B14	
35	66	1.3	80	CM063				B5/B14	




Таблицы выбора

Technical data

Таблицы выбора							Technical data																																																																																																																																																																																																																																																																																																																																																																																																				
P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i				P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i																																																																																																																																																																																																																																																																																																																																																																																															
0.37							0.37																																																																																																																																																																																																																																																																																																																																																																																																				
71A2 (2800 об/мин)	31	78	2.4	90	CM063	CMP071/063		71B4 (1400 об/мин)	18	129	2.3	80	CM090		B5																																																																																																																																																																																																																																																																																																																																																																																												
	28	76	1.1	100					23	96	1.7	120				19	113	1.3	150	16	129	1.1	180	47	59	4.3	60	37	71	3.2	75	31	81	3.8	90	23	101	2.6	120	19	119	2.0	150	16	136	1.7	180	12	163	1.3	240	9.3	186	1.0	300	16	145	2.6	180	12	178	2.0	240	9.3	204	1.6	300	71B4 (1400 об/мин)	280	11	3.7	5	CM040		80A6 (900 об/мин)	60	47	2.0	15	CM050		B5/B14	187	16	2.7	7.5	140	21	2.1	10	93	31	1.5	15	70	39	1.0	20	56	47	0.8	25	47	53	0.9	30	70	40	1.8	20	56	48	1.5	25	47	55	1.6	30	35	68	1.1	40	28	80	0.9	50	23	91	0.8	60	23	105	1.0	60	19	124	0.7	75	16	145	0.9	90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4	5	CM040		71B2 (2800 об/мин)	560	8	3.4	5	CM040		B5/B14	373	13	2.5	7.5	280	16	2.0	10	187	24	1.5	15	140	31	1.0	20	140	32	1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																																																																																																
	23	96	1.7	120					19	113	1.3	150				16	129	1.1	180	47	59	4.3	60	37	71	3.2	75	31	81	3.8	90	23	101	2.6	120	19	119	2.0	150	16	136	1.7	180	12	163	1.3	240	9.3	186	1.0	300	16	145	2.6	180	12	178	2.0	240	9.3	204	1.6	300	71B4 (1400 об/мин)	280	11	3.7		5	CM040		80A6 (900 об/мин)			60	47	2.0	15	CM050					B5/B14	187	16	2.7	7.5	140	21	2.1	10	93	31	1.5	15	70	39	1.0	20	56	47	0.8	25	47	53	0.9	30	70	40	1.8	20	56	48	1.5	25	47	55	1.6	30	35	68	1.1	40	28	80	0.9	50	23	91	0.8	60	23	105	1.0	60	19	124	0.7	75	16	145	0.9	90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8				3.4	5	CM040					71B2 (2800 об/мин)	560	8	3.4	5	CM040		B5/B14	373	13	2.5	7.5	280	16	2.0	10	187	24	1.5	15	140	31	1.0	20	140	32	1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																																																																																								
	19	113	1.3	150					16	129	1.1	180				47	59	4.3	60	37	71	3.2	75	31	81	3.8	90	23	101	2.6	120	19	119	2.0	150	16	136	1.7	180	12	163	1.3	240	9.3	186	1.0	300	16	145	2.6	180	12	178	2.0	240	9.3	204	1.6	300	71B4 (1400 об/мин)	280	11	3.7		5	CM040			80A6 (900 об/мин)			60			47	2.0	15	CM050								B5/B14	187	16	2.7	7.5	140	21	2.1	10	93	31	1.5	15	70	39	1.0	20	56	47	0.8	25	47	53	0.9	30	70	40	1.8	20	56	48	1.5	25	47	55	1.6	30	35	68	1.1	40	28	80	0.9	50	23	91	0.8	60	23	105	1.0	60	19	124	0.7	75	16	145	0.9	90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)				560	8							3.4	5	CM040					71B2 (2800 об/мин)	560	8	3.4	5	CM040		B5/B14	373	13	2.5	7.5	280	16	2.0	10	187	24	1.5	15	140	31	1.0	20	140	32	1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																																																																																
	16	129	1.1	180					47	59	4.3	60				37	71	3.2	75	31	81	3.8	90	23	101	2.6	120	19	119	2.0	150	16	136	1.7	180	12	163	1.3	240	9.3	186	1.0	300	16	145	2.6	180	12	178	2.0	240	9.3	204	1.6	300	71B4 (1400 об/мин)	280	11	3.7		5	CM040			80A6 (900 об/мин)				60			47			2.0	15	CM050											B5/B14	187	16	2.7	7.5	140	21	2.1	10	93	31	1.5	15	70	39	1.0	20	56	47	0.8	25	47	53	0.9	30	70	40	1.8	20	56	48	1.5	25	47	55	1.6	30	35	68	1.1	40	28	80	0.9	50	23	91	0.8	60	23	105	1.0	60	19	124	0.7	75	16	145	0.9	90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55									71B2 (2800 об/мин)	560							8	3.4							5	CM040		71B2 (2800 об/мин)				560	8	3.4	5	CM040		B5/B14	373	13	2.5	7.5	280	16	2.0	10	187	24	1.5	15	140	31	1.0	20	140	32	1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																																																																									
	47	59	4.3	60					37	71	3.2	75				31	81	3.8	90	23	101	2.6	120	19	119	2.0	150	16	136	1.7	180	12	163	1.3	240	9.3	186	1.0	300	16	145	2.6	180	12	178	2.0	240	9.3	204	1.6	300	71B4 (1400 об/мин)	280	11	3.7		5	CM040			80A6 (900 об/мин)				60				47			2.0			15	CM050														B5/B14	187	16	2.7	7.5	140	21	2.1	10	93	31	1.5	15	70	39	1.0	20	56	47	0.8	25	47	53	0.9	30	70	40	1.8	20	56	48	1.5	25	47	55	1.6	30	35	68	1.1	40	28	80	0.9	50	23	91	0.8	60	23	105	1.0	60	19	124	0.7	75	16	145	0.9	90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55								71B2 (2800 об/мин)							560	8							3.4							5	CM040		71B2 (2800 об/мин)				560	8	3.4	5	CM040		B5/B14	373	13	2.5	7.5	280	16	2.0	10	187	24	1.5	15	140	31	1.0	20	140	32	1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																																																																		
	37	71	3.2	75					31	81	3.8	90				23	101	2.6	120	19	119	2.0	150	16	136	1.7	180	12	163	1.3	240	9.3	186	1.0	300	16	145	2.6	180	12	178	2.0	240	9.3	204	1.6	300	71B4 (1400 об/мин)	280	11	3.7		5	CM040			80A6 (900 об/мин)				60				47				2.0			15			CM050																	B5/B14	187	16	2.7	7.5	140	21	2.1	10	93	31	1.5	15	70	39	1.0	20	56	47	0.8	25	47	53	0.9	30	70	40	1.8	20	56	48	1.5	25	47	55	1.6	30	35	68	1.1	40	28	80	0.9	50	23	91	0.8	60	23	105	1.0	60	19	124	0.7	75	16	145	0.9	90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55													71B2 (2800 об/мин)	560							8							3.4							5	CM040		71B2 (2800 об/мин)				560	8	3.4	5	CM040		B5/B14	373	13	2.5	7.5	280	16	2.0	10	187	24	1.5	15	140	31	1.0	20	140	32	1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																																																											
	31	81	3.8	90					23	101	2.6	120				19	119	2.0	150	16	136	1.7	180	12	163	1.3	240	9.3	186	1.0	300	16	145	2.6	180	12	178	2.0	240	9.3	204	1.6	300	71B4 (1400 об/мин)	280	11	3.7		5	CM040			80A6 (900 об/мин)				60				47				2.0				15			CM050																						B5/B14	187	16	2.7	7.5	140	21	2.1	10	93	31	1.5	15	70	39	1.0	20	56	47	0.8	25	47	53	0.9	30	70	40	1.8	20	56	48	1.5	25	47	55	1.6	30	35	68	1.1	40	28	80	0.9	50	23	91	0.8	60	23	105	1.0	60	19	124	0.7	75	16	145	0.9	90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55																			0.55							71B2 (2800 об/мин)							560							8							3.4	5	CM040					71B2 (2800 об/мин)	560	8	3.4	5	CM040		B5/B14	373	13	2.5	7.5	280	16	2.0	10	187	24	1.5	15	140	31	1.0	20	140	32	1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																																																			
	23	101	2.6	120					19	119	2.0	150				16	136	1.7	180	12	163	1.3	240	9.3	186	1.0	300	16	145	2.6	180	12	178	2.0	240	9.3	204	1.6	300	71B4 (1400 об/мин)	280	11	3.7		5	CM040			80A6 (900 об/мин)				60				47				2.0				15				CM050																											B5/B14	187	16	2.7	7.5	140	21	2.1	10	93	31	1.5	15	70	39	1.0	20	56	47	0.8	25	47	53	0.9	30	70	40	1.8	20	56	48	1.5	25	47	55	1.6	30	35	68	1.1	40	28	80	0.9	50	23	91	0.8	60	23	105	1.0	60	19	124	0.7	75	16	145	0.9	90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300		0.55																0.55														71B2 (2800 об/мин)							560							8	3.4							5	CM040		71B2 (2800 об/мин)				560	8	3.4	5	CM040		B5/B14	373	13	2.5	7.5	280	16	2.0	10	187	24	1.5	15	140	31	1.0	20	140	32	1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																																												
	19	119	2.0	150					16	136	1.7	180				12	163	1.3	240	9.3	186	1.0	300	16	145	2.6	180	12	178	2.0	240	9.3	204	1.6	300	71B4 (1400 об/мин)	280	11	3.7		5	CM040			80A6 (900 об/мин)				60				47				2.0				15				CM050																																	B5/B14	187	16	2.7	7.5	140	21	2.1	10	93	31	1.5	15	70	39	1.0	20	56	47	0.8	25	47	53	0.9	30	70	40	1.8	20	56	48	1.5	25	47	55	1.6	30	35	68	1.1	40	28	80	0.9	50	23	91	0.8	60	23	105	1.0	60	19	124	0.7	75	16	145	0.9	90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334		0.7		300														0.55																					0.55							71B2 (2800 об/мин)	560							8							3.4	5	CM040					71B2 (2800 об/мин)	560	8	3.4	5	CM040		B5/B14	373	13	2.5	7.5	280	16	2.0	10	187	24	1.5	15	140	31	1.0	20	140	32	1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																																				
	16	136	1.7	180					12	163	1.3	240				9.3	186	1.0	300	16	145	2.6	180	12	178	2.0	240	9.3	204	1.6	300	71B4 (1400 об/мин)	280	11	3.7		5	CM040			80A6 (900 об/мин)				60				47				2.0				15				CM050																																							B5/B14	187	16	2.7	7.5	140	21	2.1	10	93	31	1.5	15	70	39	1.0	20	56	47	0.8	25	47	53	0.9	30	70	40	1.8	20	56	48	1.5	25	47	55	1.6	30	35	68	1.1	40	28	80	0.9	50	23	91	0.8	60	23	105	1.0	60	19	124	0.7	75	16	145	0.9	90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240		4.7		334														0.7																					300								0.55							0.55							71B2 (2800 об/мин)	560							8	3.4	5	CM040					71B2 (2800 об/мин)	560	8	3.4	5	CM040		B5/B14	373	13	2.5	7.5	280	16	2.0	10	187	24	1.5	15	140	31	1.0	20	140	32	1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																											
	12	163	1.3	240					9.3	186	1.0	300				16	145	2.6	180	12	178	2.0	240	9.3	204	1.6	300	71B4 (1400 об/мин)	280	11	3.7		5	CM040			80A6 (900 об/мин)				60				47				2.0				15				CM050																																													B5/B14	187	16	2.7	7.5	140	21	2.1	10	93	31	1.5	15	70	39	1.0	20	56	47	0.8	25	47	53	0.9	30	70	40	1.8	20	56	48	1.5	25	47	55	1.6	30	35	68	1.1	40	28	80	0.9	50	23	91	0.8	60	23	105	1.0	60	19	124	0.7	75	16	145	0.9	90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297		0.8		240														4.7																					334								0.7							300								0.55							0.55									71B2 (2800 об/мин)	560	8	3.4				5	CM040		71B2 (2800 об/мин)	560	8	3.4	5	CM040		B5/B14	373	13	2.5	7.5	280	16	2.0	10	187	24	1.5	15	140	31	1.0	20	140	32	1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																
	9.3	186	1.0	300					16	145	2.6	180				12	178	2.0	240	9.3	204	1.6	300	71B4 (1400 об/мин)	280	11	3.7		5	CM040			80A6 (900 об/мин)				60				47				2.0				15				CM050																																																			B5/B14	187	16	2.7	7.5	140	21	2.1	10	93	31	1.5	15	70	39	1.0	20	56	47	0.8	25	47	53	0.9	30	70	40	1.8	20	56	48	1.5	25	47	55	1.6	30	35	68	1.1	40	28	80	0.9	50	23	91	0.8	60	23	105	1.0	60	19	124	0.7	75	16	145	0.9	90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180		5.8		297														0.8																					240								4.7							334								0.7							300	0.55									0.55										71B2 (2800 об/мин)	560	8	3.4				5	CM040		71B2 (2800 об/мин)	560	8	3.4	5	CM040		B5/B14	373	13	2.5	7.5	280	16	2.0	10	187	24	1.5	15	140	31	1.0	20	140	32	1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50					
	16	145	2.6	180					12	178	2.0	240				9.3	204	1.6	300	71B4 (1400 об/мин)	280	11	3.7		5	CM040			80A6 (900 об/мин)				60				47				2.0				15				CM050																																																									B5/B14	187	16	2.7	7.5	140	21	2.1	10	93	31	1.5	15	70	39	1.0	20	56	47	0.8	25	47	53	0.9	30	70	40	1.8	20	56	48	1.5	25	47	55	1.6	30	35	68	1.1	40	28	80	0.9	50	23	91	0.8	60	23	105	1.0	60	19	124	0.7	75	16	145	0.9	90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180		5.8		297	0.8	240					4.7	334	0.7			300																					0.55								0.55							71B2 (2800 об/мин)								560							8	3.4	5								CM040		71B2 (2800 об/мин)				560					8	3.4	5				CM040					B5/B14	373	13				2.5	7.5	280	16	2.0	10	187	24	1.5	15	140	31	1.0	20	140	32	1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50							
	12	178	2.0	240					9.3	204	1.6	300				71B4 (1400 об/мин)	280	11	3.7		5	CM040			80A6 (900 об/мин)				60				47				2.0				15				CM050																																																															B5/B14	187	16	2.7	7.5	140	21	2.1	10	93	31	1.5	15	70	39	1.0	20	56	47	0.8	25	47	53	0.9	30	70	40	1.8	20	56	48	1.5	25	47	55	1.6	30	35	68	1.1	40	28	80	0.9	50	23	91	0.8	60	23	105	1.0	60	19	124	0.7	75	16	145	0.9	90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180		5.8	297	0.8			240	4.7	334	0.7	300	0.55							0.55																71B2 (2800 об/мин)								560															8							3.4	5	CM040																			71B2 (2800 об/мин)	560	8										3.4	5				CM040		B5/B14	373	13	2.5	7.5	280	16	2.0	10	187	24	1.5	15	140	31	1.0	20	140	32	1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50		
	9.3	204	1.6	300					71B4 (1400 об/мин)	280	11	3.7					5	CM040			80A6 (900 об/мин)				60				47				2.0				15				CM050																																																																					B5/B14	187	16	2.7	7.5	140	21	2.1	10	93	31	1.5	15	70	39	1.0	20	56	47	0.8	25	47	53	0.9	30	70	40	1.8	20	56	48	1.5	25	47	55	1.6	30	35	68	1.1	40	28	80	0.9	50	23	91	0.8	60	23	105	1.0	60	19	124	0.7	75	16	145	0.9	90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297			0.8	240	4.7	334	0.7	300		0.55											0.55																		71B2 (2800 об/мин)															560							8	3.4																					5	CM040											71B2 (2800 об/мин)							560	8	3.4	5	CM040		B5/B14	373	13	2.5	7.5	280	16	2.0	10	187	24	1.5	15	140	31	1.0	20	140	32	1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9
71B4 (1400 об/мин)	280	11	3.7	5	CM040		80A6 (900 об/мин)	60		47	2.0	15	CM050		B5/B14																																																																																																																																																																																																																																																																																																																																																																																												
	187	16	2.7	7.5			140	21		2.1	10	93					31				1.5				15				70				39				1.0																																																																										20	56	47	0.8	25	47	53	0.9	30	70	40	1.8	20	56	48	1.5	25	47	55	1.6	30	35	68	1.1	40	28	80	0.9	50	23	91	0.8	60	23	105	1.0	60	19	124	0.7	75	16	145	0.9	90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8		3.4	5	CM040		71B2 (2800 об/мин)	560	8		3.4	5	CM040		B5/B14	373		13	2.5	7.5	280	16	2.0					10	187	24																	1.5							15	140																					31																			1.0	20	140	32				1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50													
	140	21	2.1	10			93	31		1.5	15	70					39				1.0				20				56				47				0.8																																																																										25	47	53	0.9	30	70	40	1.8	20	56	48	1.5	25	47	55	1.6	30	35	68	1.1	40	28	80	0.9	50	23	91	0.8	60	23	105	1.0	60	19	124	0.7	75	16	145	0.9	90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4		5	CM040		71B2 (2800 об/мин)	560				8	3.4		5	CM040						B5/B14	373	13	2.5	7.5	280		16	2.0	10	187	24	1.5					15	140	31										1.0							20	140																					32																			1.7	20	112	38				1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																	
	93	31	1.5	15			70	39		1.0	20	56					47				0.8				25				47				53				0.9																																																																										30	70	40	1.8	20	56	48	1.5	25	47	55	1.6	30	35	68	1.1	40	28	80	0.9	50	23	91	0.8	60	23	105	1.0	60	19	124	0.7	75	16	145	0.9	90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4		5	CM040			71B2 (2800 об/мин)				560				8	3.4	5	CM040									B5/B14	373	13	2.5		7.5	280	16	2.0	10	187			24	1.5	15	140	31	1.0					20	140	32		1.7							20	112																					38																			1.3	25	93	44				1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																					
	70	39	1.0	20			56	47		0.8	25	47					53				0.9				30				70				40				1.8																																																																										20	56	48	1.5	25	47	55	1.6	30	35	68	1.1	40	28	80	0.9	50	23	91	0.8	60	23	105	1.0	60	19	124	0.7	75	16	145	0.9	90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4		5	CM040			71B2 (2800 об/мин)								560				8	3.4	5							CM040					B5/B14	373		13	2.5	7.5	280	16	2.0			10	187	24	1.5	15	140		31	1.0	20	140	32	1.7		20			112	38	1.3		25	93																					44																			1.5	30	70	56				1.1	40	56	67	0.9	50	56	67	0.9	50																									
	56	47	0.8	25			47	53		0.9	30	70					40				1.8				20				56				48				1.5																																																																										25	47	55	1.6	30	35	68	1.1	40	28	80	0.9	50	23	91	0.8	60	23	105	1.0	60	19	124	0.7	75	16	145	0.9	90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4		5	CM040			71B2 (2800 об/мин)												560				8	3.4	5													CM040			B5/B14	373	13	2.5	7.5	280		16	2.0	10	187	24	1.5		15	140	31	1.0	20	140		32	1.7	20	112	38	1.3	25	93	44			1.5	30	70																56																			1.1	40	56	67				0.9	50	56	67	0.9	50																													
	47	53	0.9	30			70	40		1.8	20	56					48				1.5				25				47				55				1.6																																																																										30	35	68	1.1	40	28	80	0.9	50	23	91	0.8	60	23	105	1.0	60	19	124	0.7	75	16	145	0.9	90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4		5	CM040			71B2 (2800 об/мин)																560				8	3.4	5																	CM040		B5/B14	373	13		2.5	7.5	280	16	2.0	10		187	24	1.5	15	140	31	1.0	20	140	32	1.7	20	112	38	1.3	25		93	44	1.5	30	70	56					1.1	40	56							67																			0.9	50	56	67				0.9	50																																	
	70	40	1.8	20			56	48		1.5	25	47					55				1.6				30				35				68				1.1																																																																										40	28	80	0.9	50	23	91	0.8	60	23	105	1.0	60	19	124	0.7	75	16	145	0.9	90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4		5	CM040			71B2 (2800 об/мин)																				560				8	3.4	5																				CM040			B5/B14	373	13	2.5	7.5	280		16	2.0	10	187	24	1.5	15	140	31	1.0	20	140	32	1.7	20	112		38	1.3	25	93	44	1.5	30				70	56	1.1		40	56	67			0.9		50	56	67															0.9	50																																								
	56	48	1.5	25			47	55		1.6	30	35					68				1.1				40				28				80				0.9																																																																										50	23	91	0.8	60	23	105	1.0	60	19	124	0.7	75	16	145	0.9	90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4		5	CM040			71B2 (2800 об/мин)																								560				8	3.4	5																								CM040		B5/B14	373	13		2.5	7.5	280	16	2.0	10	187	24	1.5	15	140	31	1.0	20	140	32		1.7	20	112	38	1.3	25	93				44	1.5	30		70	56	1.1	40		56		67	0.9	50		56	67	0.9					50																																															
	47	55	1.6	30			35	68		1.1	40	28					80				0.9				50				23				91				0.8																																																																										60	23	105	1.0	60	19	124	0.7	75	16	145	0.9	90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4		5	CM040			71B2 (2800 об/мин)																												560				8	3.4	5																											CM040		B5/B14	373	13	2.5	7.5	280	16	2.0	10	187	24	1.5	15	140	31	1.0	20		140	32	1.7	20	112	38	1.3	25	93	44	1.5	30	70		56	1.1	40	56		67		0.9	50	56	67	0.9	50																																																					
	35	68	1.1	40			28	80		0.9	50	23					91				0.8				60				23				105				1.0																																																																										60	19	124	0.7	75	16	145	0.9	90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4		5	CM040			71B2 (2800 об/мин)																																560				8	3.4	5														CM040																	B5/B14	373	13	2.5	7.5	280	16	2.0	10	187	24	1.5	15	140	31	1.0	20	140	32	1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9		50	56	67	0.9	50																																																						
	28	80	0.9	50			23	91		0.8	60	23					105				1.0				60				19				124				0.7																																																																										75	16	145	0.9	90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4		5	CM040			71B2 (2800 об/мин)																																				560				8	3.4	5																						CM040											B5/B14	373	13	2.5	7.5	280	16	2.0	10	187	24	1.5	15	140	31	1.0	20	140	32	1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																																																					
	23	91	0.8	60			23	105		1.0	60	19					124				0.7				75				16				145				0.9																																																																										90	28	83	1.6	50	23	95	1.3	60	23	108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4		5	CM040			71B2 (2800 об/мин)																																								560				8	3.4	5																																		CM040		B5/B14	373	13	2.5	7.5	280	16	2.0	10	187	24	1.5	15	140	31	1.0	20	140	32	1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																																																		
	23	105	1.0	60			19	124		0.7	75	16					145				0.9				90				28				83				1.6																															50					23	95						1.3	60	23																													108	1.7	60	19	130	1.3	75	18	115	1.0	80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4	5	CM040		71B2 (2800 об/мин)	560	8		3.4	5	CM040																																									B5/B14					373	13	2.5	7.5	280	16	2.0			10	187	24																																1.5	15	140	31	1.0	20	140	32	1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																																																												
	19	124	0.7	75			16	145		0.9	90	28					83				1.6				50				23				95				1.3																											60				23		108	1.7		60	19					130	1.3	75	18	115	1.0																											80	16	142	1.6	90	14	131	0.9	100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4	5	CM040		71B2 (2800 об/мин)	560	8		3.4	5	CM040					B5/B14	373		13	2.5																																						7.5						280	16	2.0	10	187	24	1.5	15	140	31		1.0	20	140	32	1.7		20																													112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																																																																						
	16	145	0.9	90			28	83		1.6	50	23					95				1.3				60				23				108				1.7																							60				19		130	1.3	75		18	115		1.0	80				16	142	1.6	90	14	131	0.9	100	12																									178	1.2	120	9.3	211	0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4	5	CM040		71B2 (2800 об/мин)	560	8		3.4	5	CM040					B5/B14	373		13	2.5							7.5		280	16																																		2.0				10		187	24		1.5	15	140	31	1.0	20	140	32	1.7	20	112	38	1.3	25	93	44	1.5		30	70	56																											1.1	40	56	67	0.9	50	56	67	0.9	50																																																																																
	28	83	1.6	50			23	95		1.3	60	23					108				1.7				60				19				130				1.3																			75				18		115	1.0	80		16	142	1.6		90	14		131	0.9			100	12	178	1.2	120	9.3	211	0.9	150	7.8	236	0.8																							180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4	5	CM040		71B2 (2800 об/мин)	560	8		3.4	5	CM040					B5/B14	373		13	2.5							7.5		280	16							2.0		10	187																														24				1.5		15	140	31	1.0	20	140		32	1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																																																																																																																		
	23	95	1.3	60			23	108		1.7	60	19					130				1.3				75				18				115				1.0															80				16		142	1.6	90		14	131	0.9		100	12	178		1.2	120		9.3	211		0.9	150	7.8	236	0.8	180	28	87	2.4	50	23	100	2.1	60	23																					111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4	5	CM040		71B2 (2800 об/мин)	560	8		3.4	5	CM040					B5/B14	373		13	2.5							7.5		280	16							2.0		10	187							24		1.5	15																										140				31		1.0	20	140	32	1.7	20	112	38	1.3	25		93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																																																																																																																									
	23	108	1.7	60			19	130		1.3	75	18					115				1.0				80				16				142				1.6											90				14		131	0.9	100		12	178	1.2		120	9.3	211		0.9	150	7.8		236	0.8		180	28	87	2.4	50	23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6																			80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4	5	CM040		71B2 (2800 об/мин)	560	8		3.4	5	CM040					B5/B14	373		13	2.5							7.5		280	16							2.0		10	187							24		1.5	15							140		31	1.0																						20				140		32	1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1		40	56	67	0.9	50	56	67	0.9	50																																																																																																																																
	19	130	1.3	75			18	115		1.0	80	16					142				1.6				90				14				131				0.9							100				12		178	1.2	120		9.3	211	0.9		150	7.8	236		0.8	180	28		87	2.4	50		23	100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12																	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4	5	CM040		71B2 (2800 об/мин)	560	8		3.4	5	CM040					B5/B14	373		13	2.5							7.5		280	16							2.0		10	187							24		1.5	15							140		31	1.0							20		140	32																		1.7				20		112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67		0.9	50																																																																																																																																							
	18	115	1.0	80			16	142		1.6	90	14					131				0.9				100				12				178				1.2			120				9.3		211	0.9	150		7.8	236	0.8		180	28	87		2.4	50	23		100	2.1	60		23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2															180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4	5	CM040		71B2 (2800 об/мин)	560	8		3.4	5	CM040					B5/B14	373		13	2.5							7.5		280	16							2.0		10	187							24		1.5	15							140		31	1.0							20		140	32							1.7		20	112														38				1.3		25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																																																																																																																																															
	16	142	1.6	90			14	131		0.9	100	12					178				1.2				120				9.3				211			0.9	150			7.8		236	0.8	180		28	87	2.4		50	23	100		2.1	60	23		111	2.8	60		19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55													0.55							71B2 (2800 об/мин)	560	8	3.4	5	CM040		71B2 (2800 об/мин)	560	8	3.4	5	CM040		B5/B14	373		13	2.5	7.5	280				16	2.0		10	187							24		1.5	15							140		31	1.0							20		140	32							1.7		20	112							38		1.3	25							93		44	1.5							30		70	56										1.1				40		56	67	0.9	50	56	67	0.9	50																																																																																																																																																												
	14	131	0.9	100			12	178		1.2	120	9.3					211				0.9				150				7.8			236	0.8			180	28	87	2.4	50		23	100	2.1		60	23	111		2.8	60	19		134	2.1	75		18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55														71B2 (2800 об/мин)	560	8	3.4	5	CM040			71B2 (2800 об/мин)	560	8	3.4				5	CM040		B5/B14				373		13	2.5	7.5	280				16	2.0		10	187							24		1.5	15							140		31	1.0							20		140	32							1.7		20	112							38		1.3	25							93		44	1.5							30		70	56						1.1				40		56	67	0.9	50	56	67	0.9	50																																																																																																																																																																
	12	178	1.2	120			9.3	211		0.9	150	7.8					236				0.8				180			28	87			2.4	50	23	100	2.1	60	23	111	2.8		60	19	134		2.1	75	18		121	1.6	80		16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4	5	CM040											71B2 (2800 об/мин)	560	8	3.4					5	CM040					B5/B14							373		13	2.5	7.5	280				16	2.0		10	187							24		1.5	15							140		31	1.0							20		140	32							1.7		20	112							38		1.3	25							93		44	1.5							30		70	56		1.1				40		56	67	0.9	50	56	67	0.9	50																																																																																																																																																																				
	9.3	211	0.9	150			7.8	236		0.8	180	28					87				2.4			50	23			100	2.1	60	23	111	2.8	60	19	134	2.1	75	18	121		1.6	80	16		156	2.4	90		14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4	5	CM040		71B2 (2800 об/мин)		560	8	3.4	5			CM040										B5/B14	373	13					2.5													7.5		280	16	2.0	10				187	24		1.5	15							140		31	1.0							20		140	32							1.7		20	112							38		1.3	25							93		44	1.5							30		70	56							1.1	40	56	67		0.9		50	56	67	0.9	50																																																																																																																																																																											
	7.8	236	0.8	180			28	87		2.4	50	23					100			2.1	60			23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14		141	1.2	100		12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4	5	CM040		71B2 (2800 об/мин)		560	8	3.4	5					CM040		B5/B14	373					13	2.5								7.5	280					16													2.0		10	187	24	1.5				15	140		31	1.0							20		140	32							1.7		20	112							38		1.3	25							93		44	1.5							30		70	56							1.1	40	56	67			0.9	50	56		67	0.9	50																																																																																																																																																																																				
	28	87	2.4	50			23	100		2.1	60	23				111	2.8			60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120		9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4	5	CM040		71B2 (2800 об/мин)		560	8	3.4	5					CM040		B5/B14	373								13					2.5	7.5	280	16						2.0	10					187													24		1.5	15	140	31				1.0	20		140	32							1.7		20	112							38		1.3	25							93		44	1.5							30		70	56							1.1	40	56	67			0.9	50	56		67	0.9	50																																																																																																																																																																																														
	23	100	2.1	60			23	111	2.8	60	19	134				2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4	5	CM040		71B2 (2800 об/мин)		560	8	3.4	5					CM040		B5/B14	373								13								2.5					7.5	280	16	2.0	10	187				24	1.5					15													140		31	1.0	20	140				32	1.7		20	112							38		1.3	25							93		44	1.5							30		70	56							1.1	40	56	67			0.9	50	56		67	0.9	50																																																																																																																																																																																																								
23	111	2.8	60	19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4	5	CM040		71B2 (2800 об/мин)	560	8		3.4	5	CM040						B5/B14	373	13	2.5								7.5								280								16					2.0	10	187	24	1.5	15				140	31					1.0													20		140	32	1.7	20				112	38		1.3	25							93		44	1.5							30		70	56							1.1	40	56	67			0.9	50	56		67	0.9	50																																																																																																																																																																																																																		
19	134	2.1	75	18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4		5	CM040		71B2 (2800 об/мин)				560	8		3.4	5								CM040		B5/B14								373								13								2.5					7.5	280	16	2.0	10	187				24	1.5					15													140		31	1.0	20	140				32	1.7		20	112							38		1.3	25							93	44	1.5	30			70	56	1.1		40	56	67	0.9	50	56	67	0.9	50																																																																																																																																																																																																																						
18	121	1.6	80	16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4		5	CM040			71B2 (2800 об/мин)							560	8		3.4	5																		CM040																B5/B14					373	13	2.5	7.5	280	16				2.0	10					187													24		1.5	15	140	31				1.0	20		140	32							1.7	20	112	38			1.3	25	93		44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																																																																																																																																																																																																																										
16	156	2.4	90	14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4		5	CM040			71B2 (2800 об/мин)											560	8		3.4	5																																							CM040		B5/B14	373	13	2.5				7.5	280					16													2.0		10	187	24	1.5				15	140	31	1.0	20			140	32	1.7		20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																																																																																																																																																																																																																														
14	141	1.2	100	12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4		5	CM040			71B2 (2800 об/мин)															560	8		3.4	5																																										CM040		B5/B14				373	13					2.5													7.5	280	16	2.0	10	187	24	1.5	15	140	31	1.0	20	140	32	1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																																																																																																																																																																																																																																		
12	193	1.7	120	9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4		5	CM040			71B2 (2800 об/мин)																			560	8		3.4	5																																																CM040				B5/B14		373			13	2.5	7.5					280	16	2.0	10	187	24	1.5	15	140	31	1.0	20	140	32	1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																																																																																																																																																																																																																																						
9.3	226	1.4	150	7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4		5	CM040			71B2 (2800 об/мин)																							560	8		3.4	5																																													CM040						B5/B14		373	13			2.5	7.5	280		16	2.0	10	187	24	1.5	15	140	31	1.0	20	140	32	1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																																																																																																																																																																																																																																										
7.8	254	1.2	180	5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4		5	CM040			71B2 (2800 об/мин)																											560	8		3.4	5																														CM040						B5/B14										373							13	2.5	7.5	280	16	2.0	10	187	24	1.5	15	140	31	1.0	20	140	32	1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																																																																																																																																																																																																																																														
5.8	297	0.8	240	4.7	334	0.7	300	0.55							0.55							71B2 (2800 об/мин)	560	8	3.4		5	CM040			71B2 (2800 об/мин)																															560	8		3.4	5																						CM040						B5/B14	373								13	2.5								7.5	280						16	2.0	10	187	24	1.5	15	140	31	1.0	20	140	32	1.7	20	112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																																																																																																																																																																																																																																																		
4.7	334	0.7	300																																																																																																																																																																																																																																																																																																																																																																																																								
0.55							0.55																																																																																																																																																																																																																																																																																																																																																																																																				
71B2 (2800 об/мин)	560	8	3.4	5	CM040		71B2 (2800 об/мин)	560	8	3.4	5	CM040		B5/B14																																																																																																																																																																																																																																																																																																																																																																																													
	373	13	2.5	7.5				280	16	2.0	10				187	24	1.5	15	140	31	1.0		20	140	32		1.7																											20					112	38	1.3	25	93	44	1.5	30	70	56	1.1	40	56	67	0.9				50	56	67	0.9	50																																																																																																																																																																																																																																																																																																																										
	280	16	2.0	10				187	24	1.5	15				140	31	1.0	20	140	32	1.7		20	112	38		1.3																							25				93		44	1.5	30	70	56	1.1	40	56	67	0.9	50	56	67	0.9	50																																																																																																																																																																																																																																																																																																																																					
	187	24	1.5	15				140	31	1.0	20				140	32	1.7	20	112	38	1.3		25	93	44		1.5																			30				70		56	1.1	40	56	67	0.9	50	56	67	0.9	50																																																																																																																																																																																																																																																																																																																																													
	140	31	1.0	20				140	32	1.7	20				112	38	1.3	25	93	44	1.5		30	70	56		1.1															40				56		67	0.9	50	56	67	0.9	50																																																																																																																																																																																																																																																																																																																																																					
	140	32	1.7	20				112	38	1.3	25				93	44	1.5	30	70	56	1.1		40	56	67		0.9											50				56		67	0.9	50																																																																																																																																																																																																																																																																																																																																																													
	112	38	1.3	25				93	44	1.5	30				70	56	1.1	40	56	67	0.9		50	56	67		0.9							50																																																																																																																																																																																																																																																																																																																																																																									
	93	44	1.5	30				70	56	1.1	40				56	67	0.9	50	56	67	0.9		50																																																																																																																																																																																																																																																																																																																																																																																				
	70	56	1.1	40				56	67	0.9	50				56	67	0.9	50																																																																																																																																																																																																																																																																																																																																																																																									
	56	67	0.9	50				56	67	0.9	50																																																																																																																																																																																																																																																																																																																																																																																																
	56	67	0.9	50																																																																																																																																																																																																																																																																																																																																																																																																							

CM/СМР





Таблицы выбора

Technical data

P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i				P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i			
0.55								0.75							
80A4 (1400 об/мин)	7.8	424	2.6	180		CMP080/130	B14	80A2 (2800 об/мин)	47	117	1.3	60		CMP080/063	B14
	5.8	512	1.9	240		CMP080/130	B14		37	141	1.0	75		CMP080/063	B14
	4.7	585	1.5	300		CMP080/130	B14		31	158	1.2	90		CMP080/063	B14
80B6 (900 об/мин)	120	37	2.5	7.5	CM050		B5/B14		47	111	1.4	60	CM075		B5/B14
	90	49	1.9	10	CM050		B5/B14		47	120	2.1	60		CMP080/075	B14
	60	69	1.4	15	CM050		B5/B14		37	145	1.6	75		CMP080/075	B14
	45	88	0.9	20	CM050		B5/B14		35	139	1.0	80	CM075		B5/B14
	45	91	1.7	20	CM063		B5/B14		31	165	1.9	90		CMP080/075	B14
	36	109	1.3	25	CM063		B5/B14		28	161	0.8	100	CM075		B5/B14
	30	123	1.5	30	CM063		B5/B14		23	205	1.3	120		CMP080/075	B14
	23	152	1.1	40	CM063		B5/B14		47	115	2.2	60	CM090		B5/B14
	18	178	0.8	50	CM063		B5/B14		47	123	3.6	60		CMP080/090	B14
	15	230	1.0	60		CMP080/063	B14		37	150	2.6	75		CMP080/090	B14
	12	270	0.8	75		CMP080/063	B14		35	145	1.6	80	CM090		B5/B14
	10	309	0.9	90		CMP080/063	B14		31	171	3.1	90		CMP080/090	B14
	18	187	1.3	50	CM075		B5/B14		28	171	1.2	100	CM090		B5/B14
	15	214	1.1	60	CM075		B5/B14		23	217	2.1	120		CMP080/090	B5/B14
	15	237	1.7	60		CMP080/075	B14		19	256	1.6	150		CMP080/090	B14
	12	283	1.2	75		CMP080/075	B14		16	293	1.3	180		CMP080/090	B14
	11	257	0.8	80	CM075		B5/B14		35	149	2.7	80	CM110		B5
	10	324	1.4	90		CMP080/075	B14		28	179	2.0	100	CM110		B5
	7.5	391	1.0	120		CMP080/075	B14		19	267	2.8	150		CMP080/110	B14
	15	228	1.7	60	CM090		B5/B14		16	307	2.2	180		CMP080/110	B14
	15	247	2.7	60		CMP080/090	B14		12	379	1.6	240		CMP080/110	B14
	12	296	2.0	75		CMP080/090	B14		9.3	444	1.2	300		CMP080/110	B14
	11	280	1.2	80	CM090		B5/B14		16	316	2.9	180		CMP080/130	B14
	10	340	2.3	90		CMP080/090	B14		12	385	2.2	240		CMP080/130	B14
	9	321	1.0	100	CM090		B5/B14		9.3	444	1.7	300		CMP080/130	B14
	7.5	350	1.9	120		CMP080/090	B14	80B4 (1400 об/мин)	187	33	2.4	7.5	CM050		B5/B14
	6.0	489	1.2	150		CMP080/090	B14		140	43	1.9	10	CM050		B5/B14
	5.0	546	0.9	180		CMP080/090	B14		93	63	1.3	15	CM050		B5/B14
	11	294	2.1	80			B5		70	81	0.9	20	CM050		B5/B14
	9	344	1.6	100	CM110		B5		56	97	0.7	25	CM050		B5/B14
	7.5	446	2.7	120	CM110		B5		47	111	0.8	30	CM050		B5/B14
	6.0	523	2.0	150		CMP080/110	B14		187	34	4.3	7.5	CM063		B5/B14
	5.0	587	1.6	180		CMP080/110	B14		140	44	3.4	10	CM063		B5/B14
	3.8	700	1.1	240		CMP080/110	B14		93	64	2.4	15	CM063		B5/B14
	3.0	789	0.9	300		CMP080/110	B14		70	83	1.6	20	CM063		B5/B14
	6.0	523	2.7	150			B14		56	100	1.4	25	CM063		B5/B14
	5.0	587	2.2	180		CMP080/130	B14		47	115	1.4	30	CM063		B5/B14
	3.8	700	1.6	240		CMP080/130	B14		35	143	1.0	40	CM063		B5/B14
	3.0	824	1.2	300		CMP080/130	B14		28	169	0.8	50	CM063		B5/B14
									23	220	0.9	60		CMP080/063	B14
									19	263	0.7	75		CMP080/063	B14
									16	289	0.8	90		CMP080/063	B14
									70	85	2.6	20	CM075		B5/B14
									56	102	2.0	25	CM075		B5/B14
									47	118	2.3	30	CM075		B5/B14
									35	149	1.6	40	CM075		B5/B14
									28	177	1.2	50	CM075		B5/B14
									23	203	1.0	60	CM075		B5/B14
									23	226	1.4	60		CMP080/075	B14
									19	271	1.0	75		CMP080/075	B14
									18	246	0.8	80	CM075		B5/B14
									16	316	1.2	90		CMP080/075	B14

CM/CMP





CM/СМР


ЧЕРВЯЧНЫЕ РЕДУКТОРЫ WORMGEARBOXES

ПРОМЫШЛЕННЫЕ
РЕДУКТОРЫ

Таблицы выбора

Technical data

P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i				P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i			
0.75								1.1							
80B4 (1400 об/мин)	12	391	0.9	120				80B2 (2800 об/мин)	47	176	1.4	60			
	35	156	2.6	40	CM090			37	212	1.1	75				
	28	184	1.9	50	CM090			31	242	1.3	90				
	23	212	1.5	60	CM090			23	300	0.9	120				
	23	235	2.2	60		CMP080/090	B14	56	146	1.9	50	CM090			B5/B14
	19	282	1.6	75		CMP080/090	B14	47	169	1.5	60	CM090			B5/B14
	18	262	1.2	80	CM090		B5/B14	47	181	2.4	60		CMP080/090		B14
	16	316	2.0	90		CMP080/090	B14	37	221	1.8	75	CM090			B5/B14
	14	307	0.9	100	CM090		B5/B14	35	213	1.1	80	CM090			B5/B14
	12	397	1.5	120		CMP080/090	B14	31	251	2.1	90		CMP080/090		B14
	9.3	459	1.1	150		CMP080/090	B14	28	251	0.9	100	CM090			B5/B14
	7.8	532	0.9	180		CMP080/090	B14	23	318	1.4	120		CMP080/090		B14
	23	224	2.6	60	CM110		B5	19	375	1.1	150		CMP080/090		B14
	19	290	2.9	75		CMP080/110	B14	16	430	0.9	180		CMP080/090		B14
	18	278	1.9	80	CM110		B5	35	219	1.8	80	CM110			B5
	16	325	3.2	90		CMP080/110	B14	28	263	1.4	100	CM110			B5
	14	327	1.5	100	CM110		B5	23	331	2.5	120		CMP080/110		B14
	12	415	2.4	120		CMP080/110	B14	19	392	1.9	150		CMP080/110		B14
	9.3	489	1.9	150		CMP080/110	B14	16	450	1.5	180		CMP080/110		B14
	7.8	560	1.5	180		CMP080/110	B14	12	556	1.1	240		CMP080/110		B14
	5.8	686	1.1	240		CMP080/110	B14	9.3	651	0.9	300		CMP080/110		B14
	4.7	782	0.8	300		CMP080/110	B14	19	403	2.5	150		CMP080/130		B14
	18	282	2.9	80	CM130		B5	16	463	2.0	180		CMP080/130		B14
	14	327	2.2	100	CM130		B5	12	565	1.5	240		CMP080/130		B14
	9.3	504	2.4	150		CMP080/130	B14	9.3	651	1.2	300		CMP080/130		B14
	7.8	578	1.9	180		CMP080/130	B14								
	5.8	698	1.4	240		CMP080/130	B14								
	4.7	797	1.1	300		CMP080/130	B14								
90S6 (900 об/мин)	45	127	2.0	20	CM075		B5/B14	80C4 (1400 об/мин)	187	49	1.6	7.5	CM050		B5/B14
	36	153	1.5	25	CM075		B5/B14	140	64	1.3	10	CM050			B5/B14
	30	174	1.8	30	CM075		B5/B14	93	92	0.9	15	CM050			B5/B14
	23	216	1.2	40	CM075		B5/B14	187	50	2.9	7.5	CM063			B5/B14
	18	271	1.5	50	CM090		B5/B14	140	65	2.3	10	CM063			B5/B14
	15	310	1.2	60	CM090		B5/B14	93	95	1.6	15	CM063			B5/B14
	15	325	2.1	60	CM110		B5/B14	70	122	1.1	20	CM063			B5/B14
	11	401	1.5	80	CM110		B5/B14	56	146	0.9	25	CM063			B5/B14
	9	470	1.2	100	CM110		B5/B14	47	169	1.0	30	CM063			B5/B14
								70	125	1.8	20	CM075			B5/B14
								56	150	1.3	25	CM075			B5/B14
								47	173	1.6	30	CM075			B5/B14
								35	219	1.1	40	CM075			B5/B14
								28	259	0.8	50	CM075			B5/B14
								23	331	0.9	60		CMP080/075		B14
								19	397	0.7	75		CMP080/075		B14
								16	463	0.8	90		CMP080/075		B14
								35	228	1.8	40	CM090			B5/B14
								28	270	1.3	50	CM090			B5/B14
								23	311	1.1	60	CM090			B5/B14
								23	344	1.5	60		CMP080/090		B14
								19	414	1.1	75		CMP080/090		B14
								18	384	0.8	80	CM090			B5/B14
								16	463	1.4	90		CMP080/090		B14
								12	582	1.0	120		CMP080/090		B14
								9.3	673	0.8	150		CMP080/090		B14
								23	329	1.8	60	CM110			B5
								23	353	2.5	60		CMP080/110		B14
								19	425	2.0	75		CMP080/110		B14



Таблицы выбора

Technical data

P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i				P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i																									
1.1								1.1																													
80С4 (1400 об/мин)	18	408	1.3	80	CM110	CMP080/110	B5	90L6 (900 об/мин)	18	414	1.8	50	CM110		B5/B14																						
	16	477	2.2	90					B14																												
	14	480	1.0	100					B5																												
	12	609	1.6	120					B14																												
	9.3	717	1.3	150	CM110	CMP080/110	B14		11	588	1.0	80	CM110		B5/B14																						
	7.8	821	1.0	180					B14																												
	23	349	3.6	60					CM130	CMP080/130	B14	9				689	0.8	100	CM110		B5/B14																
	19	425	2.7	75								B14																									
	18	414	2.0	80	B5																																
	16	477	3.1	90	B14																																
	14	480	1.5	100	CM130	CMP080/130	B5		11	598	1.5	80	CM130		B5																						
	12	600	2.3	120					B14																												
	9.3	739	1.7	150					B14																												
	7.8	847	1.3	180					B14																												
5.8	1024	0.9	240	CM130	CMP080/130	B14	9	689	1.1	100	CM130		B5																								
1.5								1.5																													
90S4 (1400 об/мин)	187	50	2.9				7.5	CM063		B5/B14				90S2 (2800 об/мин)	373	35	3.0	7.5	CM063		B5/B14																
	140	65	2.3				10								280	45	2.4	10				CM063	B5/B14														
	93	95	1.6	15	187	66	1.7				15	CM063	B5/B14																								
	70	122	1.1	20	140	86	1.2				20	CM063	B5/B14																								
	56	146	0.9	25	112	106	0.9				25	CM063	B5/B14																								
	47	169	1.0	30	93	121	1.0				30	CM063	B5/B14																								
	187	50	4.4	7.5	CM075		B5/B14	140	87	2.0	20	CM075			B5/B14																						
	140	65	3.6	10				112	107	1.4	25					CM075	B5/B14																				
	93	95	2.6	15				93	124	1.7	30					CM075	B5/B14																				
	70	122	1.1	20				70	160	1.1	40					CM075	B5/B14																				
	56	146	0.9	25				70	164	1.9	40					CM090	B5/B14																				
	47	169	1.0	30				56	200	1.4	50							CM090	B5/B14																		
	187	50	4.4	7.5	CM090		B5/B14	47	230	1.1	60	CM090			B5/B14																						
	140	65	3.6	10				47	236	1.9	60					CM110	B5/B14																				
	93	95	2.6	15				35	299	1.3	80					CM110	B5/B14																				
	70	125	1.8	20				28	358	1.0	100					CM110	B5/B14																				
	56	150	1.3	25				CM090		B5/B14	70					164	1.9	40	CM090		B5/B14																
	47	173	1.6	30							56					200	1.4	50				CM090	B5/B14														
	35	219	1.1	40	47	230	1.1				60	CM090	B5/B14																								
	56	156	2.2	25	47	236	1.9				60	CM110	B5/B14																								
	47	178	2.6	30	35	299	1.3				80	CM110	B5/B14																								
	35	228	1.8	40	28	358	1.0				100	CM110	B5/B14																								
	28	270	1.3	50	CM090		B5/B14	70	170	1.3	20	CM075			B5/B14																						
	23	311	1.1	60				56	205	1.0	25					CM075	B5/B14																				
18	384	0.8	80	47				236	1.1	30	CM075			B5/B14																							
35	237	3.0	40	35				299	0.8	40	CM075			B5/B14																							
28	285	2.3	50	CM110					B5/B14	56	212			1.6		25	CM090		B5/B14																		
23	329	1.8	60							47	243			1.9		30				CM090	B5/B14																
18	408	1.3	80		35	311	1.3			40	CM090	B5/B14																									
14	480	1.0	100		28	368	1.0			50	CM090	B5/B14																									
23	329	2.7	60		23	424	0.8			60	CM090	B5/B14																									
18	414	2.0	80		CM110		B5/B14			35	323	2.2	40	CM110		B5/B14																					
14	480	1.5	100	28				389	1.7	50	CM110	B5/B14																									
23	329	2.7	60	23				448	1.3	60	CM110	B5/B14																									
18	414	2.0	80	18				557	0.9	80	CM110	B5/B14																									
14	480	1.5	100	23				448	2.0	60	CM130	B5																									
23	329	2.7	60	18				565	1.5	80			CM130				B5																				
18	414	2.0	80	CM130		B5	14	655	1.1	100	CM130		B5																								
14	480	1.5	100				CM130		B5	35				323	2.2	40	CM110		B5/B14																		
23	329	2.7	60							28				389	1.7	50				CM110	B5/B14																
18	414	2.0	80							23				448	1.3	60				CM110	B5/B14																
14	480	1.5	100							18				557	0.9	80				CM110	B5/B14																
23	329	2.7	60							CM130					B5	23				448	2.0	60	CM130		B5												
18	414	2.0	80	18	565	1.5					80	CM130	B5																								
14	480	1.5	100	14	655	1.1	100	CM130	B5																												
23	329	2.7	60	CM130		B5	35	323	2.2		40	CM110				B5/B14																					
18	414	2.0	80				28	389	1.7		50						CM110	B5/B14																			
14	480	1.5	100				23	448	1.3		60						CM110	B5/B14																			
23	329	2.7	60				18	557	0.9	80	CM110			B5/B14																							
18	414	2.0	80				CM130		B5	23	448			2.0	60		CM130		B5																		
14	480	1.5	100							18	565			1.5	80					CM130	B5																
23	329	2.7	60	CM130		B5				14	655	1.1	100	CM130		B5																					
18	414	2.0	80							CM130		B5	35							323	2.2	40	CM110		B5/B14												
14	480	1.5	100										28							389	1.7	50				CM110	B5/B14										
23	329	2.7	60										23							448	1.3	60				CM110	B5/B14										
18	414	2.0	80				18	557	0.9				80				CM110	B5/B14																			
14	480	1.5	100				CM130		B5				23				448	2.0	60	CM130		B5															
23	329	2.7	60	CM130		B5							18	565	1.5	80	CM130		B5																		
18	414	2.0	80							CM130		B5	14	655	1.1	100							CM130		B5												
14	480	1.5	100										CM130		B5	35										323	2.2	40	CM110		B5/B14						
23	329	2.7	60													CM130											B5	28				389	1.7	50	CM110		B5/B14
18	414	2.0	80																									CM130					B5	23			
14	480	1.5	100				CM130		B5											18	557	0.9												80			
23	329	2.7	60	CM130		B5											23	448	2.0	60	CM130													B5			
18	414	2.0	80							CM130		B5					18	565	1.5	80			CM130		B5												
14	480	1.5	100										CM130		B5		14	655	1.1	100									CM130		B5						
23	329	2.7	60													CM130		B5	35	323						2.2	40								CM110		B5/B14
18	414	2.0	80																CM130							B5	28	389				1.7	50				
14	480	1.5	100				CM130		B5																		23	448				1.3	60				
23	329	2.7	60	CM130		B5															18	557					0.9	80				CM110		B5/B14			
18	414	2.0	80							CM130		B5									23	448	2.0	60	CM130			B5									
14	480	1.5	100										CM130		B5						18	565	1.5	80					CM130		B5						
23	329	2.7	60													CM130		B5			14	655	1.1	100											CM130		B5
18	414	2.0	80																CM130		B5	35	323	2.2		40											
14	480	1.5	100				CM130		B5													28	389	1.7		50											
23	329	2.7	60	CM130		B5																23	448	1.3		60						CM110		B5/B14			
18	414	2.0	80							CM130		B5										18	557	0.9	80	CM110		B5/B14									
14	480	1.5	100										CM130		B5							23	448	2.0	60				CM130		B5						
23	329	2.7	60													CM130		B5				18	565	1.5	80										CM130		B5
18	414	2.0	80																CM130		B5	14	655	1.1	100												
14	480	1.5	100				CM130		B5													35	323	2.2	40												
23	329	2.7	60	CM130		B5																28	389	1.7	50							CM110		B5/B14			
18	414	2.0	80							CM130		B5										23	448	1.3	60	CM110		B5/B14									
14	480	1.5	100										CM130		B5							18	557	0.9	80				CM110		B5/B14						
23	329	2.7	60													CM130		B5				23	448	2.0	60										CM130		B5
18	414	2.0	80																CM130		B5	18	565	1.5	80												
14	480	1.5	100				CM130		B5													14	655	1.1	100												
23	329	2.7	60																																		

