


13.3 W..DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{ra}^{1)}$ [Н]	SEW f_B			m [кг]	
0.09	17	20	75.00*	1800	1.25	W 10 WF 10 WA 10 WAF 10	DT	56M4	5.3 643
	22	18	60.00*	1800	1.45				
	27	16	48.00*	1800	1.55				
	33	15	39.00*	1800	1.70				
	40	13	32.50*	1800	1.90				
	47	12	27.50*	1800	2.0				
	53	11	24.50*	1800	2.3				
	67	9.4	19.50*	1800	2.7				
	79	8.4	16.50*	1800	2.4				
	91	7.6	14.33	1800	2.9				
	127	5.8	10.25*	1800	2.2				
	159	4.8	8.20*	1800	2.5				
	198	4.0	6.57	1800	3.0				
0.12	3.8	135	359	0	0.80	W 37 WF 37 WA 37 WAF 37	DR	63S4	13 661
	4.2	128	327	1780	0.85				
	4.8	112	286	3280	1.00				
	5.2	107	267	3370	1.05				
	5.9	94	233	3560	1.15				
	6.7	81	207	3720	1.35				
	7.5	73	184	3800	1.50				
	8.6	68	160	3850	1.60				
	9.8	60	141	3910	1.80				
	11	54	125	3960	2.0				
	13	48	109	4000	2.3				
	14	43	96	4030	2.6				
	17	37	82	4060	3.0				
	19	38	73	4050	2.3				
	22	34	63	4070	2.6				
	26	29	53	4090	3.1				
	29	27	48	4100	3.3				
	20	39	69.05	4050	2.8				
	22	36	63.33	4060	3.1				
	26	31	53.92	4080	3.5				
	30	27	46.49	4100	4.0				
	36	23	37.88	4110	4.8				
	40	24	34.52	4110	3.8				
	44	22	31.67	4120	4.1				
	12	40	75.00*	3000	1.75				
	15	38	60.00*	3000	1.85				
	28	25	32.50*	3000	2.8				
	33	24	27.50*	3000	3.0				
	18	28	75.00*	3000	2.5				
	23	26	60.00*	3000	2.7				
	29	22	48.00*	3000	3.1				
	35	20	39.00*	3000	3.4				
	42	17	32.50*	3000	4.1				
	12	36	75.00*	2200	1.10				
	15	32	60.00*	2200	1.25				
	28	27	32.50*	2200	1.50				
	33	22	27.50*	2200	1.80				
	18	25	75.00*	2200	1.60				
	23	22	60.00*	2200	1.60				
	29	20	48.00*	2200	1.95				
	35	18	39.00*	2200	2.2				
	42	18	32.50*	2200	2.2				
	50	15	27.50*	2200	2.6				
	56	14	24.50*	2200	2.9				
	71	12	19.50*	2200	2.9				
	84	10	16.50*	2200	2.9				
	96	9.5	14.33	2200	3.2				
	135	7.2	10.25*	2140	3.5				
	168	5.9	8.20*	1990	3.4				
	210	4.9	6.57	1890	4.1				
	18	25	75.00*	2200	1.60	W 20 WF 20 WA 20 WAF 20	DR	63S4	6.6 646
	23	22	60.00*	2200	1.60				
	29	20	48.00*	2200	1.95				
	35	18	39.00*	2200	2.2				
	42	18	32.50*	2200	2.2				
	50	15	27.50*	2200	2.6				
	56	14	24.50*	2200	2.9				
	71	12	19.50*	2200	2.9				
	84	10	16.50*	2200	2.9				
	96	9.5	14.33	2200	3.2				
	135	7.2	10.25*	2140	3.5				
	168	5.9	8.20*	1990	3.4				
	210	4.9	6.57	1890	4.1				




W..DRS W..DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B					m [кг]						
0.12	17	26	75.00*	1800	0.95		10	DT	56L4	5.3	643					
	22	23	60.00*	1800	1.05			DT	56L4	5.5	644					
	27	21	48.00*	1800	1.15			DT	56L4	5.3	645					
	33	20	39.00*	1800	1.30			DT	56L4	5.5	644					
	40	18	32.50*	1800	1.40		10	DT	56L4	5.3	644					
	47	16	27.50*	1800	1.55											
	53	15	24.50*	1800	1.70											
	67	13	19.50*	1800	2.00											
	79	11	16.50*	1800	1.80		10	DT	56L4	5.5	644					
	91	10	14.33	1800	2.2											
	127	7.7	10.25*	1800	1.70											
	159	6.3	8.20*	1800	1.90											
	198	5.3	6.57	1800	2.3											
	0.18	4.2	225	318	6080		0.80		47R17	DR	63M4	18	661			
4.9		193	270	6320	0.95	DR	63M4			19	661					
5.6		178	237	6420	1.00	DR	63M4			17	661					
6.3		156	210	6560	1.15	DR	63M4			18	661					
7.2		135	183	6680	1.35	47R17	DR		63M4	13	661					
8.3		122	159	6760	1.50											
9.3		108	141	6840	1.65											
11		114	124	6900	1.40											
11		93	120	6930	1.95	47R17	DR		63M4	13	661					
13		96	105	6990	1.65											
14		90	95	7020	1.75											
16		79	85	7070	2.0											
17		74	77	7090	2.2	47R17	DR		63M4	13	661					
18		67	72	7120	2.4											
6.4		134	207	580	0.80								37R17	DR	63M4	13
7.2		121	184	2620	0.90	DR	63M4		13	661						
8.2		110	160	3320	1.00	DR	63M4		13	661						
9.3		99	141	3500	1.10	DR	63M4	13	661							
11		88	125	3630	1.25	37R17	DR	63M4	13	661						
12		79	109	3740	1.40											
14		71	96	3820	1.55											
16		61	82	3910	1.80											
18		64	73	3890	1.40	37R17	DR	63M4	13	661						
21		56	63	3940	1.60											
25		48	53	4000	1.85											
27		44	48	4020	2.0											
18		69	74.98	7060	2.6		47	DR	63M4	16	658					
19		64	68.93	7090	2.8			DR	63M4	16	659					
22		56	58.98	7130	3.2			DR	63M4	14	660					
26		49	51.12	7170	3.7			DR	63M4	15	659					
28		46	47.78	7180	3.9		47	DR	63M4	15	659					
32		40	41.30	7210	4.5											
42		34	31.62	7030	4.6											
19		60	69.05	3920	1.85		37	DR	63M4	10	652					
21		56	63.33	3950	1.95			DR	63M4	10	653					
24		49	53.92	4000	2.3			DR	63M4	10	655					
28		43	46.49	4030	2.6			DR	63M4	10	653					
35		36	37.88	4070	3.1		37	DR	63M4	10	653					
38		37	34.52	4060	2.4											
42		34	31.67	4070	2.6											
48		27	27.78	4100	4.1											
49		29	26.96	4090	3.1		37	DR	63M4	10	653					
57		26	23.25	4100	3.5											
62		21	21.33	4120	5.2											
70		21	18.94	4120	4.3											
12		62	75.00*	3000	1.15		30	DR	63L6	9.8	649					
14		58	60.00*	3000	1.20			DR	63L6	10	650					
27		39	32.50*	3000	1.80			DR	63L6	9.5	651					
32		36	27.50*	3000	1.90			DR	63L6	9.8	650					




P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B		m [кг]			
0.18	18	44	75.00*	3000	1.60					
	22	40	60.00*	3000	1.75					
	28	35	48.00*	3000	2.00					
	34	32	39.00*	3000	2.2					
	41	27	32.50*	3000	2.6	W 30	DR	63M4	9.0	649
	48	25	27.50*	3000	2.8	WF 30	DR	63M4	9.4	650
	54	23	24.50*	3000	3.0	WA 30	DR	63M4	8.8	651
	68	20	19.50*	3000	3.6	WAF 30	DR	63M4	9.1	650
	81	17	16.33	3000	3.6					
	92	15	14.33	3000	3.9					
	129	12	10.25*	3000	4.3					
	161	9.5	8.20*	3000	4.2					
	201	7.9	6.57	2950	5.1					
	111	12	24.50*	3000	5.9					
	139	9.9	19.50*	3000	7.1	W 30	DR	63S2	9.0	649
	167	8.5	16.33	3000	7.1	WF 30	DR	63S2	9.4	650
	190	7.7	14.33	3000	7.8	WA 30	DR	63S2	8.8	651
	265	5.7	10.25*	2710	8.8	WAF 30	DR	63S2	9.1	650
	332	4.7	8.20*	2520	8.5					
	14	49	60.00*	2200	0.80	W 20	DR	63L6	7.3	646
	32	35	27.50*	2200	1.15	WF 20	DR	63L6	7.4	647
	45	27	19.50*	2200	1.30	WA 20	DR	63L6	7.0	648
						WAF 20	DR	63L6	7.0	647
	18	39	75.00*	2200	1.00					
	22	34	60.00*	2200	1.15					
	28	32	48.00*	2200	1.25					
	34	29	39.00*	2200	1.40					
	41	28	32.50*	2200	1.40	W 20	DR	63M4	6.6	646
	48	24	27.50*	2200	1.70	WF 20	DR	63M4	6.8	647
	54	22	24.50*	2200	1.85	WA 20	DR	63M4	6.3	648
	68	19	19.50*	2200	1.90	WAF 20	DR	63M4	6.3	647
	80	16	16.50*	2200	1.85					
	92	15	14.33	2200	2.0					
129	11	10.25*	2110	2.2						
161	9.2	8.20*	1970	2.2						
201	7.7	6.57	1890	2.6						
111	11	24.50*	2200	3.6						
139	9.4	19.50*	2070	3.7	W 20	DR	63S2	6.6	646	
165	8.2	16.50*	1970	3.7	WF 20	DR	63S2	6.8	647	
190	7.5	14.33	1890	4.0	WA 20	DR	63S2	6.3	648	
265	5.6	10.25*	1710	4.5	WAF 20	DR	63S2	6.3	647	
332	4.6	8.20*	1590	4.4						
0.25	7.1	196	183	6300	0.90					
	8.2	175	159	6430	1.05					
	9.2	157	141	6550	1.15					
	11	164	124	6630	0.95	W 47R17	DR	63L4	19	661
	11	134	120	6690	1.35	WF 47R17	DR	63L4	20	661
	12	139	105	6760	1.15	WA 47R17	DR	63L4	18	661
	14	129	95	6820	1.25	WAF 47R17	DR	63L4	18	661
	15	114	85	6900	1.40					
	17	106	77	6940	1.50					
	18	97	72	6980	1.65					
	10	128	125	1880	0.85					
	12	114	109	3220	0.95					
	14	102	96	3450	1.10	W 37R17	DR	63L4	14	661
	16	88	82	3640	1.25	WF 37R17	DR	63L4	14	661
	18	92	73	3580	0.95	WA 37R17	DR	63L4	14	661
	21	82	63	3720	1.10	WAF 37R17	DR	63L4	14	661
	24	70	53	3840	1.30					
	27	64	48	3880	1.40					
	12	135	74.98	6680	1.35	W 47	DRS	71S6	18	658
	13	125	68.93	6740	1.45	WF 47	DRS	71S6	19	659
						WA 47	DRS	71S6	17	660
						WAF 47	DRS	71S6	17	659
17	97	74.98	6910	1.85	W 47	DR	63L4	16	658	
19	90	68.93	6950	2.0	WF 47	DR	63L4	17	659	
22	78	58.98	7010	2.3	WA 47	DR	63L4	15	660	
25	69	51.12	7060	2.6	WAF 47	DR	63L4	15	659	
27	65	47.78	7080	2.8						




W..DRS W..DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B					m [кг]	
0.25	19	85	69.05	3680	1.30					11	652
	21	79	63.33	3750	1.40						
	24	68	53.92	3850	1.60						
	28	60	46.49	3920	1.85						
	34	50	37.88	3990	2.2						
	38	52	34.52	3980	1.75						
	41	48	31.67	4000	1.90						
	47	38	27.78	4060	2.9						
	48	41	26.96	4040	2.2						
	56	36	23.25	4060	2.5						
	61	30	21.33	4090	3.7						
	69	30	18.94	4090	3.0						
	83	25	15.67	4110	3.6						
	94	22	13.89	4110	4.0						
	102	21	12.70	4120	3.3						
	112	20	11.65	4120	3.6						
	122	17	10.67	3910	5.2						
	131	17	9.92	3920	4.2						
	12	84	75.00*	3000	0.85						
	15	78	60.00*	3000	0.90						
	28	53	32.50*	3000	1.35						
	37	46	24.50*	3000	1.50						
	46	39	19.50*	3000	1.80						
	17	62	75.00*	3000	1.15					9.8	649
	22	57	60.00*	3000	1.25						
	27	50	48.00*	3000	1.40						
	33	45	39.00*	3000	1.55						
	40	38	32.50*	3000	1.85						
	47	35	27.50*	3000	2.00						
	53	33	24.50*	3000	2.1						
	67	28	19.50*	3000	2.5						
	80	24	16.33	3000	2.5						
	91	22	14.33	3000	2.8						
	127	16	10.25*	3000	3.1						
	159	13	8.20*	3000	3.0						
	198	11	6.57	2940	3.6						
	109	17	24.50*	3000	4.2						
	136	14	19.50*	3000	5.0						
	163	12	16.33	3000	5.0						
	186	11	14.33	3000	5.5						
	260	8.1	10.25*	2700	6.2						
	324	6.6	8.20*	2520	6.1						
	33	47	27.50*	2200	0.85					9.1	646
	37	43	24.50*	2200	0.95						
	46	37	19.50*	2200	0.95						
	62	30	14.33	2200	1.00						
	87	22	10.25*	2200	1.10						
	109	19	8.20*	2190	1.10						
	136	16	6.57	2090	1.30						
	22	48	60.00*	2200	0.85						
	27	44	48.00*	2200	0.90						
	33	41	39.00*	2200	1.00						
	40	40	32.50*	2200	1.00						
	47	34	27.50*	2200	1.20						
	53	30	24.50*	2200	1.30						
	67	26	19.50*	2200	1.35						
	79	23	16.50*	2200	1.30						
	91	21	14.33	2200	1.45						
	127	16	10.25*	2050	1.60						
	159	13	8.20*	1920	1.55						
	198	11	6.57	1860	1.85						
	82	21	32.50*	2200	1.95					6.6	646
	97	17	27.50*	2200	2.3						
	109	16	24.50*	2150	2.6						
	136	13	19.50*	2020	2.6						
	161	12	16.50*	1930	2.6						
	186	11	14.33	1860	2.8						
	260	7.9	10.25*	1680	3.2						
	324	6.5	8.20*	1570	3.1						
	33	47	27.50*	2200	0.85						
	37	43	24.50*	2200	0.95						
	46	37	19.50*	2200	0.95						
	62	30	14.33	2200	1.00						
	87	22	10.25*	2200	1.10						
	109	19	8.20*	2190	1.10						
	136	16	6.57	2090	1.30						
	22	48	60.00*	2200	0.85						
	27	44	48.00*	2200	0.90						
	33	41	39.00*	2200	1.00						
	40	40	32.50*	2200	1.00						
	47	34	27.50*	2200	1.20						
	53	30	24.50*	2200	1.30						
	67	26	19.50*	2200	1.35						
	79	23	16.50*	2200	1.30						
	91	21	14.33	2200	1.45						
	127	16	10.25*	2050	1.60						
	159	13	8.20*	1920	1.55						
	198	11	6.57	1860	1.85						
	82	21	32.50*	2200	1.95						
	97	17	27.50*	2200	2.3						
	109	16	24.50*	2150	2.6						
	136	13	19.50*	2020	2.6						
	161	12	16.50*	1930	2.6						
	186	11	14.33	1860	2.8						
	260	7.9	10.25*	1680	3.2						
	324	6.5	8.20*	1570	3.1						



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{ra}^{1)}$ [Н]	SEW f_B					m [кг]	
0.37	9.8	220	141	6110	0.80						
	11	192	120	6320	0.95						
	13	198	105	6430	0.80	W	47R17	DRS	71S4	21	661
	15	183	95	6520	0.90	WF	47R17	DRS	71S4	21	661
	16	163	85	6640	1.00	WA	47R17	DRS	71S4	19	661
	18	150	77	6710	1.05	WAF	47R17	DRS	71S4	20	661
	19	138	72	6770	1.15						
	17	126	82	2020	0.85	W	37R17	DRS	71S4	15	661
	26	100	53	3480	0.90	WF	37R17	DRS	71S4	15	661
	29	91	48	3600	1.00	WA	37R17	DRS	71S4	15	661
						WAF	37R17	DRS	71S4	15	661
	12	198	74.98	6280	0.90	W	47	DRS	71M6	19	658
	13	184	68.93	6380	1.00	WF	47	DRS	71M6	20	659
	15	160	58.98	6530	1.15	WA	47	DRS	71M6	18	660
	18	141	51.12	6650	1.30	WAF	47	DRS	71M6	19	659
	19	133	47.78	6700	1.35						
	18	136	74.98	6680	1.30						
	20	126	68.93	6740	1.45						
	23	110	58.98	6830	1.65						
	27	97	51.12	6910	1.85						
	29	91	47.78	6940	2.00						
	33	80	41.30	6950	2.2						
	39	69	35.09	6670	2.6						
	44	68	31.62	6570	2.4						
	44	62	31.33	6470	2.9	W	47	DRS	71S4	18	658
	50	59	27.41	6320	2.7	WF	47	DRS	71S4	19	659
	52	54	26.76	6210	3.3	WA	47	DRS	71S4	17	660
	54	56	25.62	6200	2.9	WAF	47	DRS	71S4	17	659
	55	51	25.07	6100	3.6						
	62	48	22.15	5960	3.3						
	73	42	18.82	5690	3.9						
	82	37	16.80	5500	4.3						
	96	32	14.35	5260	5.0						
	112	29	12.30	5120	3.7						
	129	26	10.66	4900	4.3						
	139	24	9.96	4790	4.6						
	22	110	63.33	3310	1.00						
	26	96	53.92	3540	1.15						
	30	84	46.49	3680	1.30						
	36	70	37.88	3830	1.55						
	40	73	34.52	3810	1.25						
	44	67	31.67	3860	1.35						
	50	53	27.78	3970	2.1						
	51	58	26.96	3930	1.55	W	37	DRS	71S4	13	652
	59	50	23.25	3990	1.80	WF	37	DRS	71S4	13	653
	65	42	21.33	4040	2.6	WA	37	DRS	71S4	13	655
	73	42	18.94	4040	2.2	WAF	37	DRS	71S4	13	653
	88	35	15.67	4070	2.6						
	99	31	13.89	4030	2.9						
	109	30	12.70	4090	2.3						
	118	27	11.65	3990	2.6						
	129	24	10.67	3740	3.7						
	139	23	9.92	3800	3.0						
	161	20	8.55	3630	3.5						
	18	86	75.00*	3000	0.80						
	23	80	60.00*	3000	0.90						
	29	69	48.00*	3000	1.00						
	35	63	39.00*	3000	1.10						
	42	53	32.50*	3000	1.30	W	30	DRS	71S4	12	649
	50	49	27.50*	3000	1.40	WF	30	DRS	71S4	12	650
	56	46	24.50*	3000	1.55	WA	30	DRS	71S4	11	651
	71	39	19.50*	3000	1.80	WAF	30	DRS	71S4	12	650
	84	33	16.33	3000	1.80						
	96	30	14.33	3000	2.00						
	135	23	10.25*	3000	2.2						
	168	19	8.20*	3000	2.1						
	210	16	6.57	2870	2.6						




W..DRS W..DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{ra}^{1)}$ [Н]	SEW f_B					m [кг]	
0.37	108	25	24.50*	3000	2.8						
	136	21	19.50*	3000	3.4	W	30	DR	63L2	9.8	649
	162	18	16.33	3000	3.4	WF	30	DR	63L2	10	650
	185	16	14.33	2940	3.7	WA	30	DR	63L2	9.5	651
	259	12	10.25*	2660	4.1	WAF	30	DR	63L2	9.8	650
	323	9.9	8.20*	2480	4.0						
	50	47	27.50*	2200	0.85						
	56	43	24.50*	2200	0.95						
	71	37	19.50*	2200	0.95	W	20	DRS	71S4	9.1	646
	84	32	16.50*	2180	0.95	WF	20	DRS	71S4	9.2	647
	96	29	14.33	2130	1.00	WA	20	DRS	71S4	8.8	648
	135	22	10.25*	1970	1.15	WAF	20	DRS	71S4	8.8	647
	168	18	8.20*	1020	1.10						
	210	15	6.57	1510	1.30						
	108	23	24.50*	2020	1.70						
	136	20	19.50*	1920	1.75	W	20	DR	63L2	7.3	646
	161	17	16.50*	1840	1.75	WF	20	DR	63L2	7.4	647
	185	16	14.33	1780	1.90	WA	20	DR	63L2	7.0	648
	259	12	10.25*	1620	2.1	WAF	20	DR	63L2	7.0	647
	323	9.6	8.20*	1530	2.1						
0.55	18	205	51.12	6220	0.85						
	19	195	47.78	6300	0.90						
	22	172	41.30	6460	1.05	W	47	DRS	80S6	22	658
	26	148	35.09	6600	1.20	WF	47	DRS	80S6	22	659
	29	149	31.62	6710	1.05	WA	47	DRS	80S6	20	660
	29	134	31.33	6630	1.35	WAF	47	DRS	80S6	21	659
	33	130	27.41	6590	1.25						
	36	122	25.62	6500	1.30						
	18	200	74.98	6250	0.90						
	20	188	68.93	6350	0.95						
	23	163	58.98	6510	1.10						
	27	144	51.12	6630	1.25						
	29	135	47.78	6640	1.35	W	47	DRS	71M4	19	658
	33	119	41.30	6460	1.50	WF	47	DRS	71M4	20	659
	39	102	35.09	6240	1.75	WA	47	DRS	71M4	18	660
	44	101	31.62	6220	1.60	WAF	47	DRS	71M4	19	659
	44	92	31.33	6090	1.95						
	50	88	27.41	6010	1.80						
	54	83	25.62	5920	1.95						
	36	104	37.88	3410	1.05						
	44	100	31.67	3480	0.90						
	50	79	27.78	3740	1.40						
	51	86	26.96	3660	1.05						
	59	75	23.25	3790	1.20						
	65	62	21.33	3900	1.75						
	73	62	18.94	3900	1.45						
	88	52	15.67	3940	1.75	W	37	DRS	71M4	14	652
	99	46	13.89	3830	1.95	WF	37	DRS	71M4	14	653
	109	44	12.70	3990	1.60	WA	37	DRS	71M4	14	655
	118	41	11.65	3900	1.70	WAF	37	DRS	71M4	14	653
	129	36	10.67	3590	2.5						
	139	35	9.92	3720	2.0						
	161	30	8.55	3560	2.3						
	198	24	6.97	3350	2.9						
	239	20	5.77	3160	3.4						
	270	18	5.11	3050	3.9						
	352	14	3.93	2810	5.0						
	42	79	32.50*	3000	0.90						
	50	73	27.50*	3000	0.95						
	56	68	24.50*	3000	1.05	W	30	DRS	71M4	13	649
	84	50	16.33	3000	1.20	WF	30	DRS	71M4	13	650
	96	45	14.33	3000	1.35	WA	30	DRS	71M4	13	651
	135	34	10.25*	3000	1.45	WAF	30	DRS	71M4	13	650
	168	28	8.20*	2980	1.45						
	210	23	6.57	2800	1.70						



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{ra}^{1)}$ [Н]	SEW f_B		m [кг]	
0.55	115	35	24.50*	3000	2.0			
	144	29	19.50*	3000	2.4	W 30	DRS 71M2	13 649
	172	25	16.33	2940	2.4	WF 30	DRS 71M2	13 650
	196	23	14.33	2840	2.6	WA 30	DRS 71M2	13 651
	274	17	10.25*	2650	2.9	WAF 30	DRS 71M2	13 650
	343	14	8.20*	2420	2.9			
0.75	24	220	58.98	6130	0.80			
	27	194	51.12	6060	0.95			
	29	182	47.78	6010	1.00			
	34	160	41.30	5900	1.15			
	40	138	35.09	5760	1.30			
	44	136	31.62	5820	1.20	W 47	DRS 80S4	22 658
	45	124	31.33	5650	1.45	WF 47	DRS 80S4	22 659
	51	118	27.41	5660	1.35	WA 47	DRS 80S4	20 660
	52	108	26.76	5490	1.65	WAF 47	DRS 80S4	21 659
	55	111	25.62	5580	1.45			
	56	102	25.07	5420	1.75			
	63	97	22.15	5410	1.65			
	74	83	18.82	5220	1.95			
	114	59	12.30	4890	1.85			
	45	119	31.33	2820	0.95			
	50	107	27.78	3380	1.05			
	60	101	23.25	3470	0.90			
	66	84	21.33	3690	1.30			
	74	83	18.94	3700	1.10			
	89	69	15.67	3690	1.30	W 37	DRS 80S4	16 652
1.1	101	62	13.89	3610	1.45	WF 37	DRS 80S4	16 653
	131	48	10.67	3420	1.85	WA 37	DRS 80S4	16 655
	141	47	9.92	3620	1.50	WAF 37	DRS 80S4	16 653
	164	40	8.55	3470	1.75			
	201	33	6.97	3280	2.1			
	243	27	5.77	3100	2.6			
	274	24	5.11	2990	2.9			
	357	19	3.93	2760	3.7			
	438	15	3.20*	2600	4.6			
	86	67	16.33	3000	0.90	W 30	DRS 80S4	15 649
	98	61	14.33	3000	1.00	WF 30	DRS 80S4	15 650
	137	46	10.25*	3000	1.10	WA 30	DRS 80S4	15 651
	171	37	8.20*	2870	1.05	WAF 30	DRS 80S4	15 650
	213	31	6.57	2720	1.25			
	114	48	24.50*	3000	1.45	W 30	DRS 80S2	15 649
	171	34	16.33	2840	1.75	WF 30	DRS 80S2	15 650
	195	31	14.33	2750	1.95	WA 30	DRS 80S2	15 651
	273	23	10.25*	2620	2.2	WAF 30	DRS 80S2	15 650
	341	19	8.20*	2380	2.1			
1.1	40	200	35.09	4940	0.90			
	45	198	31.62	5140	0.80			
	45	181	31.33	4920	1.00			
	51	173	27.41	5070	0.95			
	53	157	26.76	4850	1.15			
	55	162	25.62	5030	1.00			
	56	148	25.07	4820	1.20	W 47	DRS 80M4	24 658
	64	141	22.15	4930	1.15	WF 47	DRS 80M4	25 659
	75	121	18.82	4810	1.30	WA 47	DRS 80M4	23 660
	84	108	16.80	4710	1.45	WAF 47	DRS 80M4	24 659
	98	93	14.35	4570	1.70			
	105	88	13.44	4510	1.80			
	115	86	12.30	4700	1.30			
	132	74	10.66	4530	1.50			
	142	70	9.96	4450	1.60			
	164	60	8.61	4280	1.80			



W..DRS W..DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{ra}^{1)}$ [Н]	SEW f_B					m [кг]	
1.1	90	101	15.67	3280	0.90	W	37	DRS	80M4	19	652
	102	90	13.89	3240	1.00						
	132	70	10.67	3120	1.30						
	142	68	9.92	3460	1.05						
	165	59	8.55	3340	1.20						
	202	48	6.97	3160	1.45						
	245	40	5.77	3010	1.75						
	276	35	5.11	2910	2.00	WF	37	DRS	80M4	19	655
	359	27	3.93	2700	2.6						
	441	22	3.20*	2540	3.1						
	174	50	16.33	2660	1.20			DRS	80M2	18	649
	198	45	14.33	2590	1.35						
	277	34	10.25*	2540	1.50						
	346	27	8.20*	2290	1.45						
	52	215	26.76	4130	0.85	W	47	DRS	90M4	29	658
1.5	56	200	25.07	4140	0.90						
	63	194	22.15	4400	0.80						
	74	166	18.82	4350	0.95						
	83	150	16.80	4300	1.05						
	97	129	14.35	4220	1.25						
	104	121	13.44	4180	1.30						
	123	103	11.32	4070	1.55						
	131	102	10.66	4360	1.05						
	140	96	9.96	4290	1.15						
	162	83	8.61	4140	1.30						
	191	71	7.32	3980	1.55						
	214	63	6.53	3860	1.75						
	131	97	10.67	2800	0.95			DRS	90M4	23	652
	163	81	8.55	3200	0.85						
	200	66	6.97	3050	1.05						
	242	55	5.77	2920	1.30						
	273	49	5.11	2830	1.45						
	355	38	3.93	2640	1.85						
	436	31	3.20*	2490	2.3						
2.2	98	188	14.35	3590	0.85	W	47	DRS	90L4	32	658
	104	177	13.44	3580	0.90						
	124	150	11.32	3560	1.05						
	163	121	8.61	3880	0.90						
	191	104	7.32	3750	1.05						
	214	93	6.53	3660	1.20						
	251	79	5.58	3530	1.40						
	268	74	5.23	3480	1.50						
	318	63	4.40	3330	1.75						
	360	56	3.89	3230	2.00						
	429	47	3.27	3090	2.4						
	243	80	5.77	2740	0.90			DRS	90L4	26	652
	274	71	5.11	2670	1.00						
	357	55	3.93	2520	1.30						
	438	45	3.20*	2390	1.55						
3.0	214	126	6.53	3440	0.85	W	47	DRS	100M4	37	658
	251	108	5.58	3340	1.00						
	268	101	5.23	3300	1.10						
	318	86	4.40	3180	1.30						
	360	76	3.89	3090	1.45						
	429	64	3.27	2970	1.70						
4.0	276	131	5.23	3050	0.85	W	47	DRS	100LC4	42	658
	328	111	4.40	2970	1.00						
	372	98	3.89	2910	1.10						
	442	82	3.27	2810	1.35						
5.5	372	135	3.89	2660	0.80	W	47	DRS	132S4	55	658
	442	113	3.27	2600	0.95						