



9.3 R..DRS [кВтм]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B					m [кг]	
0.09	17	52	78.24	1490	0.95	R RF	07 07	DT DT	56M4 56M4	5.8 5.8	243 244
	18	47	71.47	1520	1.05						
	22	40	60.32	1560	1.25						
	25	34	51.52	1590	1.45						
	27	32	47.78	1600	1.60						
	29	29	44.16	1610	1.70						
	31	27	41.31	1600	1.85						
	32	27	40.34	1590	1.85						
	34	26	38.51	1570	1.95						
	38	22	34.05	1520	2.2						
	45	19	29.08	1460	2.6						
	48	18	26.97	1430	2.8						
	56	15	23.32	1370	3.2						
	60	14	21.73	1350	3.5						
	71	12	18.31	1280	4.1						
	78	11	16.73	1250	4.5						
	92	9.3	14.12	1190	5.4						
	108	8.0	12.06	1140	6.2						
	116	7.4	11.18	1110	6.8						
	134	6.4	9.67	1060	7.8						
	144	6.0	9.01	1040	8.3						
	166	5.2	7.85	1000	9.4						
	174	4.9	7.48	980	8.8						
	190	4.5	6.83	960	9.6						
	226	3.8	5.76	910	11						
	264	3.3	4.92	860	11						
	285	3.0	4.57	840	12						
	329	2.6	3.95	800	13						
	353	2.4	3.68	790	14						
	405	2.1	3.21	755	15						
0.12	0.06	13300	21342	62000	1.00	R RF	147R77 147R77	DR DR	63S4 63S4	420 430	280 280
	0.08	11300	18210	65700	1.15						
	0.09	9920	15923	67900	1.30						
	0.10	8770	14075	69400	1.50						
	0.11	7640	12344	70700	1.70						
	0.12	6730	11143	71600	1.95						
	0.14	6030	9743	72200	2.2						
	0.16	4830	8443	73100	2.7						
	0.19	4180	7307	73400	3.1						
	0.21	3690	6447	73700	3.5						
	0.25	3180	5568	73900	4.1						
	0.11	8050	12921	53300	1.00						
	0.12	7250	11712	54900	1.10						
	0.13	6390	10573	56400	1.25						
	0.16	5020	8784	58400	1.60						
	0.18	4090	7479	59400	1.95						
	0.21	4060	6559	59400	1.95						
	0.24	3190	5834	60200	2.5						
	0.27	3160	5116	60200	2.5						
	0.18	4410	7583	28800	0.95						
	0.20	3690	6743	32400	1.15						
	0.23	3660	5914	32500	1.15						
	0.27	2820	5168	35500	1.50						
	0.31	2530	4435	36100	1.70						
	0.35	2260	3896	36500	1.90						
	0.45	1880	3039	36900	2.3						
	0.35	2470	3918	36200	1.75						
	0.41	2100	3343	36700	2.0						
	0.45	1910	3034	36900	2.2						
	0.52	1670	2653	37100	2.6						
0.61	1430	2280	37300	3.0							
0.67	1290	2067	37400	3.3							
0.30	3050	4559	17700	1.00	R RF	97R57 97R57	DR DR	63S4 63S4	130 145	280 280	
0.34	2560	4004	23700	1.15							
0.40	2270	3481	25200	1.30							



R...DRS R...DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B					m [кг]	
0.12	0.29	3230	4678	4840	0.95	R RF	97R57 97R57	DR DR	63S4 63S4	125 140	280 280
	0.32	2980	4309	20400	1.00						
	0.37	2560	3702	23700	1.15						
	0.46	2080	3019	26100	1.45						
	0.52	1800	2668	27100	1.65						
	0.61	1480	2245	27700	2.0						
	0.68	1300	2016	27900	2.3						
	0.80	1190	1733	28000	2.5						
0.45	2120	3065	25900	1.40	R RF	97R57 97R57	DR DR	63S4 63S4	130 145	280 280	
0.51	1880	2722	26800	1.60							
0.60	1590	2311	27500	1.90							
0.66	1430	2078	27700	2.1							
0.76	1230	1823	28000	2.4							
0.87	1070	1583	28200	2.8							
0.99	900	1396	28300	3.3							
1.1	770	1228	28400	3.9							
0.48	1760	2873	15200	0.90	R RF	87R57 87R57	DR DR	63S4 63S4	86 93	280 280	
0.70	1300	1961	18500	1.20							
0.53	1780	2595	15000	0.85							
0.65	1430	2129	17700	1.10							
0.72	1270	1930	18600	1.20							
0.80	1120	1733	19300	1.40							
0.79	1140	1737	19200	1.35							
0.91	1000	1524	19800	1.55							
1.1	810	1303	20000	1.90	R RF	87R57 87R57	DR DR	63S4 63S4	85 92	280 280	
1.2	710	1143	20000	2.2							
1.6	580	885	20000	2.6							
1.8	510	776	20000	3.0							
2.0	450	685	20000	3.4							
2.3	360	599	20000	4.3							
1.1	930	1303	8660	0.85							
1.2	795	1124	10100	1.05							
1.3	740	1047	10600	1.10	R RF	77R37 77R37	DR DR	63S4 63S4	45 51	280 280	
1.5	635	915	11300	1.30							
1.1	820	1218	9910	1.00							
1.3	740	1084	10600	1.10							
1.5	660	940	11200	1.25							
1.7	520	821	12000	1.55							
1.9	475	731	12200	1.70							
2.1	455	646	12300	1.80							
2.6	375	520	12600	2.2	R RF	77R37 77R37	DR DR	63S4 63S4	45 51	280 280	
3.1	320	451	12700	2.5							
3.3	300	422	12800	2.7							
3.8	255	365	12900	3.2							
1.6	625	891	7190	0.95							
1.9	505	730	8530	1.20							
2.1	440	644	9060	1.35							
2.4	385	571	9430	1.55							
2.8	320	486	9790	1.85	R RF	67R37 67R37	DR DR	63S4 63S4	40 43	280 280	
1.6	590	836	7670	1.00							
1.8	490	750	8630	1.20							
2.1	440	646	9050	1.35							
2.4	400	574	9330	1.50							
2.8	345	495	9660	1.75							
3.2	285	438	9940	2.1							
1.8	550	782	4650	0.80							R RF
2.0	455	678	7070	1.00							
2.3	410	604	7260	1.10							
2.6	370	537	7400	1.20							
2.9	325	471	7550	1.35							
3.9	240	357	7760	1.85							
4.3	215	319	7820	2.1							
3.8	255	359	7730	1.75	R RF	57R37 57R37	DR DR	63S4 63S4	33 37	280 280	
4.3	230	324	7790	1.95							
4.8	200	290	7840	2.2							
5.3	185	262	7880	2.4							
5.6	170	246	7900	2.6							
6.3	150	220	7930	3.0							



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B					m [кг]	
0.12	2.7	340	510	4360	0.85	R RF	47R37 47R37	DR DR	63S4 63S4	28	280
	3.2	285	436	5480	1.05					28	280
	3.4	265	408	5590	1.10					28	280
	4.0	215	344	5780	1.35	R RF	47R37 47R37	DR DR	63S4 63S4	28	280
	2.8	365	502	3020	0.80					28	280
	3.2	310	429	5350	0.95					28	280
	3.7	265	372	5580	1.10					28	280
	4.0	245	348	5670	1.20					28	280
	4.6	210	301	5810	1.40					28	280
	5.4	177	255	5920	1.70	R RF	37R17 37R17	DR DR	63S4 63S4	17	280
	6.0	156	228	5980	1.95					19	280
	7.1	130	195	6040	2.3					19	280
	4.1	225	338	4570	0.90	R RF	37R17 37R17	DR DR	63S4 63S4	17	280
	4.7	210	296	4780	0.95					17	280
	5.3	184	259	5130	1.10					17	280
	6.0	163	228	5360	1.25					17	280
	6.9	140	199	5550	1.40					17	280
	8.0	122	172	5680	1.65					17	280
	4.2	235	328	3730	0.85	R RF	37R17 37R17	DR DR	63S4 63S4	18	280
	4.8	205	289	4880	1.00					18	280
	5.2	192	265	5040	1.05					18	280
	6.1	156	226	5410	1.30					18	280
	6.8	144	202	5520	1.40					18	280
	7.7	125	179	5660	1.60					18	280
	6.0	158	229	4090	0.80	R RF	27R17 27R17	DR DR	63S4 63S4	11	280
	6.9	138	200	4200	0.95					11	280
	7.8	121	177	4270	1.05					11	280
	8.3	116	166	4290	1.10					11	280
	6.1	157	227	4100	0.85					11	280
	6.8	144	203	4170	0.90					11	280
	7.7	125	179	4260	1.05	R RF	27R17 27R17	DR DR	63S4 63S4	11	280
	8.8	106	156	4330	1.25					11	280
	4.6	245	195.24*	12900	3.3					37	264
	5.4	210	166.59	13000	3.9	R RF	77 77	DR DR	63M6 63M6	43	265
	6.2	186	145.67	13000	4.4					43	265
	4.5	250	199.81	10100	2.4					30	261
	4.9	230	184.07	10100	2.6	R RF	67 67	DR DR	63M6 63M6	33	262
	5.7	200	158.14	10300	3.0					30	261
	6.5	175	137.67	10300	3.4					33	262
	7.0	164	128.97	10400	3.6					33	262
	7.9	145	113.94	10400	4.1					30	261
	6.9	166	199.81	10300	3.6					33	262
	7.5	153	184.07	10400	3.9	R RF	67 67	DR DR	63S4 63S4	30	261
	4.8	235	186.89	7780	1.90					33	262
	5.2	215	172.17	7820	2.0					23	258
	6.1	188	147.92	7870	2.4					27	259
	7.0	164	128.77	7910	2.7					27	259
	7.5	154	120.63	7920	2.9					27	259
	8.4	136	106.58	7950	3.3	R RF	57 57	DR DR	63M6 63M6	23	258
	9.1	126	98.99	7960	3.6					27	259
	7.4	155	186.89	7920	2.9					23	258
	8.0	143	172.17	7940	3.2					27	259
	9.3	123	147.92	7960	3.7					27	259
	11	107	128.77	7980	4.2					27	259
	5.1	225	176.88	5760	1.35	R RF	47 47	DR DR	63M6 63M6	18	255
	5.5	205	162.94	5830	1.45					18	255
	6.4	178	139.99	5920	1.70					18	256
	7.4	155	121.87	5980	1.95					18	256
	7.8	147	176.88	6000	2.0					18	255
	8.5	135	162.94	6030	2.2	R RF	47 47	DR DR	63S4 63S4	18	255
	9.9	116	139.99	6070	2.6					18	256
	11	101	121.87	6100	3.0					18	256
	12	95	114.17	6100	3.2					18	256
	14	84	100.86	6120	3.6					18	256
	15	78	93.68	6130	3.9					18	256



R...DRS R...DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B		m [кг]				
0.12	6.7	172	134.82	5270	1.15	R RF	37 37	DR DR	63M6 63M6	14 16	252 253
	7.3	157	123.66	5400	1.25						
	8.6	134	105.28	5600	1.50						
	9.9	116	90.77	5730	1.75						
	11	108	84.61	5770	1.85						
	12	94	73.96	5850	2.1						
	10	112	134.82	5750	1.80	R RF	37 37	DR DR	63S4 63S4	14 16	252 253
	11	103	123.66	5800	1.95						
	13	87	105.28	5880	2.3						
	15	75	90.77	5930	2.6						
	16	70	84.61	5950	2.8						
	19	61	73.96	5980	3.3						
	7.3	158	123.91	4090	0.80	R RF	27 27	DR DR	63M6 63M6	8.3 8.2	249 250
	8.5	134	105.49	4210	0.95						
	9.9	116	90.96	4300	1.10						
	11	108	84.78	4320	1.20						
	12	94	74.11	4370	1.40	R RF	27 27	DR DR	63S4 63S4	8.3 8.2	249 250
	10	112	135.09	4310	1.15						
	11	103	123.91	4340	1.25						
	13	88	105.49	4390	1.50						
	15	76	90.96	4420	1.70						
	16	70	84.78	4440	1.85						
	19	62	74.11	4460	2.1						
	20	58	69.47	4460	2.2						
	23	51	61.30	4400	2.6						
	25	46	55.87	4280	2.8						
	29	40	48.17	4090	3.2						
	31	37	44.90	4000	3.5	R RF	17 17	DR DR	63M6 63M6	7.6 7.5	246 247
	11	104	81.64	300	0.80						
	13	90	70.39	1470	0.95						
	14	84	65.61	1860	1.00						
	16	73	57.35	2430	1.15						
	17	68	53.76	2500	1.25						
	19	60	47.44	2500	1.40	R RF	17 17	DR DR	63S4 63S4	7.6 7.5	246 247
	17	68	81.64	2500	1.25						
	20	58	70.39	2500	1.45						
	21	54	65.61	2500	1.55						
	24	48	57.35	2500	1.80						
	26	45	53.76	2500	1.90						
	29	39	47.44	2500	2.2						
	31	37	44.18	2500	2.3						
	36	32	38.61	2430	2.6						
	38	30	36.20	2390	2.8						
	43	26	31.94	2310	3.2						
	49	24	28.32	2230	3.6						
	57	20	24.07	2130	4.2	R RF	07 07	DT DT	56L4 56L4	5.8 5.8	243 244
	22	53	60.32	1480	0.95						
	25	45	51.52	1540	1.10						
	27	42	47.78	1550	1.20						
	29	39	44.16	1550	1.30						
	31	36	41.31	1530	1.35						
	32	36	40.34	1520	1.40						
	34	34	38.51	1510	1.45						
	38	30	34.05	1460	1.65						
	45	26	29.08	1410	1.95						
	48	24	26.97	1380	2.1						
	56	21	23.32	1340	2.4						
	60	19	21.73	1310	2.6						



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B					m [кг]	
0.12	71	16	18.31	1250	3.1	R RF	07 07	DT DT	56L4 56L4	5.7	243
	78	15	16.73	1220	3.4					5.7	244
	92	12	14.12	1170	4.0						
	108	11	12.06	1120	4.7						
	116	9.9	11.18	1090	5.0						
	134	8.5	9.67	1050	5.9						
	144	7.9	9.01	1030	6.3						
	166	6.9	7.85	980	7.1						
	174	6.6	7.48	970	6.5						
	190	6.0	6.83	950	7.2						
	226	5.1	5.76	900	7.8						
	264	4.3	4.92	860	8.6						
	285	4.0	4.57	840	9.0						
	329	3.5	3.95	800	9.7						
	353	3.2	3.68	780	10						
	405	2.8	3.21	750	11						
	227	5.0	6.07	4260	8.6	RX RXF	67 67	DR DR	63S4 63S4	16	233
	267	4.3	5.18	4050	17					20	234
	305	3.8	4.53	3870	22						
	321	3.6	4.30*	3810	22						
	251	4.6	5.50*	3360	8.5	RX RXF	57 57	DR DR	63S4 63S4	14	231
	272	4.2	5.07	3270	8.6					16	232
	317	3.6	4.35	3120	19						
	364	3.1	3.79	2980	22						
	389	2.9	3.55*	2910	24						
	440	2.6	3.14	2800	25						
	474	2.4	2.91	2730	28						
	523	2.2	2.64*	2640	31						
	582	2.0	2.37	2550	34						
	676	1.7	2.04	2430	41						
	719	1.6	1.92*	2380	43						
	835	1.4	1.65	2260	49						
0.18	0.09	14900	14075	50900	0.85	R RF	147R77 147R77	DR DR	63M4 63M4	420	280
	0.11	13000	12344	62500	1.00					430	280
	0.12	11600	11143	65200	1.10						
	0.14	10300	9743	67300	1.25						
	0.16	8550	8443	69700	1.50	R RF	147R77 147R77	DR DR	63M4 63M4	420	280
	0.18	7400	7307	70900	1.75					430	280
	0.20	6530	6447	71800	2.00						
	0.24	5640	5568	72500	2.3						
	0.27	5140	4926	72800	2.5						
	0.31	4420	4325	73300	2.9						
	0.35	3920	3754	73600	3.3						
	0.40	3370	3302	73800	3.8						
	0.15	8900	8784	50100	0.90	R RF	137R77 137R77	DR DR	63M4 63M4	290	280
	0.18	7390	7479	54600	1.10					310	280
	0.20	6950	6559	55500	1.15						
	0.23	5760	5834	57400	1.40						
	0.26	5420	5116	57900	1.50						
	0.30	4520	4464	59000	1.75						
	0.34	3980	3928	59500	2.0						
	0.28	5060	4709	58300	1.60	R RF	137R77 137R77	DR DR	63M4 63M4	280	280
	0.33	4320	4018	59200	1.85					300	280
	0.38	3770	3514	59700	2.1						
	0.40	3580	3338	59900	2.2						
	0.45	3140	2929	60200	2.5	R RF	107R77 107R77	DR DR	63M4 63M4	200	280
	0.30	4490	4435	28400	0.95					210	280
	0.34	3980	3896	31100	1.10						
	0.43	3220	3039	34200	1.35						
	0.34	4210	3918	29900	1.00	R RF	107R77 107R77	DR DR	63M4 63M4	195	280
	0.39	3590	3343	32800	1.20					200	280
	0.44	3260	3034	34100	1.30						
	0.50	2850	2653	35400	1.50						
	0.58	2450	2280	36200	1.75						
	0.64	2210	2067	36500	1.95						



R...DRS R...DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B		m [кг]									
0.18	0.66	2100	1987	36700	2.0	R RF	107R77 107R77	DR DR	63M4 63M4	200 205	280 280					
	0.72	1870	1827	36900	2.3											
	0.83	1590	1599	37200	2.7											
	0.94	1430	1400	37300	3.0											
	1.1	1220	1226	37400	3.5											
	0.49	2990	2668	20000	1.00	R RF	97R57 97R57	DR DR	63M4 63M4	125 140	280 280					
	0.59	2480	2245	24200	1.20											
	0.65	2200	2016	25500	1.35											
	0.76	1960	1733	26500	1.50											
	0.81	1840	1623	27000	1.65											
	0.92	1610	1434	27500	1.85											
	1.1	1330	1207	27900	2.2											
	1.2	1180	1084	28000	2.5											
	1.4	1000	934	28200	3.0											
	1.5	930	878	28300	3.2											
	1.8	790	755	28400	3.8											
	0.49	3090	2722	15900	0.95	R RF	97R57 97R57	DR DR	63M4 63M4	130 145	280 280					
	0.57	2620	2311	23400	1.15											
	0.64	2350	2078	24800	1.25											
	0.89	1690	1489	15900	0.90	R RF	87R57 87R57	DR DR	63M4 63M4	85 92	280 280					
	0.95	1580	1395	16700	1.00											
	1.1	1380	1232	18000	1.10											
	1.2	1270	1145	18600	1.20											
	1.3	1140	1037	19200	1.35											
	1.4	1010	931	19800	1.50											
	1.6	860	802	20000	1.80											
	0.87	1680	1524	15900	0.90							R RF	87R57 87R57	DR DR	63M4 63M4	85 92
	1.0	1390	1303	17900	1.10											
	1.2	1220	1143	18900	1.25											
	1.5	970	885	19900	1.60											
	1.7	850	776	20000	1.80											
	1.5	970	858	5830	0.85	R RF	77R37 77R37	DR DR	63M4 63M4	45 51	280 280					
	1.7	850	757	9590	0.95											
	2.0	750	671	10500	1.10											
	2.3	630	571	11400	1.30											
	1.6	860	821	9230	0.90											
1.8	800	731	10100	1.00	R RF	77R37 77R37	DR DR	63M4 63M4	46 52	280 280						
2.0	745	646	10500	1.10												
2.4	645	560	11300	1.25												
2.7	550	488	11800	1.50												
3.0	485	436	12100	1.70												
3.5	420	373	12400	1.95												
4.0	365	327	12600	2.2												
4.6	325	289	12700	2.5												
2.3	635	571	7060	0.95							R RF	67R37 67R37	DR DR	63M4 63M4	40 43	280 280
2.7	535	486	8250	1.10												
2.3	655	574	5820	0.90	R RF	67R37 67R37	DR DR	63M4 63M4	41 44	280 280						
2.7	565	495	7950	1.05												
3.0	480	438	8740	1.25												
3.4	425	388	9160	1.40												
3.8	390	344	9380	1.55												
4.5	315	294	9800	1.90												
5.1	290	261	9920	2.1												
2.9	500	454	6650	0.90							R RF	57R37 57R37	DR DR	63M4 63M4	33 37	280 280
3.2	450	410	7090	1.00												
2.8	535	471	5250	0.85	R RF	57R37 57R37	DR DR	63M4 63M4	34 38	280 280						
3.7	400	357	7300	1.10												
4.1	355	319	7460	1.25												
4.8	300	273	7630	1.50												
5.5	260	241	7730	1.75												
6.1	230	215	7790	1.95												
3.7	420	359	7230	1.05	R RF	57R37 57R37	DR DR	63M4 63M4	33 37	280 280						
4.1	375	324	7380	1.20												
4.6	335	290	7530	1.35												
5.0	300	262	7620	1.50												
5.4	280	246	7680	1.60												
6.0	245	220	7750	1.80												
7.0	210	188	7830	2.1												
8.3	177	159	7890	2.6												



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B		m [кг]				
0.18	4.4	345	301	4150	0.85						
	5.2	290	255	5460	1.05	R	47R37	DR	63M4	28	280
	5.8	255	228	5620	1.15	RF	47R37	DR	63M4	28	280
	6.8	215	195	5790	1.40						
	6.6	225	199	4510	0.85	R	37R17	DR	63M4	17	280
	7.7	199	172	4960	1.00	RF	37R17	DR	63M4	19	280
	8.8	173	150	5260	1.15						
	6.5	230	202	4050	0.85	R	37R17	DR	63M4	17	280
	7.4	205	179	4870	0.95	RF	37R17	DR	63M4	18	280
	8.5	176	156	5220	1.15						
	9.4	157	141	4100	0.85						
	11	139	124	4190	0.95	R	27R17	DR	63M4	11	280
	12	124	110	4260	1.05	RF	27R17	DR	63M4	11	280
	14	105	94	4340	1.25						
	9.8	152	135	4120	0.85						
	11	139	118	4190	0.95	R	27R17	DR	63M4	11	280
	13	121	104	4270	1.10	RF	27R17	DR	63M4	11	280
	15	104	90	4340	1.25						
	4.5	385	195.24*	12500	2.1	R	77	DR	63L6	38	264
	5.2	325	166.59	12700	2.5	RF	77	DR	63L6	43	265
	6.0	285	145.67	12800	2.8						
	6.3	270	138.39	12900	3.0	R	77	DR	63L6	38	264
	7.2	235	121.42	12900	3.4	RF	77	DR	63L6	43	265
	6.8	250	195.24*	12900	3.2						
	7.9	215	166.59	13000	3.8	R	77	DR	63M4	37	264
	9.1	190	145.67	13000	4.3	RF	77	DR	63M4	43	265
	9.5	180	138.39	13000	4.6						
	4.4	390	199.81	9370	1.50						
	4.7	360	184.07	9560	1.65						
	5.5	310	158.14	9830	1.90						
6.3	270	137.67	10000	2.2							
6.8	250	128.97	10100	2.4							
7.6	225	113.94	10200	2.7	R	67	DR	63L6	30	261	
8.2	205	105.83	10200	2.9	RF	67	DR	63L6	34	262	
9.1	190	95.91	10300	3.2							
10	170	86.11	10300	3.5							
12	146	74.17	10400	4.1							
12	138	69.75	10400	4.4							
6.6	260	199.81	10100	2.3							
7.2	235	184.07	10100	2.5							
8.4	205	158.14	10200	2.9	R	67	DR	63M4	30	261	
9.6	179	137.67	10300	3.4	RF	67	DR	63M4	33	262	
10	168	128.97	10300	3.6							
12	148	113.94	10400	4.0							
12	138	105.83	10400	4.4							
4.7	365	186.89	7420	1.20							
5.0	340	172.17	7510	1.30	R	57	DR	63L6	24	258	
5.9	290	147.92	7650	1.55	RF	57	DR	63L6	27	259	
6.8	250	128.77	7740	1.75							
7.2	235	120.63	7780	1.90							
7.1	240	186.89	7770	1.85							
7.7	220	172.17	7810	2.0							
8.9	193	147.92	7860	2.3	R	57	DR	63M4	23	258	
10	168	128.77	7900	2.7	RF	57	DR	63M4	27	259	
11	157	120.63	7920	2.9							
12	139	106.58	7940	3.2							
13	129	98.99	7950	3.5							
15	117	89.71	7970	3.8							
7.5	230	176.88	5740	1.30							
8.1	210	162.94	5810	1.40							
9.4	182	139.99	5910	1.65							
11	159	121.87	5980	1.90	R	47	DR	63M4	18	255	
12	149	114.17	6000	2.0	RF	47	DR	63M4	18	256	
13	131	100.86	6040	2.3							
14	122	93.68	6060	2.5							
16	111	84.90	6080	2.7							
17	99	76.23	6100	3.0							



R...DRS R...DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B					m [кг]						
0.18	7.0	240	123.66	3060	0.80	R RF	37	DR DR	63L6 63L6	15 16	252 253					
	8.3	205	105.28	4840	0.95											
	9.6	179	90.77	5190	1.10											
	10	167	84.61	5310	1.20											
	9.8	176	134.82	5230	1.15											
	11	161	123.66	5370	1.25											
	13	137	105.28	5580	1.45											
	15	118	90.77	5710	1.70											
	16	110	84.61	5760	1.80											
	18	96	73.96	5840	2.1											
19	90	69.33	5870	2.2	R RF	37	DR DR	63M4 63M4	14 16	252 253						
22	80	61.18	5920	2.5												
24	73	55.76	5940	2.8												
27	63	48.08	5960	3.2												
11	161	123.91	4070	0.80							R RF	27	DR DR	63M4 63M4	8.3 8.2	249 250
13	137	105.49	4200	0.95												
15	118	90.96	4280	1.10												
16	110	84.78	4320	1.20												
18	96	74.11	4360	1.35												
19	90	69.47	4380	1.45												
22	80	61.30	4320	1.65												
24	73	55.87	4210	1.80												
27	63	48.17	4040	2.1												
29	58	44.90	3960	2.2	R RF	27	DR DR	63M4 63M4	8.0 7.9	249 250						
34	51	39.25	3810	2.5												
36	48	36.79	3740	2.7												
41	42	32.47	3610	3.1												
46	38	28.78	3480	3.5												
54	32	24.47	3310	4.1												
47	37	28.37	3460	3.5							R RF	27	DR DR	63M4 63M4	7.6 7.5	246 247
51	34	26.09	3380	3.8												
59	29	22.32	3220	4.5												
68	25	19.35	3090	5.2												
73	24	18.08	3020	5.5												
84	20	15.63	2890	6.4												
99	17	13.28*	2750	7.5												
16	106	81.64	46	0.80	R RF	17	DR DR	63M4 63M4	7.3 7.2	246 247						
19	92	70.39	1330	0.95												
20	85	65.61	1740	1.00												
23	75	57.35	2350	1.15												
25	70	53.76	2500	1.20												
28	62	47.44	2450	1.40												
30	58	44.18	2410	1.50												
34	50	38.61	2340	1.70												
36	47	36.20	2300	1.80												
41	42	31.94	2240	2.0												
47	37	28.32	2170	2.3	R RF	17	DR DR	63M4 63M4	6.4 6.4	243 244						
55	31	24.07	2080	2.7												
52	33	25.23	2110	2.6												
57	30	23.15	2060	2.8												
67	26	19.71	1970	3.3												
78	22	16.99	1890	3.8												
28	62	47.78	1100	0.80												
30	58	44.16	1340	0.85												
32	54	41.31	1390	0.95												
33	52	40.34	1380	0.95												
34	50	38.51	1380	1.00												
39	44	34.05	1350	1.15												
45	38	29.08	1310	1.30												
49	35	26.97	1290	1.40												
57	30	23.32	1250	1.65												
61	28	21.73	1240	1.75												



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B		m [кг]					
0.18	72	24	18.31	1190	2.1	R RF	07 07	DR DR	63M4 63M4	6.3 6.3	243 244	
	79	22	16.73	1160	2.3							
	94	18	14.12	1120	2.7							
	109	16	12.06	1070	3.2							
	118	15	11.18	1050	3.4							
	137	13	9.67	1010	4.0							
	146	12	9.01	990	4.3							
	168	10	7.85	960	4.8							
	177	9.7	7.48	940	4.4							
	193	8.9	6.83	920	4.8							
	229	7.5	5.76	880	5.3							
	268	6.4	4.92	840	5.8							
	289	5.9	4.57	820	6.1							
	334	5.1	3.95	785	6.7							
	359	4.8	3.68	765	6.9							
	412	4.2	3.21	735	7.4							
	243	7.1	11.18	860	7.0	R RF	07 07	DR DR	63S2 63S2	6.3 6.3	243 244	
	281	6.1	9.67	820	8.2							
	302	5.7	9.01	810	8.8							
	346	5.0	7.85	775	9.8							
	364	4.7	7.48	765	9.2							
	398	4.3	6.83	740	10							
	472	3.6	5.76	705	11							
	552	3.1	4.92	670	12							
	596	2.9	4.57	655	12							
	689	2.5	3.95	625	14							
	739	2.3	3.68	615	14							
	848	2.0	3.21	585	16							
	143	12	6.07	4940	3.6	RX RXF	67 67	DR DR	63L6 63L6	17 21	233 234	
	168	10	5.18	4690	7.4							
	192	8.9	4.53	4490	9.2							
	202	8.5	4.30*	4410	9.4							
	218	7.9	6.07	4310	5.4	RX RXF	67 67	DR DR	63M4 63M4	16 20	233 234	
	255	6.7	5.18	4090	11							
	292	5.9	4.53	3920	14							
	307	5.6	4.30*	3850	14							
	350	4.9	3.77	3690	18							
	412	4.2	3.20*	3500	24							
	457	3.8	2.89	3380	28							
	519	3.3	2.54	3240	36							
	550	3.1	2.40*	3180	40							
	646	2.7	2.04	3020	50							
	158	11	5.50*	3880	3.6	RX RXF	57 57	DR DR	63L6 63L6	14 16	231 232	
	172	10	5.07	3780	3.6							
	200	8.6	4.35	3600	7.9							
	230	7.5	3.79	3440	9.2							
	240	7.2	5.50*	3400	5.4	RX RXF	57 57	DR DR	63M4 63M4	14 16	231 232	
	261	6.6	5.07	3310	5.4							
	303	5.7	4.35	3150	12							
	348	4.9	3.79	3010	14							
	372	4.6	3.55*	2940	15							
	421	4.1	3.14	2830	16							
	453	3.8	2.91	2760	18							
	500	3.4	2.64*	2670	20							
	557	3.1	2.37	2580	22							
	647	2.7	2.04	2460	26							
	688	2.5	1.92*	2410	28							
	799	2.2	1.65	2290	31							
	0.25	0.13	15100	9743	48200	0.85	R RF	147R77 147R77	DR DR	63L4 63L4	420 430	280 280
		0.15	12700	8443	63100	1.00						
		0.18	11000	7307	66200	1.20						
		0.20	9740	6447	68100	1.35						
		0.23	8410	5568	69800	1.55						
		0.26	7590	4926	70700	1.70						
		0.30	6570	4325	71700	2.00						
		0.35	5790	3754	72400	2.2						
		0.39	5020	3302	72900	2.6						
		0.45	4370	2898	73300	3.0						




R...DRS R...DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B					m [кг]		
0.25	0.22	8660	5834	51100	0.90	R RF	137R77	DR	63L4	290	280	
	0.25	7960	5116	53500	1.00		137R77	DR	63L4	310	280	
	0.29	6740	4464	55800	1.20		137R77	DR	63L4	310	280	
	0.33	5930	3928	57100	1.35		137R77	DR	63L4	310	280	
	0.28	7430	4709	54600	1.10	R RF	137R77	DR	63L4	280	280	
	0.32	6340	4018	56500	1.25		137R77	DR	63L4	300	280	
	0.37	5540	3514	57700	1.45		137R77	DR	63L4	300	280	
	0.39	5260	3338	58100	1.50		137R77	DR	63L4	300	280	
	0.44	4620	2929	58900	1.75	R RF	137R77	DR	63L4	290	280	
	0.49	4180	2658	59300	1.90		137R77	DR	63L4	310	280	
0.54	3800	2412	59700	2.1	137R77		DR	63L4	310	280		
0.63	3260	2073	60100	2.4	137R77		DR	63L4	310	280		
0.3	0.71	2810	1839	60500	2.8	R RF	137R77	DR	63L4	290	280	
	0.93	2180	1397	60800	3.7		137R77	DR	63L4	310	280	
	1.1	1880	1226	61000	4.2		137R77	DR	63L4	310	280	
	0.43	4730	3039	25600	0.90		107R77	DR	63L4	205	280	
	0.43	4780	3034	23600	0.90	R RF	107R77	DR	63L4	210	280	
		0.65	3100	1987	34600	1.40	R RF	107R77	DR	63L4	195	280
			0.71	2790	1827	35600	1.55	107R77	DR	63L4	200	280
			0.81	2400	1599	36300	1.80	107R77	DR	63L4	200	280
	0.5		0.93	2140	1400	36600	2.0	R RF	107R77	DR	63L4	205
		1.1	1840	1226	36900	2.3	107R77		DR	63L4	205	280
1.4		1430	939	37300	3.0	107R77	DR		63L4	205	280	
1.6		1230	822	37400	3.5	107R77	DR		63L4	205	280	
0.75		2840	1733	22000	1.05	R RF	97R57	DR	63L4	125	280	
0.80		2650	1623	23200	1.15		97R57	DR	63L4	145	280	
0.71		2960	1823	21100	1.00		97R57	DR	63L4	125	280	
0.82		2570	1583	23700	1.15		97R57	DR	63L4	145	280	
0.75		0.93	2230	1396	25400	1.35	R RF	97R57	DR	63L4	130	280
		1.1	1940	1228	26600	1.55		97R57	DR	63L4	145	280
	1.2	1750	1069	27300	1.70	97R57		DR	63L4	145	280	
	1.4	1520	938	27600	1.95	97R57		DR	63L4	145	280	
	1.6	1300	824	27900	2.3	R RF	97R57	DR	63L4	145	280	
	1.8	1160	737	28100	2.6		97R57	DR	63L4	145	280	
	2.1	990	632	28200	3.0		97R57	DR	63L4	145	280	
	1.1	1850	1145	10700	0.85		87R57	DR	63L4	85	280	
	1.1	1.2	1660	1037	16000	0.95	R RF	87R57	DR	63L4	85	280
		1.4	1480	931	17400	1.05		87R57	DR	63L4	93	280
1.6		1260	802	18600	1.20	87R57		DR	63L4	93	280	
1.1		1790	1143	14700	0.85	77R37		DR	63L4	46	280	
1.5		1.5	1420	885	17800	1.10	R RF	77R37	DR	63L4	46	280
		1.7	1240	776	18700	1.25		77R37	DR	63L4	46	280
		1.9	1100	685	19400	1.40		77R37	DR	63L4	46	280
		2.2	920	599	20000	1.65		77R37	DR	63L4	46	280
		2.5	810	525	20000	1.90	R RF	77R37	DR	63L4	46	280
		2.8	715	456	20000	2.2		77R37	DR	63L4	46	280
	4.9	415	268	20000	3.7	77R37		DR	63L4	46	280	
	2.3	910	571	8910	0.90	R RF		77R37	DR	63L4	46	280
	2.2	2.3	920	560	8780	0.90	R RF	77R37	DR	63L4	46	280
		2.7	795	488	10100	1.05		77R37	DR	63L4	46	280
3.0		705	436	10900	1.15	77R37		DR	63L4	46	280	
3.5		605	373	11500	1.35	77R37		DR	63L4	46	280	
4.0		530	327	11900	1.55	R RF	77R37	DR	63L4	46	280	
4.5		470	289	12200	1.75		77R37	DR	63L4	46	280	
5.0		420	260	12400	1.95		77R37	DR	63L4	46	280	
5.8		355	224	12600	2.3		77R37	DR	63L4	46	280	
3.0		3.4	620	388	7290	0.95	R RF	67R37	DR	63L4	41	280
		3.8	565	344	7950	1.05		67R37	DR	63L4	41	280
	4.4	465	294	8870	1.30	67R37		DR	63L4	41	280	
	5.0	420	261	9180	1.40	67R37		DR	63L4	41	280	
	5.6	380	234	9460	1.60	R RF	67R37	DR	63L4	41	280	
	6.5	320	200	9780	1.85		67R37	DR	63L4	41	280	
	7.4	275	176	9980	2.2		67R37	DR	63L4	41	280	
	8.2	250	158	10100	2.4		67R37	DR	63L4	41	280	



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B					m [кг]	
0.25	3.4	640	384	6960	0.95	R RF	67R37 67R37	DR DR	63L4 63L4	41 44	280 280
	3.6	600	359	7550	1.00						
	4.2	515	310	8430	1.15						
	4.9	435	264	9100	1.40						
	5.5	385	235	9420	1.55						
	6.5	325	201	9750	1.85						
	7.2	295	181	9900	2.0						
	4.1	515	319	6050	0.85						
	4.8	435	273	7160	1.05						
	5.4	380	241	7380	1.20						
0.3	6.0	340	215	7510	1.30	R RF	57R37 57R37	DR DR	63L4 63L4	35 38	280 280
	7.0	300	187	7630	1.50						
	7.9	260	164	7730	1.75						
	9.2	225	142	7800	2.00						
	4.0	540	324	4980	0.85						
	4.5	480	290	6950	0.95						
	5.0	435	262	7160	1.05						
	5.3	405	246	7280	1.10						
	5.9	360	220	7440	1.25						
	0.4	5.7	370	228	2440						
6.7		315	195	5320	0.95						
7.1		295	182	5440	1.00						
8.5		245	154	5680	1.20						
8.7		245	150	2540	0.80						
10		210	130	4790	0.95						
10		200	124	4930	1.00						
12		178	110	5200	1.10						
14		152	94	5460	1.30						
0.5		9.7	220	135	4660	0.90	R RF	37R17 37R17	DR DR	63L4 63L4	18 19
	10	210	127	4770	0.95						
	12	174	104	5250	1.15						
	14	150	90	5470	1.35						
	4.6	520	195.24*	12000	1.55						
	5.4	440	166.59	12300	1.85						
	6.1	385	145.67	12500	2.1						
	6.7	355	195.24*	12600	2.3						
	7.8	305	166.59	12800	2.7						
	8.9	265	145.67	12900	3.1						
0.6	9.4	250	138.39	12900	3.2	R RF	77 77	DR DR	63L4 63L4	38 43	264 265
	11	220	121.42	13000	3.7						
	4.5	530	199.81	8280	1.15						
	4.9	490	184.07	8660	1.20						
	5.7	420	158.14	9190	1.40						
	6.5	365	137.67	9540	1.65						
	6.9	340	128.97	9670	1.75						
	7.8	300	113.94	9870	1.95						
	8.5	280	105.83	9960	2.1						
	0.8	6.5	365	199.81	9540						
7.1		335	184.07	9700	1.80						
8.2		290	158.14	9930	2.1						
9.4		250	137.67	10100	2.4						
10		235	128.97	10100	2.5						
11		205	113.94	10200	2.9						
12		194	105.83	10300	3.1						
14		176	95.91	10300	3.4						
15		158	86.11	10400	3.8						
1.0		4.8	495	186.89	6760	0.90	R RF RM	57 57 57	DRS DRS DRS	71S6 71S6 71S6	26 29 41
	5.2	455	172.17	7060	1.00						
	6.0	390	147.92	7330	1.15						
	7.0	340	128.77	7500	1.30						
	7.4	320	120.63	7570	1.40						
	8.4	280	106.58	7670	1.60						
	9.0	260	98.99	7720	1.70						




R...DRS R...DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B		m [кг]									
0.25	7.0	340	186.89	7500	1.30	R RF	57 57	DR DR	63L4 63L4	24 27	258 259					
	7.6	315	172.17	7580	1.40											
	8.8	270	147.92	7700	1.65											
	10	235	128.77	7780	1.90											
	11	220	120.63	7810	2.0											
	12	196	106.58	7860	2.3											
	13	182	98.99	7880	2.5											
	14	165	89.71	7910	2.7											
	16	148	80.55	7930	3.0											
	19	127	69.23	7960	3.5											
	7.4	320	176.88	5280	0.90											
	8.0	295	162.94	5420	1.00											
	9.3	255	139.99	5630	1.15											
	11	220	121.87	5770	1.35											
	11	205	114.17	5820	1.45											
	13	185	100.86	5900	1.60											
	14	172	93.68	5940	1.75											
	15	156	84.90	5980	1.90											
	17	140	76.23	6020	2.1											
	19	126	68.54	6050	2.4											
20	118	64.21	6070	2.5												
23	104	56.73	6090	2.9												
25	97	52.69	6100	3.1												
27	88	47.75	6080	3.4												
9.6	245	134.82	2630	0.80	R RF	37 37	DR DR	63L4 63L4	15 16	252 253						
11	225	123.66	4560	0.90												
12	193	105.28	5030	1.05												
14	167	90.77	5320	1.20												
15	155	84.61	5420	1.30												
18	136	73.96	5580	1.45												
19	127	69.33	5650	1.55												
21	112	61.18	5750	1.80												
23	102	55.76	5800	1.95												
27	88	48.08	5870	2.3												
29	82	44.81	5760	2.4												
33	72	39.17	5540	2.8												
35	67	36.72	5430	3.0												
40	60	32.40	5230	3.4												
15	156	84.78	4100	0.85							R RF	27 27	DR DR	63L4 63L4	9.0 8.9	249 250
18	136	74.11	4210	0.95												
19	128	69.47	4240	1.00												
21	113	61.30	4180	1.15												
23	103	55.87	4090	1.25												
27	88	48.17	3940	1.45												
29	82	44.90	3870	1.60												
33	72	39.25	3730	1.80												
35	68	36.79	3660	1.90												
40	60	32.47	3540	2.2												
45	53	28.78	3420	2.5												
53	45	24.47	3270	2.9												
46	52	28.37	3410	2.5	R RF	27 27	DR DR	63L4 63L4	8.7 8.6	249 250						
50	48	26.09	3330	2.7												
58	41	22.32	3180	3.2												
67	36	19.35	3050	3.7												
72	33	18.08	2990	3.9												
83	29	15.63	2860	4.5												
98	24	13.28*	2730	5.3												
110	22	11.86	2630	5.9												
128	19	10.13	2510	6.6												
138	17	9.41	2440	7.0												
159	15	8.16	2330	7.7												
170	14	7.63*	2280	8.0												
197	12	6.59	2180	8.8												
232	10	5.60*	2080	9.6												
260	9.2	5.00*	2000	10												
304	7.8	4.27	1900	11												
325	7.3	4.00*	1870	12												
386	6.2	3.37	1770	13												



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B		m [кг]									
0.25	23	105	57.35	156	0.80	R RF	17 17	DR DR	63L4 63L4	8.3 8.2	246 247					
	24	99	53.76	785	0.85											
	27	87	47.44	1630	1.00											
	29	81	44.18	2000	1.05											
	34	71	38.61	2200	1.20											
	36	66	36.20	2180	1.30											
	41	59	31.94	2120	1.45											
	46	52	28.32	2070	1.65											
	54	44	24.07	2000	1.90											
	52	46	25.23	2020	1.85	R RF	17 17	DR DR	63L4 63L4	8.0 7.9	246 247					
	56	42	23.15	1980	2.0											
	66	36	19.71	1910	2.4											
	77	31	16.99	1840	2.7											
	82	29	15.84	1810	2.9											
	94	25	13.84	1740	3.4											
	100	24	12.98	1720	3.6											
	114	21	11.45	1660	3.9											
	38	62	34.05	1090	0.80							R RF	07 07	DR DR	63L4 63L4	7.2 7.2
	45	53	29.08	1200	0.95											
	48	50	26.97	1190	1.00											
	56	43	23.32	1170	1.15											
	60	40	21.73	1160	1.25											
	71	34	18.31	1120	1.50											
	78	31	16.73	1100	1.65											
	92	26	14.12	1070	1.95											
	108	22	12.06	1030	2.3											
	116	20	11.18	1010	2.4	R RF	07 07	DR DR	63L4 63L4	7.0 7.0	243 244					
	134	18	9.67	980	2.8											
	144	16	9.01	960	3.0											
	166	14	7.85	930	3.4											
	174	14	7.48	920	3.1											
	190	12	6.83	900	3.4											
	226	11	5.76	860	3.8											
	264	9.0	4.92	820	4.1											
	285	8.4	4.57	800	4.3											
	329	7.3	3.95	770	4.7	R RF	07 07	DR DR	63M2 63M2	6.3 6.3	243 244					
	353	6.8	3.68	755	4.8											
	405	5.9	3.21	725	5.2											
	238	10	11.18	840	5.0											
	275	8.7	9.67	810	5.8											
	295	8.1	9.01	795	6.2											
	339	7.0	7.85	765	7.0											
	356	6.7	7.48	755	6.4											
	389	6.1	6.83	735	7.0											
	461	5.2	5.76	700	7.7	R RF	07 07	DR DR	63M2 63M2	6.3 6.3	243 244					
	540	4.4	4.92	665	8.4											
	583	4.1	4.57	650	8.8											
	674	3.5	3.95	625	9.7											
723	3.3	3.68	610	10												
829	2.9	3.21	585	11												
148	16	6.07	4860	2.6	RX RXF							67 67	DRS DRS	71S6 71S6	19 23	233 234
173	14	5.18	4620	5.4												
198	12	4.53	4420	6.8												
208	12	4.30*	4350	7.0												
214	11	6.07	4310	3.9												
251	9.5	5.18	4100	7.9												
287	8.3	4.53	3920	9.9												
302	7.9	4.30*	3860	10												
345	6.9	3.77	3700	13												
406	5.9	3.20*	3500	17	RX RXF	67 67	DR DR	63L4 63L4	17 21	233 234						
450	5.3	2.89	3390	20												
511	4.7	2.54	3250	25												
542	4.4	2.40*	3190	28												
636	3.8	2.04	3020	35												
163	15	5.50*	3820	2.6												
177	14	5.07	3720	2.7												
206	12	4.35	3540	5.9												
236	10	3.79	3390	6.8							RX RXF	57 57	DRS DRS	71S6 71S6	16 18	231 232




R...DRS R...DRS [кВт]

P _m [кВт]	n _a [об/мин]	M _a [Нм]	i	F _{ra} ¹⁾ [Н]	SEW f _B					m [кг]	
0.25	236	10	5.50*	3390	3.9	RX RXF	57 57	DR DR	63L4 63L4	14	231
	257	9.3	5.07	3300	3.9					16	232
	299	8.0	4.35	3150	8.5						
	343	7.0	3.79	3010	9.9						
	366	6.5	3.55*	2950	11						
	414	5.8	3.14	2830	11						
	446	5.3	2.91	2760	13						
	492	4.8	2.64*	2680	14						
	548	4.4	2.37	2580	16						
	637	3.7	2.04	2460	19						
	677	3.5	1.92*	2410	20						
	787	3.0	1.65	2300	23						
0.37	0.19	15900	7307	37500	0.80	R RF RM	147R77 147R77 147R77	DRS DRS DRS	71S4 71S4 71S4	425	280
	0.21	14000	6447	60400	0.90					430	280
	0.25	12100	5568	64300	1.05					600	280
	0.28	10900	4926	66400	1.20						
	0.32	9470	4325	68500	1.35						
	0.37	8310	3754	70000	1.55						
	0.42	7230	3302	71100	1.80						
	0.48	6320	2898	71900	2.1						
	0.51	9730	4464	36000	0.80					290	280
	0.55	8570	3928	51500	0.95					315	280
										425	280
	0.34	9080	4018	48100	0.90						
	0.39	7940	3514	53500	1.00						
	0.41	7540	3338	54300	1.05					280	280
	0.47	6610	2929	56000	1.20					305	280
	0.56	5500	2484	57600	1.45					415	280
	0.62	5020	2242	58400	1.60						
	0.52	5990	2658	57000	1.35						
	0.57	5440	2412	57800	1.45						
	0.67	4670	2073	58800	1.70						
	0.75	4060	1839	59400	1.95					290	280
	0.99	3130	1397	60200	2.6					315	280
	1.1	2710	1226	60500	2.9					425	280
	1.3	2440	1090	60700	3.3						
	1.4	2130	951	60900	3.8						
	0.67	4660	2067	27300	0.90						
	0.82	3790	1693	31900	1.15						
	0.89	3420	1550	33500	1.25					200	280
	0.98	3100	1407	34600	1.40					205	280
	1.1	2660	1209	35900	1.60					290	280
	1.3	2330	1055	36400	1.85						
	0.69	4450	1987	28600	0.95						
	0.76	4030	1827	30800	1.05						
	0.86	3490	1599	33200	1.25					210	280
	0.99	3090	1400	34600	1.40					210	280
	1.1	2670	1226	35900	1.60					295	280
	1.5	2070	939	36700	2.1						
	1.7	1790	822	37000	2.4						
	1.1	2760	1207	22500	1.10					130	280
	1.3	2460	1084	24300	1.20					145	280
										195	280
	0.99	3170	1396	10800	0.95						
	1.1	2770	1228	22500	1.10						
	1.3	2470	1069	24200	1.20						
	1.5	2160	938	25700	1.40						
	1.7	1860	824	26900	1.60					130	280
	1.9	1660	737	27400	1.80					145	280
	2.2	1420	632	27700	2.1					200	280
	3.2	980	431	28200	3.1						
	3.6	850	379	28300	3.5						
	4.1	765	336	28400	3.9						
	1.7	1810	802	13800	0.85					87	280
	1.8	1690	754	15800	0.90					94	280
	2.1	1440	649	17600	1.05					125	280



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B					m [кг]	
0.37	1.8	1770	776	15100	0.85	R RF RM	87R57 87R57 87R57	DRS DRS DRS	71S4 71S4 71S4	88	280
	2.0	1560	685	16800	1.00					95	280
	2.3	1330	599	18300	1.15					125	280
	2.6	1170	525	19100	1.30						
	3.0	1020	456	19700	1.50						
	5.2	595	268	20000	2.6						
	5.8	525	236	20000	2.9	R RF RM	87R57 87R57 87R57	DRS DRS DRS	71S4 71S4 71S4	86	280
	2.6	1260	538	18700	1.25					93	280
	2.9	1100	472	19400	1.40					125	280
	3.4	920	400	20000	1.65						
	3.8	830	361	20000	1.85						
	3.7	860	373	9520	0.95	R RF RM	77R37 77R37 77R37	DRS DRS DRS	71S4 71S4 71S4	49	280
	4.2	755	327	10500	1.10					55	280
	4.8	670	289	11100	1.20					80	280
	5.3	600	260	11600	1.35						
	6.2	505	224	12000	1.60						
	7.0	445	197	12300	1.85	R RF RM	67R37 67R37 67R37	DRS DRS DRS	71S4 71S4 71S4	43	280
	8.2	385	169	12500	2.1					47	280
	9.3	340	149	12700	2.4					62	280
	4.7	665	294	4670	0.90						
	5.3	600	261	7550	1.00						
	5.9	535	234	8220	1.10						
	6.9	455	200	8930	1.30	R RF RM	97 97 97	DRS DRS DRS	71M6 71M6 71M6	110	270
	3.1	1130	289.74	28100	2.6					125	271
	3.5	990	255.71	28200	3.0					175	271
	3.8	940	241.25	28300	3.2						
	4.2	840	216.28	28400	3.6						
	3.7	960	246.54	20000	1.60	R RF RM	87 87 87	DRS DRS DRS	71M6 71M6 71M6	67	267
	4.2	840	216.54	20000	1.85					74	268
	4.4	800	205.71	20000	1.95					105	268
	5.0	705	181.77	20000	2.2						
	5.8	605	155.34	20000	2.6						
	6.4	555	142.41	20000	2.8	R RF RM	77 77 77	DRS DRS DRS	71M6 71M6 71M6	41	264
	5.4	650	166.59	11200	1.25					46	265
	6.2	565	145.67	11700	1.45					71	265
	6.5	540	138.39	11900	1.50						
	7.1	495	195.24*	12100	1.65						
	8.3	425	166.59	12400	1.90	R RF RM	77 77 77	DRS DRS DRS	71S4 71S4 71S4	39	264
	9.5	370	145.67	12600	2.2					45	265
	10.0	350	138.39	12600	2.3					70	265
	11	310	121.42	12800	2.6						
	13	260	102.99	12900	3.1						
	15	235	92.97	12900	3.4	R RF RM	67 67 67	DRS DRS DRS	71M6 71M6 71M6	34	261
	5.7	615	158.14	7350	0.95					37	262
	6.6	535	137.67	8240	1.10					52	262
	7.0	500	128.97	8550	1.20						
	7.9	440	113.94	9030	1.35						
	6.9	510	199.81	8480	1.15	R RF RM	67 67 67	DRS DRS DRS	71S4 71S4 71S4	32	261
	7.5	470	184.07	8820	1.25					35	262
	8.7	400	158.14	9300	1.50					51	262
	10	350	137.67	9620	1.70						
	11	330	128.97	9740	1.80						
	12	290	113.94	9920	2.1	R RF RM	57 57 57	DRS DRS DRS	71M6 71M6 71M6	27	258
	13	270	105.83	10000	2.2					30	259
	14	245	95.91	10100	2.4					42	259
	16	220	86.11	10200	2.7						
	19	190	74.17	10300	3.2						
	20	179	69.75	10300	3.4	R RF RM	57 57 57	DRS DRS DRS	71M6 71M6 71M6		
	23	157	61.26	10400	3.8						
	24	146	56.89	10400	4.1						
	7.0	500	128.77	6610	0.90						
	7.5	470	120.63	7010	0.95						
	8.5	415	106.58	7250	1.10						
	9.1	385	98.99	7360	1.15						



R...DRS R...DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B					m [кг]	
0.37	7.4	475	186.89	6980	0.95	R RF RM	57 57 57	DRS DRS DRS	71S4 71S4 71S4	26 29 41	258 259 259
	8.0	440	172.17	7140	1.00						
	9.3	375	147.92	7380	1.20						
	11	325	128.77	7540	1.35						
	11	305	120.63	7610	1.45						
	13	270	106.58	7700	1.65						
	14	250	98.99	7740	1.80						
	15	225	89.71	7800	1.95						
	17	205	80.55	7840	2.2						
	20	177	69.23	7890	2.5						
	21	166	64.85	7910	2.7						
	24	147	57.29	7760	3.1						
	26	136	53.22	7600	3.3						
	29	124	48.23	7380	3.6						
9.9	355	139.99	3490	0.85	R RF	47 47	DRS DRS	71S4 71S4	20 20	255 256	
	11	310	121.87	5350							0.95
	12	290	114.17	5460							1.05
	14	255	100.86	5620							1.15
	15	235	93.68	5700							1.25
	16	215	84.90	5790							1.40
	18	195	76.23	5870							1.55
	20	176	68.54	5930							1.70
	21	164	64.21	5960							1.80
	24	145	56.73	6010							2.1
	26	135	52.69	5990							2.2
	29	122	47.75	5820							2.4
	32	110	42.87	5650							2.7
	37	94	36.93	5410							3.2
40	89	34.73	5310	3.4							
41	86	33.79	5270	2.8	R RF	47 47	DRS DRS	71S4 71S4	20 20	255 256	
	80	31.12	5140	2.8							
	68	26.74	4920	4.4							
	60	23.28	4720	5.0							
	56	21.81	4620	5.4							
15	230	90.77	4250	0.85	R RF	37 37	DRS DRS	71S4 71S4	17 18	252 253	
	215	84.61	4720	0.90							
	189	73.96	5070	1.05							
20	178	69.33	5210	1.15	R RF	37 37	DRS DRS	71S4 71S4	17 18	252 253	
	157	61.18	5410	1.30							
	143	55.76	5530	1.40							
	123	48.08	5580	1.60							
	115	44.81	5480	1.75							
	100	39.17	5280	2.00							
	94	36.72	5190	2.1							
	83	32.40	5010	2.4							
	74	28.73	4850	2.7							
	62	24.42	4620	3.2							
49	72	28.32	4830	2.8	R RF	37 37	DRS DRS	71S4 71S4	17 18	252 253	
	67	26.03	4710	2.8							
	57	22.27	4500	3.5							
	49	19.31	4320	4.0							
	46	18.05	4230	4.3							
	88	40	15.60	4050							5.0
104	34	13.25	3850	5.6	R RF	37 37	DRS DRS	71S4 71S4	17 18	252 253	
	117	30	11.83	3720							6.0
23	157	61.30	3870	0.85	R RF	27 27	DRS DRS	71S4 71S4	11 11	249 250	
	143	55.87	3800	0.90							
	123	48.17	3680	1.05							
	115	44.90	3620	1.15							
	100	39.25	3510	1.30							
	94	36.79	3460	1.40							
	83	32.47	3350	1.55							
	74	28.78	3250	1.75							
	63	24.47	3110	2.1							



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B			m [кг]	
0.37	49	73	28.37	3240	1.80				
	53	67	26.09	3170	1.95				
	62	57	22.32	3040	2.3	R	27	DRS	71S4
	71	50	19.35	2920	2.6	RF	27	DRS	71S4
	76	46	18.08	2860	2.8			11	249
	88	40	15.63	2750	3.2			11	250
	104	34	13.28*	2620	3.8				
	36	99	38.61	770	0.85				
	38	93	36.20	1260	0.90	R	17	DRS	71S4
	43	82	31.94	1910	1.05	RF	17	DRS	71S4
	49	72	28.32	1880	1.15			10	246
	57	62	24.07	1830	1.40			10.0	247
	55	65	25.23	1840	1.30				
	60	59	23.15	1820	1.45				
	70	50	19.71	1760	1.70				
	81	44	16.99	1710	1.95				
	87	40	15.84	1680	2.1				
	100	35	13.84	1630	2.4				
	106	33	12.98	1610	2.6				
	121	29	11.45	1560	2.8	R	17	DRS	71S4
	136	26	10.15	1520	3.0	RF	17	DRS	71S4
	160	22	8.63	1460	3.3			9.8	246
	183	19	7.55	1370	2.9			9.7	247
	196	18	7.04	1350	3.1				
	224	16	6.15	1300	3.4				
	239	15	5.76	1280	3.6				
	271	13	5.09	1240	3.9				
	306	12	4.51	1200	4.2				
	360	9.8	3.83	1140	4.6				
	75	47	18.31	1000	1.05				
	82	43	16.73	980	1.15				
	98	36	14.12	960	1.40				
	114	31	12.06	940	1.60				
	123	29	11.18	930	1.75				
	143	25	9.67	900	2.0				
	153	23	9.01	890	2.2	R	07	DRS	71S4
	176	20	7.85	860	2.4	RF	07	DRS	71S4
	185	19	7.48	860	2.2			8.8	243
	202	18	6.83	840	2.5			8.8	244
	239	15	5.76	810	2.7				
	280	13	4.92	780	2.9				
	302	12	4.57	765	3.1				
	350	10	3.95	735	3.4				
	375	9.4	3.68	720	3.5				
	430	8.2	3.21	695	3.8				
	274	13	9.67	780	3.9				
	294	12	9.01	765	4.2				
	337	10	7.85	740	4.7				
	354	10	7.48	730	4.3				
	388	9.1	6.83	715	4.7	R	07	DR	63L2
	460	7.7	5.76	680	5.2	RF	07	DR	63L2
	538	6.6	4.92	650	5.6			7.0	243
	580	6.1	4.57	640	5.9			7.0	244
	671	5.3	3.95	610	6.4				
	720	4.9	3.68	600	6.7				
	826	4.3	3.21	575	7.2				
	175	20	5.18	4560	3.7				
	200	18	4.53	4370	4.6	RX	67	DRS	71M6
	210	17	4.30*	4300	4.8	RXF	67	DRS	71M6
	240	15	3.77	4130	5.9			20	233
	227	16	6.07	4200	2.8			24	234
	267	13	5.18	3990	5.6				
	305	12	4.53	3820	7.1				
	321	11	4.30*	3760	7.3				
	366	9.7	3.77	3600	9.0	RX	67	DRS	71S4
	431	8.2	3.20*	3420	12	RXF	67	DRS	71S4
	478	7.4	2.89	3310	14			19	233
	543	6.5	2.54	3170	18			23	234
	575	6.1	2.40*	3110	20				
	675	5.2	2.04	2950	26				



R...DRS **R...DRS [кВт]**

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B					m [кг]	
0.37	208	17	4.35	3490	4.0	RX	57	DRS	71M6	17	231
	239	15	3.79	3340	4.7					19	232
	255	14	3.55*	3280	5.0						
	251	14	5.50*	3300	2.8	RX	57	DRS	71S4	16	231
	272	13	5.07	3210	2.8						
	317	11	4.35	3060	6.1						
	364	9.7	3.79	2930	7.1						
	389	9.1	3.55*	2870	7.6						
	440	8.0	3.14	2760	8.1						
	474	7.5	2.91	2690	8.9						
	523	6.8	2.64*	2610	10						
	582	6.1	2.37	2520	11						
	676	5.2	2.04	2400	13						
	719	4.9	1.92*	2350	14						
	835	4.2	1.65	2240	16						
0.55	0.23	19500	6077	120000	0.90	R	167R97	DRS	71M4	760	280
	0.26	17300	5407	120000	1.05					760	280
	0.30	14700	4650	120000	1.20					960	280
	0.33	12800	4129	120000	1.40						
	0.28	16800	4926	26700	0.80	R	147R77	DRS	71M4	425	280
	0.32	14400	4325	56500	0.90					430	280
	0.37	12600	3754	63300	1.05					600	280
	0.42	11000	3302	66200	1.20						
	0.48	9670	2898	68200	1.35	RF	147R77	DRS	71M4	425	280
	0.54	8750	2555	69400	1.50					430	280
	0.62	7580	2211	70800	1.70					600	280
	0.71	6680	1951	71600	1.95						
	0.81	5720	1705	72400	2.3	RM	147R77	DRS	71M4	280	280
	0.90	5120	1536	72900	2.5					305	280
	1.0	4430	1329	73300	2.9					415	280
	1.2	3850	1166	73600	3.4						
	0.56	8510	2484	51800	0.95	R	137R77	DRS	71M4	280	280
	0.52	9110	2658	47600	0.90					305	280
	0.57	8260	2412	52800	0.95					415	280
	0.67	7100	2073	55200	1.15						
	0.75	6210	1839	56700	1.30	R	137R77	DRS	71M4	290	280
	0.86	5330	1598	58000	1.50					315	280
	0.99	4760	1397	58700	1.70					425	280
	1.1	4150	1226	59300	1.90						
	1.3	3710	1090	59800	2.2	RF	137R77	DRS	71M4	200	280
	1.4	3240	951	60200	2.5					205	280
	1.7	2770	831	60500	2.9					295	280
	0.98	4750	1407	24800	0.90						
	1.1	4080	1209	30600	1.05	R	107R77	DRS	71M4	200	280
	1.3	3560	1055	32900	1.20					205	280
	1.5	3110	919	34600	1.40					280	280
	1.7	2780	815	35600	1.55						
	1.9	2430	717	36300	1.75	RF	107R77	DRS	71M4	205	280
	2.2	2120	626	36600	2.0					210	280
	0.99	4730	1400	25600	0.90					300	280
	1.1	4110	1226	30400	1.05	R	107R77	DRS	71M4	205	280
	1.2	3680	1104	32400	1.15					210	280
	1.5	3170	939	34400	1.35					300	280
	1.7	2750	822	35700	1.55						
	1.7	2820	824	22100	1.05	R	97R57	DRS	71M4	130	280
	1.9	2530	737	23900	1.20					150	280
	2.2	2160	632	25700	1.40					200	280
	2.5	1880	560	26800	1.60						
	2.8	1640	484	27400	1.85						
	3.2	1480	431	27700	2.0						
	3.6	1300	379	27900	2.3						
	4.1	1160	336	28100	2.6	RF	97R57	DRS	71M4		
	4.7	1010	296	28200	3.0						
	5.5	840	249	28400	3.6						



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{ra}^{1)}$ [Н]	SEW f_B					m [кг]	
0.55	2.6	1780	525	15000	0.85						
	3.0	1550	456	16900	1.00	R	87R57	DRS	71M4	89	280
	3.5	1340	398	18200	1.15	RF	87R57	DRS	71M4	96	280
	3.9	1190	352	19000	1.30	RM	87R57	DRS	71M4	125	280
	4.5	1020	305	19700	1.50						
	2.9	1660	472	16100	0.95	R	87R57	DRS	71M4	87	280
	3.4	1400	400	17900	1.10	RF	87R57	DRS	71M4	95	280
	3.8	1260	361	18700	1.25	RM	87R57	DRS	71M4	125	280
	5.0	970	276	6200	0.85						
	5.8	820	236	9850	1.00	R	77R37	DRS	71M4	49	280
	6.2	770	221	10300	1.05	RF	77R37	DRS	71M4	55	280
	7.4	645	186	11300	1.25	RM	77R37	DRS	71M4	80	280
	3.2	1660	289.74	27400	1.80						
	3.6	1460	255.71	27700	2.0	R	97	DRS	80S6	110	270
	3.8	1380	241.25	27800	2.2	RF	97	DRS	80S6	130	271
	4.2	1240	216.28	28000	2.4	RM	97	DRS	80S6	180	271
	4.8	1100	289.74	28100	2.7						
	5.4	970	255.71	28200	3.1	R	97	DRS	71M4	110	270
	5.7	910	241.25	28300	3.3	RF	97	DRS	71M4	125	271
	6.4	820	216.28	28400	3.6	RM	97	DRS	71M4	175	271
	3.7	1410	246.54	17800	1.10						
	4.2	1240	216.54	18800	1.25	R	87	DRS	80S6	69	267
	4.4	1180	205.71	19100	1.30	RF	87	DRS	80S6	76	268
	5.0	1040	181.77	19700	1.50	RM	87	DRS	80S6	105	268
	5.9	890	155.34	20000	1.75						
	5.6	930	246.54	20000	1.65						
	6.4	820	216.54	20000	1.90						
	6.7	780	205.71	20000	2.00						
	7.6	690	181.77	20000	2.2	R	87	DRS	71M4	67	267
	8.9	590	155.34	20000	2.6	RF	87	DRS	71M4	74	268
	9.7	540	142.41	20000	2.9	RM	87	DRS	71M4	105	268
	11	475	124.97	20000	3.3						
	12	450	118.43*	20000	3.4						
	13	390	103.65	20000	3.9						
	8.3	630	166.59	11400	1.30						
	9.5	550	145.67	11800	1.50						
	10.0	525	138.39	12000	1.55						
	11	460	121.42	12200	1.75	R	77	DRS	71M4	41	264
	13	390	102.99	12500	2.1	RF	77	DRS	71M4	46	265
	15	350	92.97	12600	2.3	RM	77	DRS	71M4	71	265
	17	310	81.80	12800	2.6						
	18	290	77.24	12800	2.8						
	21	250	65.77	12900	3.3						
	8.7	600	158.14	7540	1.00						
	10	520	137.67	8360	1.15						
	11	490	128.97	8660	1.20						
	12	430	113.94	9110	1.40						
	13	400	105.83	9320	1.50	R	67	DRS	71M4	34	261
	14	365	95.91	9550	1.65	RF	67	DRS	71M4	37	262
	16	325	86.11	9750	1.85	RM	67	DRS	71M4	52	262
	19	280	74.17	9960	2.1						
	20	265	69.75	10000	2.3						
	23	230	61.26	10200	2.6						
	24	215	56.89	10200	2.8						
	11	455	120.63	7060	1.00						
	13	405	106.58	7290	1.10						
	14	375	98.99	7390	1.20						
	15	340	89.71	7510	1.30						
	17	305	80.55	7610	1.45						
	20	260	69.23	7720	1.70	R	57	DRS	71M4	27	258
	21	245	64.85	7750	1.80	RF	57	DRS	71M4	30	259
	24	215	57.29	7500	2.1	RM	57	DRS	71M4	42	259
	26	200	53.22	7360	2.2						
	29	184	48.23	7160	2.4						
	32	165	43.30	6960	2.7						
	37	142	37.30*	6670	3.2						
	39	134	35.07	6560	3.4						




R...DRS R...DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B					m [кг]	
0.55	52	100	26.31	6030	4.5	R	57	DRS	71M4	26	258
	55	95	24.99*	5940	4.7	RF	57	DRS	71M4	29	259
	63	84	21.93	5720	5.4	RM	57	DRS	71M4	41	259
	74	71	18.60*	5440	6.4						
	15	355	93.68	3610	0.85						
	16	320	84.90	5290	0.95						
	18	290	76.23	5470	1.05						
	20	260	68.54	5610	1.15						
	21	240	64.21	5690	1.25						
	24	215	56.73	5800	1.40	R	47	DRS	71M4	22	255
	26	200	52.69	5750	1.50	RF	47	DRS	71M4	22	256
	29	182	47.75	5610	1.65						
	32	163	42.87	5450	1.85						
	37	140	36.93	5240	2.1						
	40	132	34.73	5160	2.3						
	46	114	29.88	4950	2.6						
	52	102	26.74	4800	3.0	R	47	DRS	71M4	21	255
	59	89	23.28	4610	3.4	RF	47	DRS	71M4	21	256
	63	83	21.81	4520	3.6						
	23	230	61.18	4210	0.85						
	25	210	55.76	4780	0.95						
	29	183	48.08	5150	1.10						
	31	171	44.81	5220	1.15						
	35	149	39.17	5050	1.35	R	37	DRS	71M4	18	252
	38	140	36.72	4980	1.45	RF	37	DRS	71M4	19	253
	43	123	32.40	4820	1.60						
	48	109	28.73	4680	1.85						
	57	93	24.42	4480	2.2						
	62	85	22.27	4370	2.4						
	71	74	19.31	4200	2.7						
	76	69	18.05	4120	2.9	R	37	DRS	71M4	18	252
	88	59	15.60	3960	3.4	RF	37	DRS	71M4	19	253
	104	50	13.25	3780	3.8						
	117	45	11.83	3650	4.1						
	35	149	39.25	3270	0.85						
	38	140	36.79	3230	0.95						
	42	124	32.47	3150	1.05	R	27	DRS	71M4	12	249
	48	110	28.78	3070	1.20	RF	27	DRS	71M4	12	250
	56	93	24.47	2960	1.40						
	62	85	22.32	2900	1.55						
	71	74	19.35	2800	1.75						
	76	69	18.08	2750	1.90						
	88	60	15.63	2650	2.2						
	104	50	13.28*	2540	2.6						
	116	45	11.86	2460	2.9						
	136	38	10.13	2360	3.2						
	147	36	9.41	2280	3.4	R	27	DRS	71M4	12	249
	169	31	8.16	2190	3.7	RF	27	DRS	71M4	12	250
	181	29	7.63*	2150	3.9						
	209	25	6.59	2070	4.2						
	246	21	5.60*	1970	4.6						
	276	19	5.00*	1910	5.0						
	323	16	4.27	1820	5.3						
	345	15	4.00*	1780	5.6						
	410	13	3.37	1690	6.2						
	52	100	53.76	630	0.85						
	59	89	47.44	1530	0.95	R	17	DRS	71M2	11	246
	64	83	44.18	1600	1.05	RF	17	DRS	71M2	11	247
	73	72	38.61	1580	1.20						



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B			m [кг]			
0.55	70	75	19.71	1580	1.15	R RF	17 17	DRS DRS	71M4 71M4	11 11	246 247
	81	65	16.99	1560	1.30						
	87	60	15.84	1540	1.40						
	100	53	13.84	1510	1.60						
	106	49	12.98	1490	1.70						
	121	44	11.45	1460	1.85						
	136	39	10.15	1430	2.00						
	160	33	8.63	1380	2.2						
	183	29	7.55	1290	1.95						
	196	27	7.04	1270	2.0						
	224	23	6.15	1230	2.3						
	239	22	5.76	1220	2.4						
	271	19	5.09	1180	2.6						
	306	17	4.51	1150	2.8						
	360	15	3.83	1100	3.1						
	326	16	8.63	1160	4.5	R RF	17 17	DRS DRS	71M2 71M2	11 11	246 247
	372	14	7.55	1090	4.0						
	399	13	7.04	1070	4.2						
	457	12	6.15	1040	4.7						
	153	34	18.31	810	1.45	R RF	07 07	DRS DRS	71M2 71M2	10 10	243 244
	168	31	16.73	795	1.60						
	199	26	14.12	775	1.90						
	233	22	12.06	755	2.2						
	251	21	11.18	745	2.4						
	291	18	9.67	725	2.8						
	312	17	9.01	715	3.0						
	358	15	7.85	690	3.3						
	376	14	7.48	685	3.1						
	411	13	6.83	670	3.4						
	487	11	5.76	645	3.7						
	571	9.2	4.92	620	4.0						
	615	8.5	4.57	605	4.2						
	712	7.4	3.95	585	4.6						
	764	6.9	3.68	570	4.8						
	876	6.0	3.21	550	5.2						
	177	30	5.18	4480	2.5	RX RXF	67 67	DRS DRS	80S6 80S6	22 26	233 234
	202	26	4.53	4300	3.2						
	213	25	4.30*	4230	3.2						
	243	22	3.77	4060	4.0						
	267	20	5.18	3950	3.8	RX RXF	67 67	DRS DRS	71M4 71M4	20 24	233 234
	305	17	4.53	3790	4.8						
	321	16	4.30*	3720	4.9						
	366	14	3.77	3570	6.0						
	431	12	3.20*	3390	8.2						
	478	11	2.89	3280	9.6						
	543	9.7	2.54	3150	12						
	575	9.1	2.40*	3090	14						
	675	7.8	2.04	2940	17						
	743	7.1	1.86	2850	18						
	858	6.1	1.61	2720	19						
210	25	4.35	3420	2.7	RX RXF	57 57	DRS DRS	80S6 80S6	20 22	231 232	
241	22	3.79	3280	3.2							
258	20	3.55*	3220	3.4							
292	18	3.14	3100	3.6							
314	17	2.91	3030	4.0	RX RXF	57 57	DRS DRS	71M4 71M4	17 19	231 232	
317	17	4.35	3020	4.1							
364	14	3.79	2890	4.8							
389	14	3.55*	2840	5.1							
440	12	3.14	2730	5.5							
474	11	2.91	2660	6.0							
523	10	2.64*	2580	6.9							
582	9.0	2.37	2500	7.7							
676	7.8	2.04	2380	8.8							
719	7.3	1.92*	2330	9.4							
835	6.3	1.65	2220	11							
935	5.6	1.48	2140	12							
1060	5.0	1.30	2060	13							
0.75	0.30	20200	4650	120000	0.90	R	167R97	DRS	80S4	760	280
	0.34	17700	4129	120000	1.00	RF	167R97	DRS	80S4	760	280
						RM	167R97	DRS	80S4	960	280




R...DRS R...DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B					m [кг]	
0.75	0.53	11800	2657	120000	1.50	R	167R97	DRS	80S4	750	280
	0.60	10200	2333	120000	1.75	RF	167R97	DRS	80S4	760	280
	0.68	9070	2085	120000	2.00	RM	167R97	DRS	80S4	960	280
	0.98	6400	1438	120000	2.8						
	0.43	14900	3302	50700	0.85	R	147R77	DRS	80S4	425	280
	0.49	13100	2898	62400	1.00	RF	147R77	DRS	80S4	435	280
						RM	147R77	DRS	80S4	600	280
	0.55	11800	2555	64900	1.10						
	0.64	10200	2211	67400	1.25						
	0.72	9020	1951	69100	1.45	R	147R77	DRS	80S4	425	280
	0.83	7760	1705	70600	1.65	RF	147R77	DRS	80S4	435	280
	0.92	6960	1536	71400	1.85	RM	147R77	DRS	80S4	600	280
	1.1	6020	1329	72200	2.2						
	1.2	5250	1166	72800	2.5						
	0.76	8530	1863	51700	0.95	R	137R77	DRS	80S4	285	280
	0.89	7220	1586	55000	1.10	RF	137R77	DRS	80S4	310	280
	1.0	6430	1391	56300	1.25	RM	137R77	DRS	80S4	420	280
	1.1	5790	1256	57300	1.40						
	0.68	9590	2073	39100	0.85						
	0.77	8420	1839	52200	0.95						
	0.88	7240	1598	54900	1.10						
	1.0	6440	1397	56300	1.25	R	137R77	DRS	80S4	295	280
	1.2	5620	1226	57600	1.40	RF	137R77	DRS	80S4	315	280
	1.3	5020	1090	58400	1.60	RM	137R77	DRS	80S4	430	280
	1.5	4380	951	59100	1.80						
	1.7	3770	831	59700	2.1						
	1.9	3280	730	60100	2.4						
	1.3	4830	1055	21800	0.90	R	107R77	DRS	80S4	200	280
	1.5	4210	919	29900	1.00	RF	107R77	DRS	80S4	210	280
	1.7	3750	815	32100	1.15	RM	107R77	DRS	80S4	295	280
	1.5	4290	939	29500	1.00						
	1.7	3740	822	32200	1.15	R	107R77	DRS	80S4	205	280
	3.8	1670	369	37100	2.6	RF	107R77	DRS	80S4	215	280
	4.4	1450	323	37300	3.0	RM	107R77	DRS	80S4	300	280
	2.2	2920	632	21500	1.05						
	2.5	2550	560	23800	1.15						
	2.9	2220	484	25500	1.35						
	3.3	2000	431	26400	1.50	R	97R57	DRS	80S4	135	280
	3.7	1750	379	27300	1.70	RF	97R57	DRS	80S4	150	280
	4.2	1560	336	27600	1.90	RM	97R57	DRS	80S4	200	280
	4.8	1370	296	27800	2.2						
	5.7	1140	249	28100	2.6						
	3.6	1820	398	13000	0.85						
	4.0	1610	352	16400	0.95	R	87R57	DRS	80S4	91	280
	4.6	1390	305	17900	1.10	RF	87R57	DRS	80S4	98	280
	5.3	1230	268	18800	1.25	RM	87R57	DRS	80S4	130	280
	6.0	1080	236	19500	1.45						
	3.9	1690	361	15800	0.90	R	87R57	DRS	80S4	90	280
	4.7	1400	300	17900	1.10	RF	87R57	DRS	80S4	97	280
	5.5	1190	256	19000	1.30	RM	87R57	DRS	80S4	125	280
	3.6	2000	255.71	26400	1.50	R	97	DRS	80M6	115	270
	3.8	1880	241.25	26800	1.60	RF	97	DRS	80M6	130	271
	4.2	1690	216.28	27400	1.75	RM	97	DRS	80M6	180	271
	4.9	1470	289.74	27700	2.0						
	5.5	1290	255.71	27900	2.3	R	97	DRS	80S4	110	270
	5.8	1220	241.25	28000	2.4	RF	97	DRS	80S4	130	271
	6.5	1090	216.28	28100	2.7	RM	97	DRS	80S4	180	271
	7.6	940	186.30	28300	3.2						
	8.3	860	170.02	28300	3.5						
	4.2	1690	216.54	15800	0.90	R	87	DRS	80M6	72	267
	4.4	1610	205.71	16500	0.95	RF	87	DRS	80M6	79	268
	5.0	1420	181.77	17800	1.10	RM	87	DRS	80M6	110	268
	5.9	1210	155.34	18900	1.25	R	87	DRS	80M6	72	267
	6.4	1110	142.41	19400	1.40	RF	87	DRS	80M6	79	268
						RM	87	DRS	80M6	110	268



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B					m [кг]	
0.75	5.7	1250	246.54	18700	1.25						
	6.5	1090	216.54	19400	1.40						
	6.8	1040	205.71	19700	1.50						
	7.8	920	181.77	20000	1.70	R	87	DRS	80S4	69	267
	9.1	785	155.34	20000	1.95	RF	87	DRS	80S4	76	268
	9.9	720	142.41	20000	2.1	RM	87	DRS	80S4	105	268
	11	630	124.97	20000	2.4						
	12	600	118.43*	20000	2.6						
	14	525	103.65	20000	2.9						
	15	470	93.38	20000	3.3						
	8.5	840	166.59	9670	0.95	R	77	DRS	80S4	43	264
	9.7	735	145.67	10600	1.10	RF	77	DRS	80S4	49	265
	10	700	138.39	10900	1.15	RM	77	DRS	80S4	74	265
	12	615	121.42	11500	1.35						
	14	520	102.99	12000	1.55						
	15	470	92.97	12200	1.75						
	17	415	81.80	12400	1.95	R	77	DRS	80S4	43	264
	18	390	77.24	12500	2.1	RF	77	DRS	80S4	49	265
	21	330	65.77	12700	2.5	RM	77	DRS	80S4	74	265
	24	290	57.68	12800	2.8						
	27	260	52.07	12900	3.1						
	31	230	45.81	13000	3.5						
	33	215	43.26	13000	3.7						
	11	655	128.97	5920	0.90						
	12	575	113.94	7800	1.05						
	13	535	105.83	8240	1.10						
	15	485	95.91	8690	1.25						
	16	435	86.11	9080	1.35	R	67	DRS	80S4	36	261
	19	375	74.17	9480	1.60	RF	67	DRS	80S4	39	262
	20	350	69.75	9610	1.70	RM	67	DRS	80S4	55	262
	23	310	61.26	9830	1.95						
	25	285	56.89	9930	2.1						
	27	260	51.56	10000	2.3						
	30	235	46.29	10100	2.6						
	13	540	106.58	5110	0.85						
	14	500	98.99	6610	0.90						
	16	455	89.71	7080	1.00	R	57	DRS	80S4	29	258
	18	405	80.55	7270	1.10	RF	57	DRS	80S4	33	259
	20	350	69.23	7480	1.30	RM	57	DRS	80S4	45	259
	22	325	64.85	7390	1.35						
	25	290	57.29	7180	1.55						
	26	270	53.22	7060	1.65						
	29	245	48.23	6890	1.85						
	33	215	43.30	6700	2.0	R	57	DRS	80S4	29	258
	38	189	37.30*	6450	2.4	RF	57	DRS	80S4	33	259
	40	178	35.07	6340	2.5	RM	57	DRS	80S4	45	259
	47	153	30.18	6090	2.9						
	52	137	26.97	5910	3.3						
	54	134	26.31	5870	3.4						
	56	127	24.99*	5780	3.5	R	57	DRS	80S4	28	258
	64	111	21.93	5570	4.0	RF	57	DRS	80S4	32	259
	76	94	18.60*	5310	4.8	RM	57	DRS	80S4	44	259
	21	345	68.54	4110	0.85						
	22	325	64.21	5270	0.90	R	47	DRS	80S4	24	255
	25	285	56.73	5480	1.05	RF	47	DRS	80S4	24	256
	27	265	52.69	5460	1.10						
	30	240	47.75	5340	1.25						
	33	215	42.87	5210	1.40						
	38	188	36.93	5030	1.60	R	47	DRS	80S4	24	255
	41	176	34.73	4960	1.70	RF	47	DRS	80S4	24	256
	47	152	29.88	4770	2.00						
	53	136	26.70	4630	2.2						
	60	120	23.59	4480	2.5						
	53	136	26.74	4640	2.2						
	61	118	23.28	4470	2.5						
	65	111	21.81	4390	2.7	R	47	DRS	80S4	23	255
	73	98	19.27	4240	3.0	RF	47	DRS	80S4	23	256
	79	91	17.89	4160	3.2						
	87	82	16.22	4040	3.3						




R...DRS R...DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{ra}^{1)}$ [Н]	SEW f_B					m [кг]	
0.75	29	240	48.08	3070	0.80	R RF	37 37	DRS DRS	80S4 80S4	20	252
	31	225	44.81	4430	0.90					22	253
	36	199	39.17	4760	1.00						
	38	186	36.72	4710	1.05						
	44	165	32.40	4590	1.20	R RF	37 37	DRS DRS	80S4 80S4	20	252
	49	146	28.73	4470	1.35					22	253
	58	124	24.42	4300	1.60						
	63	113	22.27	4200	1.75						
	73	98	19.31	4050	2.0	R RF	37 37	DRS DRS	80S4 80S4	20	252
	78	92	18.05	3980	2.2					21	253
	90	79	15.60	3830	2.5						
	106	67	13.25	3670	2.8						
	119	60	11.83	3550	3.0	R RF	27 27	DRS DRS	80S4 80S4	14	249
	140	51	10.11	3400	3.3					14	250
	149	48	9.47	3330	3.5						
	49	146	28.78	2870	0.90						
	58	124	24.47	2780	1.05	R RF	27 27	DRS DRS	80S4 80S4	14	250
	63	113	22.32	2740	1.15						
	73	98	19.35	2660	1.30						
	78	92	18.08	2620	1.40						
	90	79	15.63	2530	1.65	R RF	27 27	DRS DRS	80S4 80S4	14	249
	106	68	13.28*	2440	1.95					14	250
	119	60	11.86	2370	2.1						
	139	51	10.13	2280	2.4						
	150	48	9.41	2200	2.6	R RF	17 17	DRS DRS	80S4 80S4	13	246
	173	41	8.16	2120	2.8					13	247
	185	39	7.63*	2080	2.9						
	214	34	6.59	2000	3.2						
	252	28	5.60*	1920	3.5	R RF	17 17	DRS DRS	80S4 80S4	13	246
	282	25	5.00*	1860	3.7					13	247
	72	100	19.71	665	0.85						
	83	86	16.99	1390	1.00	R RF	17 17	DRS DRS	80S2 80S2	13	246
	89	80	15.84	1380	1.05					13	247
	102	70	13.84	1370	1.20						
	109	66	12.98	1360	1.30						
	123	53	11.45	1340	1.40	R RF	17 17	DRS DRS	80S2 80S2	13	246
	139	53	10.15	1320	1.50					13	247
	163	44	8.63	1290	1.65						
	187	38	7.55	1190	1.45						
	200	36	7.04	1180	1.55	R RF	17 17	DRS DRS	80S2 80S2	13	246
	229	31	6.15	1150	1.75					13	247
	245	29	5.76	1140	1.80						
	277	26	5.09	1110	2.00						
	313	23	4.51	1090	2.1	R RF	17 17	DRS DRS	80S2 80S2	13	246
	368	20	3.83	1050	2.3					13	247
	245	29	11.45	1190	2.8						
	276	26	10.15	1160	3.0						
	324	22	8.63	1120	3.3	R RF	17 17	DRS DRS	80S2 80S2	13	246
	371	19	7.55	1050	2.9					13	247
	398	18	7.04	1030	3.1						
	455	16	6.15	1000	3.4						
	486	15	5.76	980	3.6	R RF	17 17	DRS DRS	80S2 80S2	13	246
	550	13	5.09	950	3.9					13	247
	621	12	4.51	920	4.2						
	730	9.8	3.83	890	4.6						
	202	35	4.53	4240	2.3	RX RXF	67 67	DRS DRS	80M6 80M6	25	233
	213	34	4.30*	4180	2.4					29	234
	243	30	3.77	4010	3.0						
	286	25	3.20*	3820	4.0						



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_a^{1)}$ [Н]	SEW f_B		m [кг]	
0.75	272	26	5.18	3880	2.8	RX 67 RXF 67	DRS 80S4 DRS 80S4	22 233 26 234
	312	23	4.53	3720	3.6			
	328	22	4.30*	3660	3.7			
	374	19	3.77	3520	4.5			
	441	16	3.20*	3340	6.1			
	488	15	2.89	3230	7.2			
	555	13	2.54	3100	9.2			
	588	12	2.40*	3050	10			
	690	10	2.04	2900	13			
	759	9.4	1.86	2810	13			
	876	8.2	1.61	2680	14			
	241	30	3.79	3220	2.3	RX 57 RXF 57	DRS 80M6 DRS 80M6	22 231 24 232
	258	28	3.55*	3160	2.5			
	292	24	3.14	3050	2.6			
	314	23	2.91	2980	2.9			
	347	21	2.64*	2890	3.3			
	324	22	4.35	2960	3.1	RX 57 RXF 57	DRS 80S4 DRS 80S4	20 231 22 232
	372	19	3.79	2840	3.6			
	397	18	3.55*	2780	3.8			
	450	16	3.14	2680	4.1			
	484	15	2.91	2620	4.5			
	534	13	2.64*	2540	5.2			
	595	12	2.37	2460	5.8			
	691	10	2.04	2340	6.6			
	734	9.8	1.92*	2300	7.0			
	853	8.4	1.65	2190	8.2			
	955	7.5	1.48	2110	9.1			
	1080	6.6	1.30	2030	9.6			
1.1	0.53	17700	2657	120000	1.00	R 167R97 RF 167R97 RM 167R97	DRS 80M4 DRS 80M4 DRS 80M4	760 280 760 280 960 280
	0.60	15400	2333	120000	1.15			
	0.68	13700	2085	120000	1.30			
	0.75	12200	1877	120000	1.45			
	0.84	10800	1670	120000	1.65			
	0.98	9610	1438	120000	1.85	R 147R77 RF 147R77 RM 147R77	DRS 80M4 DRS 80M4 DRS 80M4	430 280 435 280 600 280
	1.1	8550	1279	120000	2.1			
	1.3	7450	1123	120000	2.4			
	0.64	15100	2211	48200	0.85			
	0.72	13300	1951	61900	0.95			
	0.83	11500	1705	65300	1.10			
	0.92	10300	1536	67200	1.25			
	1.1	8990	1329	69100	1.45			
	1.2	7850	1166	70500	1.65			
	1.4	6900	1029	71400	1.90			
	1.6	5980	889	72200	2.2	R 137R77 RF 137R77 RM 137R77	DRS 80M4 DRS 80M4 DRS 80M4	285 280 310 280 420 280
	1.8	5260	784	72800	2.5			
	2.0	4640	695	73200	2.8			
	1.0	9540	1391	40100	0.85			
	1.1	8590	1256	51400	0.95			
	1.3	7530	1105	54300	1.05	R 137R77 RF 137R77 RM 137R77	DRS 80M4 DRS 80M4 DRS 80M4	295 280 320 280 430 280
	1.4	7100	1043	55200	1.15			
	1.6	6020	888	57000	1.35			
	1.0	9560	1397	39700	0.85			
	1.2	8360	1226	52400	0.95			
	1.3	7450	1090	54500	1.05			
	1.5	6500	951	56200	1.25			
	1.7	5620	831	57600	1.40			
	1.9	4910	730	58500	1.65			
	2.2	4190	629	59300	1.90	R 107R77 RF 107R77 RM 107R77	DRS 80M4 DRS 80M4 DRS 80M4	205 280 210 280 300 280
	2.5	3800	560	59700	2.1			
	2.9	3270	490	60100	2.4			
	2.0	4890	717	19200	0.90			



R...DRS R...DRS [кВт]

P _м [кВт]	n _а [об/мин]	M _а [Нм]	i	F _{ра} ¹⁾ [Н]	SEW f _B					m [кг]	
1.1	2.3	4120	614	30400	1.05						
	2.6	3630	544	32600	1.20						
	2.9	3280	492	34000	1.30						
	3.4	2780	417	35600	1.55						
	3.8	2490	369	36200	1.70						
	4.4	2170	323	36600	1.95						
	4.9	1910	285	36900	2.2						
	5.6	1690	253	37100	2.5						
	3.3	2960	431	21000	1.00						
	3.7	2600	379	23500	1.15						
	4.2	2310	336	25000	1.30						
	4.8	2030	296	26300	1.50						
	5.7	1690	249	27300	1.75						
	6.0	1580	234	27500	1.90						
	6.8	1410	209	27800	2.1						
	5.3	1820	268	12700	0.85						
	6.0	1610	236	16500	0.95						
	6.8	1410	209	17800	1.10						
	5.5	1760	256	15200	0.90						
	6.1	1600	232	16600	0.95						
	7.2	1350	195	18100	1.15						
	4.3	2440	216.28	24400	1.25						
	5.0	2100	186.30	26000	1.45						
	5.5	1900	255.71	26700	1.55						
	5.8	1790	241.25	27100	1.65						
	6.5	1610	216.28	27500	1.85						
	7.6	1380	186.30	27800	2.2						
	8.3	1260	170.02	27900	2.4						
	9.4	1120	150.78	28100	2.7						
	11	940	126.75	28300	3.2						
	12	860	116.48	28300	3.5						
	6.5	1610	216.54	16500	0.95						
	6.8	1530	205.71	17100	1.00						
	7.8	1350	181.77	18200	1.15						
	9.1	1150	155.34	19200	1.35						
	9.9	1060	142.41	19600	1.45						
	11	930	124.97	20000	1.65						
	12	880	118.43*	20000	1.75						
	14	770	103.65	20000	2.0						
	15	695	93.38	20000	2.2						
	17	610	81.92	20000	2.5						
	19	540	72.57	20000	2.9						
	22	470	63.68*	20000	3.3						
	23	445	60.35*	20000	3.4						
	27	390	52.82	20000	3.9						
	12	900	121.42	9060	0.90						
	14	765	102.99	10400	1.05						
	15	690	92.97	11000	1.20						
	17	605	81.80	11500	1.35						
	18	575	77.24	11700	1.45						
	21	485	65.77	12100	1.65						
	24	425	57.68	12400	1.90						
	27	385	52.07	12500	2.1						
	31	340	45.81	12700	2.4						
	33	320	43.26	12700	2.5						
	38	270	36.83	12900	3.0						
	42	245	33.47	12900	3.3						
	16	640	86.11	7030	0.95						
	19	550	74.17	8080	1.10						
	20	515	69.75	8410	1.15						
	23	455	61.26	8940	1.30						
	25	420	56.89	9180	1.40						
	27	380	51.56	9440	1.55						
	30	340	46.29	9660	1.75						
	35	295	39.88*	9900	1.95						
	38	275	37.50	9970	2.0						
	44	240	32.27	10100	2.2						
	49	210	28.83	10200	2.4						



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B					m [кг]	
1.1	50	205	28.13	10200	2.6	R	67	DRS	80M4	38	261
	53	199	26.72	10100	2.7	RF	67	DRS	80M4	41	262
	60	175	23.44	9710	3.2	RM	67	DRS	80M4	57	262
	71	148	19.89	9250	4.0						
	20	515	69.23	6130	0.85	R	57	DRS	80M4	32	258
	22	480	64.85	6840	0.95	RF	57	DRS	80M4	35	259
	25	425	57.29	6700	1.05	RM	57	DRS	80M4	47	259
	26	395	53.22	6800	1.15						
	29	355	48.23	6480	1.25						
	33	320	43.30	6340	1.40	R	57	DRS	80M4	32	258
	38	275	37.30*	6130	1.60	RF	57	DRS	80M4	35	259
	40	260	35.07	6050	1.70	RM	57	DRS	80M4	47	259
	47	220	30.18	5840	2.0						
	52	200	26.97	5680	2.2						
	54	196	26.31	5640	2.3						
	56	186	24.99*	5570	2.4	R	57	DRS	80M4	31	258
	64	163	21.93	5390	2.8	RF	57	DRS	80M4	34	259
	76	139	18.60*	5160	3.2	RM	57	DRS	80M4	46	259
	84	125	16.79	5020	3.6						
	30	355	47.75	3660	0.85						
	33	315	42.87	4840	0.95						
	38	275	36.93	4710	1.10	R	47	DRS	80M4	27	255
	41	255	34.73	4650	1.15	RF	47	DRS	80M4	27	256
	47	220	29.88	4510	1.35						
	53	199	26.70	4400	1.50						
	60	175	23.59	4280	1.70						
	61	173	23.28	4270	1.75						
	65	162	21.81	4200	1.85						
	73	144	19.27	4080	2.1						
	79	133	17.89	4000	2.2	R	47	DRS	80M4	26	255
	87	121	16.22	3900	2.3	RF	47	DRS	80M4	26	256
	97	108	14.56	3790	2.4						
	112	93	12.54	3650	2.7						
	120	88	11.79	3580	2.8						
	139	76	10.15	3440	3.0						
	155	68	9.07	3330	3.2						
	44	240	32.40	2930	0.85	R	37	DRS	80M4	23	252
	49	210	28.73	3320	0.95	RF	37	DRS	80M4	24	253
	58	182	24.42	3730	1.10						
	73	144	19.31	3840	1.40	R	37	DRS	80M4	23	252
	78	134	18.05	3780	1.50	RF	37	DRS	80M4	24	253
	90	116	15.60	3660	1.70						
	106	99	13.25	3520	1.95						
	119	88	11.83	3420	2.1						
	140	75	10.11	3280	2.3						
	149	70	9.47	3230	2.4	R	37	DRS	80M4	23	252
	177	59	7.97	3080	2.6	RF	37	DRS	80M4	24	253
	211	50	6.67	2910	2.9						
	249	42	5.67	2780	3.4						
	279	38	5.06	2700	3.6						
	73	144	19.35	2430	0.90						
	78	135	18.08	2410	0.95						
	90	116	15.63	2350	1.10						
	106	99	13.28*	2280	1.30						
	119	88	11.86	2230	1.45						
	139	76	10.13	2160	1.60						
	173	61	8.16	2010	1.90	R	27	DRS	80M4	17	249
	185	57	7.63*	1980	1.95	RF	27	DRS	80M4	17	250
	214	49	6.59	1910	2.2						
	252	42	5.60*	1840	2.4						
	282	37	5.00*	1790	2.6						
	330	32	4.27	1720	2.7						
	352	30	4.00*	1690	2.8						
	418	25	3.37	1610	3.2						




R...DRS R...DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B			m [кг]	
1.1	214	49	13.28*	1950	2.6	R	DRS	17	249
	240	44	11.86	1900	2.9				
	280	38	10.13	1820	3.2				
	302	35	9.41	1760	3.5				
	348	30	8.16	1690	3.8				
	372	28	7.63*	1660	4.0				
	431	24	6.59	1600	4.3				
	507	21	5.60*	1530	4.8				
	568	18	5.00*	1480	5.1				
	665	16	4.27	1410	5.5				
	710	15	4.00*	1390	5.7				
	843	12	3.37	1320	6.3				
	144	73	19.71	1150	1.15	R	DRS	16	246
	167	63	16.99	1140	1.35				
	179	59	15.84	1130	1.45				
	205	51	13.84	1120	1.65				
	219	48	12.98	1110	1.75				
	248	42	11.45	1090	1.90				
	280	38	10.15	1070	2.0				
	329	32	8.63	1040	2.3				
	376	28	7.55	960	2.0				
	404	26	7.04	950	2.1				
	462	23	6.15	930	2.4				
	493	21	5.76	920	2.5	R	DRS	36	235
	558	19	5.09	900	2.7				
	630	17	4.51	870	2.9				
	741	14	3.83	840	3.2				
	250	42	5.63	5660	2.6				
	264	40	5.35*	5570	2.6				
	298	35	4.73	5370	3.5				
	247	43	3.77	3910	2.0				
	312	34	4.53	3650	2.4				
	328	32	4.30*	3600	2.5				
	374	28	3.77	3460	3.1	R	DRS	25	233
	441	24	3.20*	3290	4.2				
	488	22	2.89	3190	4.9				
	555	19	2.54	3060	6.2				
	588	18	2.40*	3010	6.9				
	690	15	2.04	2860	8.8				
	759	14	1.86	2780	9.1				
	876	12	1.61	2650	9.5				
	1005	10	1.40*	2540	10				
	297	35	3.14	2950	1.85				
	352	30	2.64*	2810	2.3	R	DRS	22	231
	372	28	3.79	2770	2.4				
	397	26	3.55*	2720	2.6				
	450	23	3.14	2620	2.8				
	484	22	2.91	2560	3.1				
	534	20	2.64*	2490	3.5				
	595	18	2.37	2410	3.9				
	691	15	2.04	2300	4.5				
	734	14	1.92*	2260	4.8				
	853	12	1.65	2160	5.6				
	955	11	1.48	2080	6.2	R	DRS	450	280
	1080	9.7	1.30	2010	6.5				
1.5	0.60	21500	2333	120000	0.85				
	0.67	19100	2085	120000	0.95				
	0.75	17100	1877	120000	1.05				
	0.84	15200	1670	120000	1.20				
	0.97	13300	1438	120000	1.35				
	1.1	11900	1279	120000	1.50				
	1.2	10300	1123	120000	1.75				
	1.4	9250	999	120000	1.95				
	3.3	3940	426	73600	3.3				
	3.8	3400	368	73800	3.8				



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B					m [кг]	
1.5	0.82	16000	1705	36100	0.80	R RF RM	147R77 147R77 147R77	DRS DRS DRS	90M4 90M4 90M4	430	280
	0.91	14400	1536	57400	0.90					440	280
	1.0	12400	1329	63700	1.05					610	280
	1.2	10900	1166	66400	1.20						
	1.4	9590	1029	68300	1.35						
	1.6	8310	889	70000	1.55						
	1.8	7310	784	71000	1.80						
	2.0	6460	695	71800	2.0						
	2.3	5820	619	72400	2.2						
	2.5	5230	558	72800	2.5						
	1.3	9840	1043	33700	0.80	R RF RM	137R77 137R77 137R77	DRS DRS DRS	90M4 90M4 90M4	290	280
	1.6	8350	888	52400	0.95					315	280
	2.0	6540	699	56200	1.20					425	280
	2.3	5670	609	57500	1.40						
	1.3	10300	1090	18900	0.80	R RF RM	137R77 137R77 137R77	DRS DRS DRS	90M4 90M4 90M4	300	280
	1.5	9000	951	49300	0.90					325	280
	1.7	7800	831	53800	1.05					435	280
	1.9	6820	730	55700	1.15						
	2.2	5840	629	57300	1.35						
	2.5	5260	560	58100	1.50						
	2.8	4560	490	58900	1.75						
	3.3	3980	428	59500	2.0						
	3.7	3580	381	59900	2.2						
	4.3	3040	323	60300	2.6						
	2.6	4940	528	16500	0.85	R RF RM	107R77 107R77 107R77	DRS DRS DRS	90M4 90M4 90M4	210	280
					215					280	
					300					280	
	2.6	5060	544	6050	0.85	R RF RM	107R77 107R77 107R77	DRS DRS DRS	90M4 90M4 90M4	215	280
	2.8	4570	492	27900	0.95					220	280
	3.4	3880	417	31600	1.10					305	280
	3.8	3460	369	33300	1.25						
	4.3	3020	323	34900	1.40						
	3.0	4490	469	28300	0.95	R RF RM	107R77 107R77 107R77	DRS DRS DRS	90M4 90M4 90M4	205	280
					215					280	
					300					280	
	4.2	3190	336	9620	0.95	R RF RM	97R57 97R57 97R57	DRS DRS DRS	90M4 90M4 90M4	140	280
	4.7	2800	296	22300	1.05					160	280
	5.6	2350	249	24800	1.30					210	280
	6.0	2190	234	25600	1.35						
	6.7	1960	209	26500	1.55						
	3.7	3880	251.15	31500	1.10	R RF RM	107 107 107	DRS DRS DRS	100M6 100M6 100M6	185	272
	4.0	3560	229.95	32900	1.20					190	273
	4.6	3140	203.16	34500	1.35					275	273
	5.4	2660	172.34	35900	1.60						
	5.8	2450	158.68	36200	1.75						
	6.5	2190	141.83	36600	1.95						
	5.5	2610	255.71	23400	1.15	R RF RM	97 97 97	DRS DRS DRS	90M4 90M4 90M4	115	270
	5.8	2460	241.25	24300	1.20					135	271
	6.5	2210	216.28	25500	1.35					185	271
	7.5	1900	186.30	26700	1.55						
	8.2	1730	170.02	27300	1.70						
	9.3	1540	150.78	27600	1.95						
	11	1290	126.75	27900	2.3						
	12	1190	116.48	28000	2.5						
	14	1050	103.44	28200	2.8						
	15	940	92.48	28300	3.2						
	7.7	1850	181.77	10300	0.85	R RF RM	87 87 87	DRS DRS DRS	90M4 90M4 90M4	76	267
	9.0	1580	155.34	16600	1.00					83	268
	9.8	1450	142.41	17500	1.05					115	268
	11	1270	124.97	18600	1.20						
	12	1210	118.43*	18900	1.30						
	14	1060	103.65	19600	1.45						



R...DRS R...DRS [кВт]

P _m [кВт]	n _a [об/мин]	M _a [Нм]	i	F _{Ra} ¹⁾ [Н]	SEW f _B					m [кг]					
1.5	15	950	93.38	20000	1.60	R RF RM	87 87 87	DRS DRS DRS	90M4 90M4 90M4	76	267				
	17	830	81.92	20000	1.85					83	268				
	19	740	72.57	20000	2.1					115	268				
	22	650	63.68*	20000	2.4										
	23	615	60.35*	20000	2.5										
	27	540	52.82	20000	2.9										
	29	485	47.58	20000	3.2	R RF RM	77 77 77	DRS DRS DRS	90M4 90M4 90M4	50	264				
	34	425	41.74	20000	3.6					55	265				
	38	375	36.84*	19600	4.1					80	265				
	15	950	92.97	8020	0.85										
	17	830	81.80	9760	1.00										
	18	790	77.24	10200	1.05										
	21	670	65.77	11100	1.20	R RF RM	77 77 77	DRS DRS DRS	90M4 90M4 90M4	50	264				
	24	590	57.68	11600	1.40					55	265				
	27	530	52.07	11900	1.55					80	265				
	31	465	45.81	12200	1.75										
	32	440	43.26	12300	1.85										
	38	375	36.83	12600	2.2										
	42	340	33.47	12700	2.4	R RF RM	77 77 77	DRS DRS DRS	90M4 90M4 90M4	50	264				
	48	295	29.00	12600	2.8					55	265				
	55	255	25.23	12100	3.0					80	265				
	60	235	23.37	11800	3.4										
	65	215	21.43	11500	3.7										
	74	192	18.80	11100	4.0										
	23	625	61.26	7230	0.95	R RF RM	67 67 67	DRS DRS DRS	90M4 90M4 90M4	43	261				
	25	580	56.89	7770	1.05					47	262				
	27	525	51.56	8330	1.15					62	262				
	30	470	46.29	8800	1.25										
	35	405	39.88*	9280	1.40										
	37	380	37.50	9440	1.50										
	43	330	32.27	9740	1.65	R RF RM	67 67 67	DRS DRS DRS	90M4 90M4 90M4	43	261				
	49	295	28.83	9910	1.75					46	262				
	50	285	28.13	9940	1.90					61	262				
	52	270	26.72	9870	2.00										
	60	235	23.44	9520	2.3										
	70	200	19.89	9090	3.0										
	78	184	17.95	8830	3.2	R RF RM	57 57 57	DRS DRS DRS	90M4 90M4 90M4	37	258				
	26	540	53.22	4980	0.85					40	259				
	29	490	48.23	6020	0.90					52	259				
	32	440	43.30	5920	1.00										
	38	380	37.30*	5780	1.20										
	40	355	35.07	5710	1.25										
	46	305	30.18	5550	1.45	R RF RM	57 57 57	DRS DRS DRS	90M4 90M4 90M4	37	258				
	52	275	26.97	5420	1.65					40	259				
	53	265	26.31	5400	1.65					52	259				
	56	255	24.99*	5340	1.75										
	64	220	21.93	5180	2.0										
	75	190	18.60*	4980	2.4										
	83	172	16.79	4860	2.6	R RF RM	57 57 57	DRS DRS DRS	90M4 90M4 90M4	36	258				
	95	151	14.77*	4710	2.9					39	259				
	100	143	13.95*	4640	3.0					51	259				
	118	122	11.88	4440	3.3										
	38	375	36.93	2190	0.80					R RF	47 47	DRS DRS	90M4 90M4	32	255
	40	355	34.73	3680	0.85									32	256
	47	305	29.88	4220	1.00										
	52	270	26.70	4140	1.10										
	59	240	23.59	4050	1.25										



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B		m [кг]				
1.5	60	235	23.28	4040	1.25	R RF	47 47	DRS DRS	90M4 90M4	31	255
64	220	21.81	3990	1.35							
73	197	19.27	3890	1.50							
78	183	17.89	3830	1.60							
86	166	16.22	3750	1.65							
96	149	14.56	3660	1.80							
112	128	12.54	3530	1.95							
119	121	11.79	3480	2.0							
138	104	10.15	3340	2.2							
154	93	9.07	3250	2.4							
175	82	8.01	3140	2.5							
181	79	7.76*	3070	2.1							
201	71	6.96	2980	2.2							
233	61	6.00	2870	2.5							
248	58	5.64*	2820	2.7							
288	50	4.85	2700	3.0							
323	44	4.34	2620	3.3							
365	39	3.83	2530	3.7							
73	198	19.31	2640	1.00	R RF	37 37	DRS DRS	90M4 90M4	27	252	
78	185	18.05	2820	1.10							
90	160	15.60	3150	1.25							
106	136	13.25	3350	1.40							
118	121	11.83	3270	1.50							
139	103	10.11	3160	1.65							
148	97	9.47	3110	1.70							
176	82	7.97	2990	1.90							
210	68	6.67	2830	2.1							
247	58	5.67	2710	2.4							
277	52	5.06	2630	2.6							
324	44	4.32	2520	2.8							
346	41	4.05	2480	3.0							
411	35	3.41	2360	3.2							
214	67	13.25	2840	2.8							
239	60	11.83	2760	3.1							
280	51	10.11	2640	3.3							
299	48	9.47	2600	3.5							
355	40	7.97	2480	3.9							
90	160	15.63	1690	0.80	R RF	27 27	DRS DRS	90M4 90M4	21	249	
105	136	13.28*	2010	0.95							
118	121	11.86	2080	1.05							
138	104	10.13	2030	1.20							
172	84	8.16	1880	1.40							
184	78	7.63*	1860	1.45							
212	67	6.59	1810	1.55							
250	57	5.60*	1760	1.75							
280	51	5.00*	1710	1.85							
328	44	4.27	1650	2.00							
350	41	4.00*	1630	2.1							
415	34	3.37	1560	2.3							
239	60	11.86	1820	2.2							
279	51	10.13	1750	2.4							
347	41	8.16	1630	2.8							
371	39	7.63*	1600	2.9							
429	33	6.59	1550	3.2							
505	28	5.60*	1480	3.5							
566	25	5.00*	1440	3.8							
663	22	4.27	1380	4.0							
708	20	4.00*	1360	4.2							
840	17	3.37	1290	4.6							
249	58	5.63	5590	1.90	RX RXF	77 77	DRS DRS	90M4 90M4	40	235	
262	55	5.35*	5510	1.90							
296	48	4.73	5310	2.5							
347	41	4.04*	5060	3.5							
378	38	3.70	4930	4.0							
431	33	3.25*	4730	5.5							
455	32	3.08*	4650	6.1							
519	28	2.70	4460	7.8							
576	25	2.43	4320	8.7							



R...DRS R...DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B					m [кг]	
1.5	309	46	4.53	3580	1.75	RX RXF	67 67	DRS DRS	90M4 90M4	30	233
	326	44	4.30*	3530	1.80					34	234
	371	39	3.77	3400	2.2						
	438	33	3.20*	3240	3.1						
	485	30	2.89	3140	3.6						
	551	26	2.54	3020	4.5						
	583	25	2.40*	2970	5.0						
	685	21	2.04	2830	6.4						
	754	19	1.86	2750	6.6						
	870	16	1.61	2630	6.9						
	1000	14	1.40*	2520	7.3						
	369	39	3.79	2700	1.80	RX RXF	57 57	DRS DRS	90M4 90M4	27	231
	394	36	3.55*	2660	1.90					29	232
	446	32	3.14	2560	2.0						
	481	30	2.91	2510	2.2						
	530	27	2.64*	2440	2.6						
	591	24	2.37	2370	2.8						
	686	21	2.04	2270	3.3						
	729	20	1.92*	2230	3.5						
	847	17	1.65	2130	4.1						
	948	15	1.48	2060	4.5						
	1075	13	1.30	1980	4.7						
2.2	0.84	22700	1670	120000	0.80	R RF RM	167R97 167R97 167R97	DRS DRS DRS	90L4 90L4 90L4	760	280
	0.97	19800	1438	120000	0.90					770	280
	1.1	17600	1279	120000	1.00					960	280
	1.2	15400	1123	120000	1.15						
	1.4	13700	999	120000	1.30						
	1.6	11800	861	120000	1.50						
	1.8	10400	760	120000	1.70	R RF RM	147R87 147R87 147R87	DRS DRS DRS	90L4 90L4 90L4	455	280
	2.1	8790	656	120000	2.0					465	280
	2.6	7250	533	71100	1.80					630	280
	3.0	6240	462	72000	2.1						
	3.3	5860	426	72300	2.2						
	3.8	5060	368	72900	2.6						
	4.3	4470	326	73300	2.9	R RF RM	147R77 147R77 147R77	DRS DRS DRS	90L4 90L4 90L4	435	280
	1.2	16100	1166	34200	0.80					445	280
	1.4	14200	1029	59600	0.90					610	280
	1.6	12300	889	64000	1.05						
	1.8	10800	784	66500	1.20						
	2.0	9580	695	68400	1.35						
	2.3	8600	619	69600	1.50	R RF RM	137R77 137R77 137R77	DRS DRS DRS	90L4 90L4 90L4	295	280
	2.5	7740	558	70600	1.70					315	280
	2.9	6780	489	71500	1.90					430	280
	2.0	9680	699	37100	0.85						
	2.3	8410	609	52200	0.95						
	1.9	10100	730	26600	0.80	R RF RM	137R77 137R77 137R77	DRS DRS DRS	90L4 90L4 90L4	300	280
	2.2	8670	629	51100	0.90					325	280
	2.5	7780	560	53800	1.05					435	280
	2.8	6780	490	55800	1.20						
	3.3	5900	428	57200	1.35						
	3.7	5300	381	58000	1.50						
	4.3	4490	323	59000	1.80	R RF RM	107R77 107R77 107R77	DRS DRS DRS	90L4 90L4 90L4	215	280
	4.8	4040	291	59500	2.00					220	280
	5.5	3530	255	59900	2.3					310	280
	6.3	3090	223	60300	2.6						
	4.3	4480	323	28400	0.95						
	4.9	3940	285	31300	1.10						
	5.5	3490	253	33200	1.25	R RF RM	107R77 107R77 107R77	DRS DRS DRS	90L4 90L4 90L4	210	280
	6.5	2950	214	35100	1.45					215	280
	4.3	4570	325	27900	0.95					305	280
	6.7	2900	209	21600	1.05						
					R	97R57	DRS	90L4	145	280	
					RF	97R57	DRS	90L4	160	280	
					RM	97R57	DRS	90L4	210	280	



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B		m [кг]	
2.2	4.7	4460	203.16	28500	0.95	R 107	DRS 112M6	195 272
	5.5	3790	172.34	32000	1.15	RF 107	DRS 112M6	200 273
	6.0	3490	158.68	33200	1.25	RM 107	DRS 112M6	290 273
6.7	3120	141.83	34600	1.40				
5.6	3760	251.15	32100	1.15	R 107	DRS 90L4	180 272	
6.1	3450	229.95	33400	1.25	RF 107	DRS 90L4	185 273	
6.9	3040	203.16	34800	1.40	RM 107	DRS 90L4	270 273	
8.1	2580	172.34	36000	1.65				
8.8	2380	158.68	36300	1.80				
9.9	2120	141.83	36600	2.0	R 107	DRS 90L4	180 272	
11	1910	127.68	36900	2.2	RF 107	DRS 90L4	185 273	
12	1730	115.63	37000	2.5	RM 107	DRS 90L4	270 273	
14	1530	102.53	37200	2.8				
15	1390	92.70	37300	3.1				
6.5	3240	216.28	3580	0.90	R 97	DRS 90L4	120 270	
7.5	2790	186.30	22300	1.05	RF 97	DRS 90L4	135 271	
8.2	2550	170.02	23800	1.20	RM 97	DRS 90L4	190 271	
9.3	2260	150.78	25300	1.35				
11	1900	126.75	26800	1.60				
12	1740	116.48	27300	1.70				
14	1550	103.44	27600	1.95				
15	1380	92.48	27800	2.2	R 97	DRS 90L4	120 270	
17	1240	83.15	28000	2.4	RF 97	DRS 90L4	135 271	
19	1080	72.17	28100	2.8	RM 97	DRS 90L4	190 271	
21	970	65.21	27700	3.1				
23	890	59.92	27100	3.3				
26	795	53.21	26200	3.8				
29	710	47.58	25300	4.2				
11	1870	124.97	8830	0.85				
12	1770	118.43*	15100	0.85	R 87	DRS 90L4	79 267	
14	1550	103.65	16900	1.00	RF 87	DRS 90L4	86 268	
15	1400	93.38	17900	1.10	RM 87	DRS 90L4	115 268	
17	1220	81.92	18800	1.25				
19	1080	72.57	19500	1.40				
22	950	63.68*	20000	1.60				
23	900	60.35*	20000	1.70	R 87	DRS 90L4	79 267	
27	790	52.82	20000	1.95	RF 87	DRS 90L4	86 268	
29	710	47.58	20000	2.2	RM 87	DRS 90L4	115 268	
34	625	41.74	19900	2.5				
38	550	36.84*	19200	2.8				
43	490	32.66*	18600	3.2				
41	515	34.40*	18900	2.9				
45	470	31.40	18400	3.3	R 87	DRS 90L4	77 267	
50	415	27.84*	17700	3.7	RF 87	DRS 90L4	84 268	
60	350	23.40	16800	4.4	RM 87	DRS 90L4	115 268	
65	320	21.51	16400	4.6				
21	980	65.77	4630	0.85				
24	860	57.68	9480	0.95	R 77	DRS 90L4	52 264	
27	780	52.07	10300	1.05	RF 77	DRS 90L4	58 265	
31	685	45.81	11000	1.20	RM 77	DRS 90L4	83 265	
32	645	43.26	11300	1.25				
38	550	36.83	11800	1.50	R 77	DRS 90L4	52 264	
42	500	33.47	12100	1.65	RF 77	DRS 90L4	58 265	
48	435	29.00	12100	1.90	RM 77	DRS 90L4	83 265	
55	375	25.23	11700	2.1				
60	350	23.37	11500	2.3				
65	320	21.43	11200	2.6	R 77	DRS 90L4	51 264	
74	280	18.80	10800	2.8	RF 77	DRS 90L4	57 265	
79	265	17.82*	10600	2.9	RM 77	DRS 90L4	82 265	
90	230	15.60	10200	3.2				
100	210	14.05	9930	3.4				
35	595	39.88*	7580	0.95				
37	560	37.50	7980	1.00	R 67	DRS 90L4	46 261	
43	480	32.27	8720	1.10	RF 67	DRS 90L4	49 262	
49	430	28.83	9120	1.20	RM 67	DRS 90L4	65 262	




R...DRS R...DRS [кВт]

P _m [кВт]	n _a [об/мин]	M _a [Нм]	i	F _{ra} ¹⁾ [Н]	SEW f _B				m [кг]	
2.2	60	350	23.44	9150	1.60					
	70	295	19.89	8780	2.0					
	78	265	17.95	8550	2.2					
	89	235	15.79	8260	2.4					
	94	220	14.91	8130	2.5	R	67	DRS	90L4	45 261
	110	191	12.70	7780	2.7	RF	67	DRS	90L4	48 262
	121	173	11.54	7570	2.9	RM	67	DRS	90L4	64 262
	140	150	10.00	7270	3.1					
	161	131	8.70*	6980	3.4					
	180	117	7.79	6770	3.2					
	38	555	37.30*	4310	0.80	R	57	DRS	90L4	39 258
	40	525	35.07	5110	0.85	RF	57	DRS	90L4	43 259
	46	450	30.18	5040	1.00	RM	57	DRS	90L4	55 259
	52	400	26.97	4960	1.10					
	64	325	21.93	4810	1.35					
	75	275	18.60*	4670	1.60					
	83	250	16.79	4570	1.80					
	95	220	14.77*	4450	1.95					
	100	205	13.95*	4400	2.0	R	57	DRS	90L4	38 258
	118	178	11.88	4240	2.3	RF	57	DRS	90L4	42 259
	130	162	10.79	4150	2.4	RM	57	DRS	90L4	54 259
	150	140	9.35	4000	2.6					
	155	136	9.06	3980	2.8					
	176	120	7.97	3860	3.0					
	129	163	21.93	4150	2.8					
	152	139	18.60*	3990	3.2	R	57	DRS	90L2	38 258
	168	125	16.79	3890	3.6	RF	57	DRS	90L2	42 259
	191	110	14.77*	3760	4.0	RM	57	DRS	90L2	54 259
	202	104	13.95*	3700	4.1					
	73	285	19.27	3560	1.00					
	86	240	16.22	3470	1.15					
	96	215	14.56	3400	1.20					
	112	188	12.54	3310	1.35					
	119	177	11.79	3270	1.40					
	138	152	10.15	3170	1.50					
	154	136	9.07	3090	1.60					
	175	120	8.01	3000	1.70					
	181	116	7.76*	2910	1.40	R	47	DRS	90L4	33 255
	201	104	6.96	2840	1.50	RF	47	DRS	90L4	34 256
	233	90	6.00	2750	1.75					
	248	85	5.64*	2700	1.85					
	288	73	4.85	2600	2.1					
	323	65	4.34	2530	2.2					
	365	58	3.83	2450	2.5					
	146	144	19.27	3130	2.1					
	174	121	16.22	3010	2.3					
	194	108	14.56	2930	2.4					
	225	93	12.54	2820	2.7					
	239	88	11.79	2780	2.8	R	47	DRS	90L2	33 255
	278	76	10.15	2670	3.0	RF	47	DRS	90L2	34 256
	311	68	9.07	2590	3.2					
	352	60	8.01	2510	3.4					
	90	230	15.60	1040	0.85					
	106	199	13.25	1630	0.95	R	37	DRS	90L4	29 252
	118	178	11.83	1970	1.05	RF	37	DRS	90L4	31 253
	139	152	10.11	2340	1.10					
	148	142	9.47	2470	1.20					
	176	120	7.97	2740	1.30					
	210	100	6.67	2460	1.45					
	247	85	5.67	2570	1.65	R	37	DRS	90L4	29 252
	277	76	5.06	2510	1.80	RF	37	DRS	90L4	31 253
	324	65	4.32	2420	1.95					
	346	61	4.05	2380	2.0					
	411	51	3.41	2280	2.2					
	181	116	15.60	2780	1.70					
	213	99	13.25	2700	1.95	R	37	DRS	90L2	29 252
	238	88	11.83	2630	2.1	RF	37	DRS	90L2	31 253



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B					m [кг]	
2.2	279	75	10.11	2530	2.3	R RF	37 37	DRS DRS	90L2 90L2	29	252
	298	70	9.47	2490	2.4					31	253
	354	59	7.97	2390	2.6						
	423	50	6.67	2260	2.9						
	498	42	5.67	2160	3.4						
	557	38	5.06	2100	3.6						
	653	32	4.32	2010	3.9						
	697	30	4.05	1980	4.0						
	827	25	3.41	1880	4.4						
	138	152	10.13	1100	0.80	R RF	27 27	DRS DRS	90L4 90L4	24	249
	212	99	6.59	1120	1.05					23	250
	250	84	5.60*	1380	1.20						
	280	75	5.00*	1530	1.25						
	328	64	4.27	1540	1.35						
	350	60	4.00*	1520	1.40						
	415	51	3.37	1470	1.55						
	212	99	13.28*	1710	1.30	R RF	27 27	DRS DRS	90L2 90L2	24	249
	238	88	11.86	1680	1.45					23	250
	278	76	10.13	1640	1.60						
	428	49	6.59	1460	2.2						
	504	42	5.60*	1410	2.4						
	564	37	5.00*	1380	2.6						
	660	32	4.27	1320	2.7						
	705	30	4.00*	1300	2.8						
	837	25	3.37	1250	3.2						
	296	71	4.73	5190	1.75	RX RXF	77 77	DRS DRS	90L4 90L4	42	235
	347	61	4.04*	4960	2.4					45	236
	378	56	3.70	4830	2.8						
	431	49	3.25*	4650	3.7						
	455	46	3.08*	4570	4.2						
519	40	2.70	4390	5.3							
576	36	2.43	4250	5.9							
657	32	2.13	4090	6.2							
745	28	1.88*	3930	6.6							
840	25	1.67	3780	6.9							
984	21	1.42	3600	7.2							
371	57	3.77	3280	1.55	RX RXF	67 67	DRS DRS	90L4 90L4	32	233	
438	48	3.20*	3140	2.1					36	234	
485	43	2.89	3050	2.4							
551	38	2.54	2940	3.1							
583	36	2.40*	2900	3.4							
685	31	2.04	2760	4.4							
754	28	1.86	2680	4.5							
870	24	1.61	2570	4.7							
1000	21	1.40*	2470	5.0							
446	47	3.14	2450	1.40	RX RXF	57 57	DRS DRS	90L4 90L4	30	231	
530	40	2.64*	2350	1.75					32	232	
591	36	2.37	2280	1.95							
686	31	2.04	2190	2.2							
729	29	1.92*	2150	2.4							
847	25	1.65	2060	2.8							
948	22	1.48	2000	3.1							
1075	20	1.30	1930	3.2							
3.0	1.2	21200	1123	120000	0.85	R RF RM	167R97 167R97 167R97	DRS DRS DRS	100M4 100M4 100M4	770	280
	1.4	18800	999	120000	0.95					770	280
	1.6	16200	861	120000	1.10					970	280
	1.8	14300	760	120000	1.25						
	2.1	12100	656	120000	1.50						
	2.8	9330	503	120000	1.95						
	2.6	9980	533	67800	1.30	R RF RM	147R87 147R87 147R87	DRS DRS DRS	100M4 100M4 100M4	460	280
	3.0	8610	462	69600	1.50					470	280
	3.3	8050	426	70200	1.60					640	280
	3.8	6950	368	71400	1.85						
4.3	6150	326	72100	2.1							
5.0	5220	280	72800	2.5							



R...DRS R...DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B					m [кг]	
3.0	1.6	16800	889	21900	0.75						
	1.8	14800	784	52000	0.85	R	147R77	DRS	100M4	440	280
	2.0	13100	695	62300	1.00	RF	147R77	DRS	100M4	450	280
	2.3	11700	619	64900	1.10	RM	147R77	DRS	100M4	610	280
	2.5	10600	558	66900	1.20						
	2.8	9280	490	44800	0.85						
	3.3	8100	428	53200	1.00						
	3.7	7260	381	54900	1.10	R	137R77	DRS	100M4	305	280
	4.3	6150	323	56800	1.30	RF	137R77	DRS	100M4	330	280
	4.8	5540	291	57700	1.45	RM	137R77	DRS	100M4	440	280
	5.5	4840	255	58600	1.65						
	6.3	4240	223	59300	1.90						
	2.7	9990	517	29900	0.80	R	137R77	DRS	100M4	295	280
	3.1	8750	453	50700	0.90	RF	137R77	DRS	100M4	320	280
						RM	137R77	DRS	100M4	430	280
	5.5	4790	253	23500	0.90	R	107R77	DRS	100M4	220	280
	6.5	4060	214	30700	1.05	RF	107R77	DRS	100M4	225	280
	7.5	3540	187	33000	1.20	RM	107R77	DRS	100M4	315	280
	5.5	4920	256	17400	0.85	R	107R77	DRS	100M4	215	280
						RF	107R77	DRS	100M4	220	280
						RM	107R77	DRS	100M4	310	280
	6.0	4810	158.68	22700	0.90	R	107	DRS	112M6	195	272
	6.7	4290	141.83	29500	1.00	RF	107	DRS	112M6	200	273
	7.4	3870	127.68	31600	1.10	RM	107	DRS	112M6	290	273
	6.1	4700	229.95	26500	0.90						
	6.9	4150	203.16	30200	1.05						
	8.1	3520	172.34	33100	1.20						
	8.8	3240	158.68	34100	1.30						
	9.9	2900	141.83	35200	1.50	R	107	DRS	100M4	185	272
	11	2610	127.68	36000	1.65	RF	107	DRS	100M4	190	273
	12	2360	115.63	36300	1.80	RM	107	DRS	100M4	275	273
	14	2090	102.53	36700	2.0						
	15	1890	92.70	36900	2.3						
	18	1600	78.57	35900	2.7						
	19	1490	72.88	35200	2.9						
	9.3	3080	150.78	16200	0.95						
	11	2590	126.75	23600	1.15						
	12	2380	116.48	24700	1.25						
	14	2110	103.44	25900	1.40						
	15	1890	92.48	26800	1.60						
	17	1700	83.15	27300	1.75						
	19	1470	72.17	27700	2.0	R	97	DRS	100M4	125	270
	21	1330	65.21	27000	2.2	RF	97	DRS	100M4	140	271
	23	1220	59.92	26400	2.4	RM	97	DRS	100M4	195	271
	26	1080	53.21	25600	2.8						
	29	970	47.58	24800	3.1						
	33	870	42.78	24000	3.4						
	38	755	37.13	23100	4.0						
	42	680	33.25	22400	4.2						
	15	1910	93.38	3650	0.80	R	87	DRS	100M4	84	267
	17	1670	81.92	16000	0.90	RF	87	DRS	100M4	91	268
	19	1480	72.57	17400	1.05	RM	87	DRS	100M4	120	268
	22	1300	63.68*	18400	1.20						
	23	1230	60.35*	18800	1.25						
	27	1080	52.82	19500	1.45						
	29	970	47.58	19900	1.60	R	87	DRS	100M4	84	267
	34	850	41.74	19400	1.80	RF	87	DRS	100M4	91	268
	38	750	36.84*	18700	2.1	RM	87	DRS	100M4	120	268
	43	665	32.66*	18100	2.3						
	50	570	27.88	17400	2.6						
	41	700	34.40*	18400	2.1						
	45	640	31.40	17900	2.4						
	50	565	27.84*	17400	2.7						
	60	475	23.40	16500	3.2	R	87	DRS	100M4	82	267
	65	440	21.51	16100	3.4	RF	87	DRS	100M4	89	268
	73	390	19.10	15600	3.7	RM	87	DRS	100M4	120	268
	82	345	17.08*	15100	4.0						
	91	310	15.35	14600	4.3						



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B					m [кг]	
3.0	31	930	45.81	8670	0.85	R	77	DRS	100M4	57	264
	32	880	43.26	9270	0.95	RF	77	DRS	100M4	63	265
	38	750	36.83	10500	1.10	RM	77	DRS	100M4	88	265
	42	685	33.47	11000	1.20						
	48	590	29.00	11600	1.40	R	77	DRS	100M4	57	264
	55	515	25.23	11300	1.50	RF	77	DRS	100M4	63	265
						RM	77	DRS	100M4	88	265
	60	475	23.37	11100	1.70						
	65	435	21.43	10800	1.85						
	74	380	18.80	10500	2.0						
	79	360	17.82*	10300	2.1						
	90	315	15.60	9980	2.3						
	100	285	14.05	9700	2.5	R	77	DRS	100M4	56	264
	114	250	12.33	9350	2.7	RF	77	DRS	100M4	61	265
	129	220	10.88	9030	3.0	RM	77	DRS	100M4	86	265
	145	197	9.64	8720	3.2						
	163	176	8.59	8500	3.6						
	181	158	7.74	8240	3.8						
	206	139	6.79	7920	4.2						
	60	475	23.44	8730	1.15						
	70	405	19.89	8420	1.45						
	78	365	17.95	8220	1.60						
	89	320	15.79	7980	1.75	R	67	DRS	100M4	50	261
	94	305	14.91	7860	1.80	RF	67	DRS	100M4	53	262
	110	255	12.70	7550	2.0	RM	67	DRS	100M4	69	262
	121	235	11.54	7360	2.1						
	140	200	10.00	7090	2.3						
	52	550	26.97	4330	0.80	R	57	DRS	100M4	44	258
						RF	57	DRS	100M4	48	259
						RM	57	DRS	100M4	60	259
	64	445	21.93	4380	1.00	R	57	DRS	100M4	43	258
	75	380	18.60*	4300	1.20	RF	57	DRS	100M4	47	259
	83	340	16.79	4240	1.30	RM	57	DRS	100M4	59	259
	95	300	14.77*	4160	1.45						
	100	285	13.95*	4120	1.50						
	118	240	11.88	4010	1.65						
	130	220	10.79	3940	1.75						
	150	191	9.35	3820	1.95						
	155	185	9.06	3810	2.0	R	57	DRS	100M4	43	258
	176	163	7.97	3700	2.2	RF	57	DRS	100M4	47	259
	186	154	7.53	3650	2.3	RM	57	DRS	100M4	59	259
	218	131	6.41	3520	2.6						
	240	119	5.82	3430	2.7						
	277	103	5.05	3310	3.0						
	319	90	4.39	3190	3.1						
	130	220	21.93	3940	2.0	R	57	DRS	100M2	43	258
	153	188	18.60*	3800	2.4	RF	57	DRS	100M2	47	259
	169	169	16.79	3720	2.7	RM	57	DRS	100M2	59	259
	192	149	14.77*	3610	2.9						
	204	141	13.95*	3560	3.1	R	57	DRS	100M2	43	258
	239	120	11.88	3420	3.4	RF	57	DRS	100M2	47	259
	263	109	10.79	3340	3.6	RM	57	DRS	100M2	59	259
	86	330	16.22	2020	0.85						
	96	295	14.56	2500	0.90	R	47	DRS	100M4	38	255
	112	255	12.54	3040	0.95	RF	47	DRS	100M4	38	256
	119	240	11.79	3040	1.00						
	138	205	10.15	2970	1.10						
	154	186	9.07	2910	1.20						
	175	164	8.01	2840	1.25						
	181	159	7.76*	2740	1.05						
	201	142	6.96	2680	1.10	R	47	DRS	100M4	38	255
	233	123	6.00	2610	1.25	RF	47	DRS	100M4	38	256
	248	115	5.64*	2580	1.35						
	288	99	4.85	2490	1.50						
	323	89	4.34	2430	1.65						
	365	78	3.83	2360	1.85						



R...DRS R...DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B				m [кг]	
3.0	241	119	11.79	2660	2.1					
	280	102	10.15	2570	2.2					
	313	92	9.07	2500	2.4					
	354	81	8.01	2420	2.5					
	366	78	7.76*	2360	2.1					
	408	70	6.96	2300	2.3					
	474	60	6.00	2210	2.6					
	504	57	5.64*	2180	2.7					
	585	49	4.85	2090	3.1					
	655	44	4.34	2030	3.3					
	741	39	3.83	1960	3.7					
	139	205	10.11	780	0.80					
	148	194	9.47	1010	0.85					
	176	163	7.97	1510	0.95					
	210	136	6.67	1250	1.05					
	247	116	5.67	1620	1.25					
	277	104	5.06	1830	1.30					
	324	88	4.32	2060	1.45					
	346	83	4.05	2140	1.45					
	411	70	3.41	2180	1.60					
	281	102	10.11	2350	1.65					
	300	96	9.47	2370	1.75					
	356	80	7.97	2280	1.95					
	426	67	6.67	2160	2.1					
	501	57	5.67	2080	2.5					
	561	51	5.06	2030	2.6					
	657	44	4.32	1950	2.9					
	702	41	4.05	1920	3.0					
	833	34	3.41	1830	3.3					
	250	115	5.60*	360	0.85					
	280	102	5.00*	615	0.95					
	328	87	4.27	910	1.00					
	350	82	4.00*	1010	1.05					
	415	69	3.37	1230	1.15					
	431	66	6.59	1270	1.60					
	507	56	5.60*	1320	1.75					
	568	50	5.00*	1300	1.90					
	665	43	4.27	1260	2.0					
	710	40	4.00*	1240	2.1					
	843	34	3.37	1200	2.3					
	217	132	6.45	7130	1.45					
	252	114	5.56*	6830	2.00					
	276	104	5.07	6650	2.4					
	311	92	4.50*	6420	3.2					
	370	77	3.78	6100	3.9					
	296	97	4.73	5050	1.25					
	347	83	4.04*	4830	1.75					
	378	76	3.70	4720	2.0					
	431	66	3.25*	4550	2.7					
	455	63	3.08*	4480	3.1					
	371	77	3.77	3150	1.15					
	438	66	3.20*	3030	1.55					
	485	59	2.89	2950	1.80					
	551	52	2.54	2850	2.3					
	583	49	2.40*	2810	2.5					
	685	42	2.04	2680	3.2					
	754	38	1.86	2610	3.3					
	870	33	1.61	2510	3.5					
	1000	29	1.40*	2410	3.6					
	446	64	3.14	2330	1.00					
	530	54	2.64*	2240	1.30					
	591	48	2.37	2180	1.40					
	686	42	2.04	2100	1.65					
	729	39	1.92*	2070	1.75					
	847	34	1.65	1990	2.0					
	948	30	1.48	1930	2.2					
	1075	27	1.30	1870	2.4					



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B					m [кг]		
4.0	1.7	21100	861	120000	0.85	R RF RM	167R97	DRS	100LC4	770	280	
	1.9	18600	760	120000	0.95		167R97	DRS	100LC4	780	280	
	2.2	15800	656	120000	1.15		167R97	DRS	100LC4	970	280	
	2.9	12100	503	120000	1.50							
	3.8	9090	376	120000	2.00							
	4.3	8090	335	120000	2.2							
	2.7	12900	533	62700	1.00							
	3.1	11200	462	65900	1.15							
	3.4	10400	426	67100	1.25							
	3.9	9020	368	69100	1.45							
4.0	4.4	7980	326	70300	1.65	R RF RM	147R87	DRS	100LC4	465	280	
	5.2	6790	280	71500	1.90		147R87	DRS	100LC4	475	280	
	5.8	5990	247	72200	2.2		147R87	DRS	100LC4	640	280	
	6.8	5180	214	72800	2.5							
	7.6	4580	189	73200	2.8							
	9.1	3850	159	73600	3.4							
	2.3	15200	619	46800	0.85							
	2.6	13700	558	61100	0.95		R	147R77	DRS	100LC4	445	280
	3.0	12000	489	64500	1.10		RF	147R77	DRS	100LC4	450	280
	3.5	10200	415	67500	1.25		RM	147R77	DRS	100LC4	620	280
4.0	3.8	9400	381	42700	0.85	R RF RM	137R77	DRS	100LC4	310	280	
	4.5	7970	323	53400	1.00		137R77	DRS	100LC4	335	280	
	5.0	7180	291	55000	1.10		137R77	DRS	100LC4	445	280	
	5.7	6270	255	56600	1.25							
	6.5	5490	223	57800	1.45							
	3.8	9380	376	42900	0.85		R	137R77	DRS	100LC4	300	280
	4.3	8450	339	52000	0.95		RF	137R77	DRS	100LC4	325	280
	4.9	7400	297	54600	1.10		RM	137R77	DRS	100LC4	435	280
	7.7	4590	187	27700	0.95		R	107R77	DRS	100LC4	225	280
	7.5	4800	193	22800	0.90		RF	107R77	DRS	100LC4	230	280
8.4	4300	172	29500	1.00	RM	107R77	DRS	100LC4	320	280		
4.2	9040	222.60*	48600	0.90	R RF RM	137	DRS	132S6	285	274		
5.0	7650	188.45	54100	1.05		137	DRS	132S6	310	275		
5.4	7080	174.40*	55200	1.15		137	DRS	132S6	420	275		
6.0	6350	156.31	56500	1.25								
6.7	5730	141.12*	57400	1.40								
7.3	5200	128.18	58100	1.55	R RF RM	137	DRS	132S6	285	274		
8.3	4620	113.72	58900	1.75		137	DRS	132S6	310	275		
9.1	4190	103.20*	59300	1.90		137	DRS	132S6	420	275		
11	3600	88.70*	59900	2.2								
8.4	4550	172.34	28000	0.95								
9.1	4190	158.68	30000	1.05	R RF RM	107	DRS	100LC4	190	272		
10	3740	141.83	32100	1.15		107	DRS	100LC4	195	273		
11	3370	127.68	33600	1.25		107	DRS	100LC4	280	273		
12	3050	115.63	34800	1.40								
14	2710	102.53	35800	1.60								
16	2450	92.70	36200	1.75								
18	2070	78.57	34700	2.1								
20	1920	72.88	34000	2.2								
22	1730	65.60*	33100	2.5								
24	1570	59.41	32200	2.7								
27	1390	52.68	31100	3.1								
12	3070	116.48	16500	0.95		R RF RM	97	DRS	100LC4	130	270	
14	2730	103.44	22700	1.10	97		DRS	100LC4	145	271		
16	2440	92.48	24400	1.25	97		DRS	100LC4	200	271		
17	2190	83.15	25600	1.35								
20	1900	72.17	26600	1.55								
22	1720	65.21	25900	1.75								
24	1580	59.92	25400	1.90								
27	1400	53.21	24600	2.1								
30	1250	47.58	23900	2.4								
34	1130	42.78	23300	2.6								
39	980	37.13	22400	3.1								
43	870	33.25	21700	3.3								




R...DRS R...DRS [кВт]

P _m [кВт]	n _a [об/мин]	M _a [Нм]	i	F _{Ra} ¹⁾ [Н]	SEW f _B					m [кг]	
4.0	45	840	32.05	21500	3.0						
	53	715	27.19	20500	3.6	R	97	DRS	100LC4	125	270
	58	660	25.03	20000	4.3	RF	97	DRS	100LC4	145	271
	65	590	22.37	19400	4.6	RM	97	DRS	100LC4	195	271
	72	530	20.14	18800	4.9						
	23	1680	63.68*	13500	0.90	R	87	DRS	100LC4	89	267
	24	1590	60.35*	14100	0.95	RF	87	DRS	100LC4	96	268
	27	1390	52.82	15400	1.10	RM	87	DRS	100LC4	125	268
	30	1250	47.58	16200	1.25						
	35	1100	41.74	16900	1.40	R	87	DRS	100LC4	89	267
	39	970	36.84*	17500	1.60	RF	87	DRS	100LC4	96	268
	44	860	32.66*	17500	1.80	RM	87	DRS	100LC4	125	268
	52	735	27.88	16800	2.0						
	42	900	34.40*	17700	1.65						
	46	820	31.40	17300	1.85						
	52	735	27.84*	16800	2.1						
	62	615	23.40	16000	2.5						
	67	565	21.51	15600	2.6	R	87	DRS	100LC4	87	267
	76	500	19.10	15100	2.8	RF	87	DRS	100LC4	94	268
	85	450	17.08*	14700	3.1	RM	87	DRS	100LC4	125	268
	94	405	15.35	14200	3.3						
	108	350	13.33	13600	3.6						
	121	315	11.93	13200	3.9						
	39	970	36.83	6130	0.85	R	77	DRS	100LC4	62	264
	43	880	33.47	9270	0.95	RF	77	DRS	100LC4	68	265
	50	765	29.00	10400	1.05	RM	77	DRS	100LC4	93	265
	57	665	25.23	10700	1.15						
	62	615	23.37	10500	1.35						
	67	565	21.43	10300	1.45						
	77	495	18.80	10000	1.55						
	81	470	17.82*	9910	1.65						
	93	410	15.60	9590	1.80						
	103	370	14.05	9340	1.95						
	117	325	12.33	9030	2.1	R	77	DRS	100LC4	61	264
	133	285	10.88	8740	2.3	RF	77	DRS	100LC4	66	265
	150	250	9.64	8460	2.5	RM	77	DRS	100LC4	91	265
	168	225	8.59	8280	2.8						
	187	200	7.74	8030	3.0						
	213	180	6.79	7730	3.2						
	241	158	5.99*	7450	3.4						
	272	140	5.31*	7190	3.6						
	73	525	19.89	7930	1.15						
	80	470	17.95	7780	1.25						
	91	415	15.79	7570	1.35						
	97	390	14.91	7480	1.40						
	114	335	12.70	7210	1.55						
	125	305	11.54	7050	1.65						
	145	260	10.00	6810	1.80	R	67	DRS	100LC4	55	261
	166	230	8.70*	6580	1.90	RF	67	DRS	100LC4	58	262
	185	205	7.79	6410	1.85	RM	67	DRS	100LC4	74	262
	196	195	7.36*	6320	1.90						
	231	166	6.27	6040	2.00						
	254	150	5.70	5890	2.1						
	293	130	4.93	5650	2.2						
	337	114	4.29	5430	2.4						
	78	490	18.60*	3610	0.90	R	57	DRS	100LC4	48	258
	86	440	16.79	3830	1.00	RF	57	DRS	100LC4	52	259
	98	390	14.77*	3790	1.10	RM	57	DRS	100LC4	64	259
	104	365	13.95*	3770	1.15						
	122	310	11.88	3700	1.30						
	134	285	10.79	3650	1.35						
	155	245	9.35	3570	1.50						
	159	235	9.06	3580	1.55						
	181	210	7.97	3490	1.70	R	57	DRS	100LC4	48	258
	192	199	7.53	3450	1.75	RF	57	DRS	100LC4	52	259
	225	169	6.41	3340	2.00	RM	57	DRS	100LC4	64	259
	248	154	5.82	3270	2.1						
	286	133	5.05	3160	2.3						
	329	116	4.39	3060	2.4						



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B		m [кг]			
4.0	142	265	10.15	2020	0.85	R RF 47	DRS DRS	100LC4 100LC4	43 43	255 256
	159	235	9.07	2410	0.90					
	180	210	8.01	2630	0.95					
	208	184	6.96	2480	0.85					
	241	158	6.00	2420	1.00					
	256	149	5.64*	2400	1.05					
	298	128	4.85	2340	1.15					
	333	115	4.34	2290	1.25					
	377	101	3.83	2240	1.40					
	179	210	16.22	2640	1.30	R RF 47	DRS DRS	100LC2 100LC2	43 43	255 256
	199	192	14.56	2600	1.40					
	231	165	12.54	2530	1.50					
	246	155	11.79	2500	1.60					
	286	134	10.15	2430	1.70					
	320	119	9.07	2380	1.85					
	362	106	8.01	2320	1.95					
	374	102	7.76*	2240	1.60					
	416	92	6.96	2190	1.75					
	484	79	6.00	2120	1.95					
	514	74	5.64*	2090	2.1	RX RXF 87	DRS DRS	100LC4 100LC4	69 74	237 238
	598	64	4.85	2020	2.4					
	669	57	4.34	1960	2.6					
	757	50	3.83	1900	2.8					
	260	147	5.56*	6600	1.55					
	285	134	5.07	6440	1.85					
	321	119	4.50*	6230	2.4					
	382	100	3.78	5930	3.0					
	358	107	4.04*	4650	1.35	RX RXF 77	DRS DRS	100LC4 100LC4	52 54	235 236
	390	98	3.70	4540	1.55					
	445	86	3.25*	4390	2.1					
	469	81	3.08*	4320	2.4					
	536	71	2.70	4170	3.0					
	595	64	2.43	4050	3.4					
	678	56	2.13	3900	3.6					
	769	50	1.88*	3760	3.8					
	867	44	1.67	3630	3.9					
	1015	38	1.42	3460	4.1					
	452	85	3.20*	2860	1.20	RX RXF 67	DRS DRS	100LC4 100LC4	42 46	233 234
	500	76	2.89	2800	1.40					
	569	67	2.54	2720	1.75					
	602	63	2.40*	2680	1.95					
	707	54	2.04	2570	2.5					
	778	49	1.86	2510	2.6					
	898	42	1.61	2410	2.7					
	1030	37	1.40*	2320	2.8					
	547	70	2.64*	1710	1.00	RX RXF 57	DRS DRS	100LC4 100LC4	40 42	231 232
	610	63	2.37	1820	1.10					
	708	54	2.04	1940	1.30					
	753	51	1.92*	1960	1.35					
	875	44	1.65	1890	1.60					
	979	39	1.48	1840	1.75					
	1110	34	1.30	1780	1.85					
5.5	2.2	21900	656	120000	0.80	R RF 167R97 RM 167R97	DRS DRS DRS	132S4 132S4 132S4	790 790 990	280 280 280
	2.5	19200	579	120000	0.95					
	2.9	16800	503	120000	1.05					
	3.3	14300	432	120000	1.25					
	3.8	12600	376	120000	1.45					
	4.3	11200	335	120000	1.60					
	4.8	10000	303	120000	1.80					
	5.2	9250	279	120000	1.95					
	3.1	15500	462	43500	0.85	R RF 147R87 RM 147R87	DRS DRS DRS	132S4 132S4 132S4	480 490 660	280 280 280
	3.4	14400	426	57200	0.90					
	3.9	12400	368	63700	1.05					
	4.4	11000	326	66200	1.20					
	5.2	9410	280	68600	1.40					
	5.8	8300	247	70000	1.55					
	6.8	7170	214	71200	1.80					
	7.6	6340	189	71900	2.0					




R...DRS R...DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B		m [кг]	
5.5	5.9	8930	163.31	69200	1.45	R 147	DRS 160S6	440 276
	6.5	8030	146.91	70300	1.60	RF 147	DRS 160S6	450 277
	8.0	6550	119.86	71700	2.00	RM 147	DRS 160S6	620 277
	8.8	5980	109.31	72200	2.2	R 147	DRS 160S6	440 276
	10	5170	94.60*	72800	2.5	RF 147	DRS 160S6	450 277
	12	4560	83.47	73200	2.8	RM 147	DRS 160S6	620 277
	5.5	9540	174.40*	40100	0.85			
	6.1	8550	156.31	51600	0.95	R 137	DRS 160S6	310 274
	6.8	7720	141.12*	54000	1.05	RF 137	DRS 160S6	335 275
	7.5	7010	128.18	55300	1.15	RM 137	DRS 160S6	445 275
	8.4	6220	113.72	56700	1.30			
	9.3	5640	103.20*	57600	1.40	R 137	DRS 160S6	310 274
						RF 137	DRS 160S6	335 275
						RM 137	DRS 160S6	445 275
	6.5	8090	222.60*	53200	1.00			
	7.7	6840	188.45	55600	1.15	R 137	DRS 132S4	290 274
	8.3	6330	174.40*	56500	1.25	RF 137	DRS 132S4	310 275
	9.2	5680	156.31	57500	1.40	RM 137	DRS 132S4	425 275
	10	5120	141.12*	58200	1.55			
	11	4650	128.18	58800	1.70			
	13	4130	113.72	59400	1.95			
	14	3750	103.20*	59700	2.1			
	16	3220	88.70*	60200	2.5	R 137	DRS 132S4	290 274
	18	2940	80.91*	60400	2.7	RF 137	DRS 132S4	310 275
20	2670	73.49	60600	3.0	RM 137	DRS 132S4	425 275	
22	2360	65.20	60700	3.4				
24	2150	59.17*	60900	3.7				
28	1840	50.86*	61000	4.3				
11	4640	127.68	27500	0.95				
12	4200	115.63	30000	1.00				
14	3720	102.53	32200	1.15				
16	3360	92.70	33700	1.30				
18	2850	78.57	33400	1.50	R 107	DRS 132S4	200 272	
20	2640	72.88	32800	1.60	RF 107	DRS 132S4	210 273	
22	2380	65.60*	32000	1.80	RM 107	DRS 132S4	295 273	
24	2150	59.41	31200	2.00				
27	1910	52.68	30200	2.2				
30	1730	47.63	29400	2.5				
36	1460	40.37*	28200	2.9				
17	3020	83.15	18900	1.00				
20	2620	72.17	21900	1.15				
22	2370	65.21	24600	1.25				
24	2170	59.92	24200	1.40				
27	1930	53.21	23600	1.55	R 97	DRS 132S4	145 270	
30	1720	47.58	23000	1.75	RF 97	DRS 132S4	160 271	
34	1550	42.78	22400	1.95	RM 97	DRS 132S4	215 271	
39	1340	37.13	21600	2.2				
43	1200	33.25	21000	2.4				
52	1000	27.58	20000	2.7				
45	1160	32.05	20900	2.2				
53	980	27.19	20000	2.6				
58	900	25.03	19500	3.1	R 97	DRS 132S4	140 270	
65	810	22.37	18900	3.3	RF 97	DRS 132S4	160 271	
72	730	20.14	18400	3.6	RM 97	DRS 132S4	210 271	
79	660	18.24	17900	3.8				
89	585	16.17	17300	4.1				
30	1720	47.58	15600	0.90				
35	1510	41.74	17200	1.00	R 87	DRS 132S4	105 267	
39	1330	36.84*	17100	1.15	RF 87	DRS 132S4	110 268	
44	1180	32.66*	16700	1.30	RM 87	DRS 132S4	140 268	
52	1010	27.88	16100	1.50				



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B					m [кг]	
5.5	52	1010	27.84*	16100	1.55						
	62	850	23.40	15400	1.80						
	67	780	21.51	15100	1.90						
	76	690	19.10	14700	2.1						
	85	620	17.08*	14200	2.2						
	94	555	15.35	13800	2.4						
	108	480	13.33	13300	2.6						
	121	430	11.93	12900	2.8						
	146	355	9.90*	12300	3.3						
	158	330	9.14*	12100	3.6						
176	295	8.22	11800	3.9							
203	255	7.13	11300	4.1							
	77	680	18.80	9280	1.15	R	87	DRS	132S4	100	267
	81	645	17.82*	9380	1.20	RF	87	DRS	132S4	110	268
	93	565	15.60	9130	1.30	RM	87	DRS	132S4	140	268
	103	510	14.05	8930	1.40						
	117	445	12.33	8670	1.55						
	133	395	10.88	8420	1.65						
	150	350	9.64	8170	1.80	R	77	DRS	132S4	76	264
	168	310	8.59	8060	2.0	RF	77	DRS	132S4	82	265
	187	280	7.74	7830	2.2	RM	77	DRS	132S4	105	265
	213	245	6.79	7560	2.4						
	241	215	5.99*	7300	2.5						
	272	193	5.31*	7050	2.6						
	91	570	15.79	6660	1.00						
	97	540	14.91	6950	1.00						
	114	460	12.70	6800	1.15						
	125	415	11.54	6680	1.20						
	145	360	10.00	6480	1.30	R	67	DRS	132S4	70	261
	166	315	8.70*	6290	1.40	RF	67	DRS	132S4	73	262
	185	280	7.79	6170	1.35	RM	67	DRS	132S4	89	262
	196	265	7.36*	6080	1.40						
	231	225	6.27	5850	1.45						
	254	205	5.70	5710	1.50						
	293	179	4.93	5500	1.60						
	337	156	4.29	5300	1.75						
	332	158	8.70*	5300	2.8						
	371	142	7.79	5160	2.7						
	393	134	7.36*	5080	2.8	R	67	DRS	132S2	68	261
	461	114	6.27	4850	2.9	RF	67	DRS	132S2	71	262
	507	104	5.70	4720	3.0	RM	67	DRS	132S2	87	262
	586	90	4.93	4530	3.2						
	673	78	4.29	4350	3.5						
	98	535	14.77*	1790	0.80	R	57	DRS	132S4	63	258
	104	505	13.95*	2130	0.85	RF	57	DRS	132S4	67	259
	122	430	11.88	2950	0.95	RM	57	DRS	132S4	79	259
	134	390	10.79	3270	1.00						
	155	335	9.35	3240	1.10						
	181	285	7.97	3220	1.25						
	192	270	7.53	3190	1.30	R	57	DRS	132S4	63	258
	225	230	6.41	3120	1.45	RF	57	DRS	132S4	67	259
	248	210	5.82	3070	1.50	RM	57	DRS	132S4	79	259
	286	183	5.05	2990	1.65						
	329	160	4.39	2910	1.75						
	309	170	9.35	2930	2.2						
	363	145	7.97	2850	2.4						
	384	137	7.53	2820	2.6	R	57	DRS	132S2	61	258
	451	116	6.41	2710	2.9	RF	57	DRS	132S2	65	259
	496	106	5.82	2650	3.0	RM	57	DRS	132S2	77	259
	573	92	5.05	2560	3.3						
	658	80	4.39	2470	3.5						
	298	176	4.85	1890	0.85	R	47	DRS	132S4	59	255
	333	158	4.34	2110	0.95	RF	47	DRS	132S4	59	256
	377	139	3.83	2080	1.05						



R...DRS R...DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B			m [кг]			
5.5	230	225	12.54	1740	1.10	R RF	47 47	DRS DRS	132S2 132S2	56 57	255 256
	245	210	11.79	1920	1.15						
	285	184	10.15	2250	1.25						
	319	165	9.07	2220	1.35						
	361	146	8.01	2170	1.40						
	482	109	6.00	2000	1.45						
	512	102	5.64*	1970	1.50						
	595	88	4.85	1920	1.70						
	666	79	4.34	1870	1.85						
	754	70	3.83	1820	2.1						
	218	240	6.63*	10400	1.90	RX RXF	107 107	DRS DRS	132S4 132S4	140 155	241 242
	258	200	5.61	9950	2.2						
	278	189	5.19	9730	3.7						
	311	169	4.65	9430	4.1						
	250	210	5.79	8360	2.0						
	294	179	4.91	7980	2.2	RX RXF	97 97	DRS DRS	132S4 132S4	105 115	239 240
	319	164	4.52	7800	3.6						
	357	147	4.04	7560	4.0						
	397	132	3.64*	7330	4.5						
	438	120	3.30	7120	5.0						
	494	106	2.92	6870	5.6						
	547	96	2.64	6670	6.2						
	645	81	2.24*	6340	7.3						
	739	71	1.96	6090	8.0						
	883	60	1.64	5760	8.5						
	1020	52	1.42	5510	8.8						
	321	164	4.50*	6020	1.75	RX RXF	87 87	DRS DRS	132S4 132S4	84 89	237 238
	382	138	3.78	5750	2.2						
	416	126	3.48	5620	3.2						
	468	112	3.09	5440	3.6						
	524	100	2.76*	5280	4.0						
	582	90	2.48	5120	4.5						
	671	78	2.15	4910	4.9						
	445	118	3.25*	4210	1.55						
	469	112	3.08*	4150	1.70						
	536	98	2.70	4020	2.2						
	595	88	2.43	3910	2.4	RX RXF	77 77	DRS DRS	132S4 132S4	67 70	235 236
	678	77	2.13	3770	2.6						
	769	68	1.88*	3650	2.7						
	867	61	1.67	3530	2.8						
1015	52	1.42	3370	3.0							
569	92	2.54	2550	1.30							
602	87	2.40*	2520	1.40							
707	74	2.04	2430	1.80							
778	68	1.86	2380	1.85							
898	58	1.61	2300	1.95							
1030	51	1.40*	2220	2.0							
708	74	2.04	695	0.95	RX RXF	57 57	DRS DRS	132S4 132S4	55 57	231 232	
753	70	1.92*	780	1.00							
875	60	1.65	960	1.15							
979	54	1.48	1040	1.25							
1110	47	1.30	1180	1.35							
7.5	2.9	23100	503	120000	0.80	R RF RM	167R97 167R97 167R97	DRS DRS DRS	132M4 132M4 132M4	800 800 1000	280 280 280
	3.3	19700	432	120000	0.90						
	3.8	17200	376	120000	1.05						
	4.3	15300	335	120000	1.15						
	4.8	13800	303	120000	1.30						
	5.2	12700	279	120000	1.40						
	4.4	15000	326	49300	0.85	R RF RM	147R87 147R87 147R87	DRS DRS DRS	132M4 132M4 132M4	490 500 670	280 280 280
	5.2	12900	280	62900	1.00						
	5.8	11300	247	65600	1.15						
	6.8	9830	214	68000	1.30						
	7.6	8690	189	69500	1.50						
	9.1	7300	159	71000	1.80						
	4.2	17200	229.71	120000	1.05	R RF RM	167 167 167	DRS DRS DRS	160M6 160M6 160M6	700 700 900	278 279 279
	5.1	14000	186.93*	120000	1.30						



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B		m [кг]	
7.5	6.2	11400	153.07	120000	1.55			
	6.8	10400	139.98	120000	1.70			
	7.8	9130	121.81*	120000	1.95	R 167	DRS 160M6	700 278
	8.9	8060	107.49	120000	2.2	RF 167	DRS 160M6	700 279
	10	6980	93.19	120000	2.6	RM 167	DRS 160M6	900 279
	12	6210	82.91*	120000	2.9			
	13	5520	73.70*	120000	3.3			
	14	5050	67.40	120000	3.6			
	5.8	12200	163.31	64100	1.05	R 147	DRS 160M6	450 276
	6.5	11000	146.91	66200	1.20	RF 147	DRS 160M6	460 277
	8.0	8980	119.86	69100	1.45	RM 147	DRS 160M6	630 277
	8.7	8190	109.31	70100	1.60	R 147	DRS 160M6	450 276
	10	7090	94.60*	71200	1.85	RF 147	DRS 160M6	460 277
	11	6250	83.47	72000	2.1	RM 147	DRS 160M6	630 277
	7.7	9340	188.45	43800	0.85			
	8.3	8640	174.40*	51200	0.95	R 137	DRS 132M4	300 274
	9.2	7740	156.31	53900	1.05	RF 137	DRS 132M4	325 275
	10	6990	141.12*	55400	1.15	RM 137	DRS 132M4	435 275
	11	6350	128.18	56500	1.25			
	13	5630	113.72	57600	1.40			
	14	5110	103.20*	58300	1.55			
	16	4390	88.70*	59100	1.80	R 137	DRS 132M4	300 274
	18	4010	80.91*	59500	2.00	RF 137	DRS 132M4	325 275
	20	3640	73.49	59800	2.2	RM 137	DRS 132M4	435 275
	22	3230	65.20	60200	2.5			
	24	2930	59.17*	60400	2.7			
	28	2520	50.86*	60700	3.2			
	16	4590	92.70	27800	0.95			
	18	3890	78.57	31500	1.10			
	20	3610	72.88	31200	1.20			
	22	3250	65.60*	30600	1.30			
	24	2940	59.41	29900	1.45	R 107	DRS 132M4	215 272
	27	2610	52.68	29100	1.65	RF 107	DRS 132M4	220 273
	30	2360	47.63	28400	1.80	RM 107	DRS 132M4	305 273
	36	2000	40.37*	27300	2.2			
	41	1740	35.26	26300	2.5			
	49	1460	29.49	25100	2.9			
	47	1520	30.77	25400	2.8	R 107	DRS 132M4	205 272
	52	1360	27.58	24700	3.2	RF 107	DRS 132M4	210 273
	58	1230	24.90*	24000	3.5	RM 107	DRS 132M4	300 273
	64	1120	22.62	23400	3.8			
	24	2970	59.92	20900	1.00			
	27	2630	53.21	22200	1.15	R 97	DRS 132M4	155 270
	30	2350	47.58	21700	1.25	RF 97	DRS 132M4	175 271
	34	2120	42.78	21300	1.40	RM 97	DRS 132M4	225 271
	39	1840	37.13	20700	1.65			
	43	1640	33.25	20200	1.75	R 97	DRS 132M4	155 270
	52	1360	27.58	19300	1.95	RF 97	DRS 132M4	175 271
						RM 97	DRS 132M4	225 271
	45	1580	32.05	20000	1.60			
	53	1340	27.19	19200	1.90	R 97	DRS 132M4	150 270
	58	1240	25.03	18900	2.3	RF 97	DRS 132M4	170 271
	65	1100	22.37	18300	2.4	RM 97	DRS 132M4	220 271
	72	990	20.14	17900	2.6			
	79	900	18.24	17400	2.8			
	39	1820	36.84*	12900	0.85	R 87	DRS 132M4	115 267
	44	1610	32.66*	15600	0.95	RF 87	DRS 132M4	120 268
	52	1380	27.88	15200	1.10	RM 87	DRS 132M4	150 268



R...DRS R...DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B		m [кг]			
7.5	52	1380	27.84*	15200	1.10	R RF 87 RM 87	DRS 132M4 132M4 DRS 132M4	115	267	
	62	1160	23.40	14700	1.35			120	268	
	67	1060	21.51	14400	1.40			150	268	
	76	940	19.10	14100	1.50					
	85	840	17.08*	13700	1.65					
	94	760	15.35	12600	1.75					
	108	660	13.33	12900	1.95					
	121	590	11.93	12500	2.1					
	146	490	9.90*	11900	2.4					
	158	450	9.14*	11900	2.7					
	176	405	8.22	11500	2.8					
	203	350	7.13	11100	3.0					
	226	315	6.39	10700	3.2					
	273	260	5.30*	10100	3.5					
	77	930	18.80	5390	0.85	R RF 77 RM 77	DRS 132M4 132M4 DRS 132M4	87	264	
	81	880	17.82*	5800	0.90			93	265	
	93	770	15.60	6670	0.95			120	265	
	103	695	14.05	7230	1.05					
	117	610	12.33	7790	1.15					
	133	535	10.88	7990	1.20					
	150	475	9.64	7790	1.30					
	168	425	8.59	7650	1.50					
	187	380	7.74	7570	1.60					
	213	335	6.79	7320	1.70					
241	295	5.99*	7090	1.80						
272	260	5.31*	6870	1.95						
114	625	12.70	4310	0.85	R RF 67 RM 67	DRS 132M4 DRS 132M4 DRS 132M4	81	261		
125	570	11.54	4920	0.85			84	262		
145	495	10.00	5670	0.95			100	262		
166	430	8.70*	5920	1.00						
185	385	7.79	5540	1.00						
196	360	7.36*	5760	1.00						
231	310	6.27	5580	1.05						
254	280	5.70	5470	1.10						
293	240	4.93	5290	1.20						
337	210	4.29	5120	1.25						
181	395	7.97	1030	0.90			R RF 57 RM 57	DRS 132M4 DRS 132M4 DRS 132M4	75	258
192	370	7.53	1340	0.95					78	259
225	315	6.41	2060	1.05	90	259				
248	285	5.82	2420	1.10						
286	250	5.05	2760	1.20						
329	215	4.39	2710	1.30						
197	360	14.77*	2590	1.20	R RF 57 RM 57	DRS 132M2 DRS 132M2 DRS 132M2			75	258
209	340	13.95*	2800	1.25					78	259
245	290	11.88	2780	1.40					90	259
270	265	10.79	2750	1.45						
311	230	9.35	2700	1.60						
365	196	7.97	2660	1.80						
387	185	7.53	2640	1.90						
454	158	6.41	2560	2.1						
500	143	5.82	2520	2.2						
577	124	5.05	2440	2.5						
663	108	4.39	2370	2.6						
218	325	6.63*	10100	1.40			RX RXF 107 RXF 107	DRS 132M4 DRS 132M4	150	241
258	275	5.61	9660	1.65	170	242				
278	255	5.19	9460	2.7						
311	230	4.65	9180	3.0						
344	205	4.20*	8930	4.0						
250	285	5.79	8060	1.45	RX RXF 97 RXF 97	DRS 132M4 DRS 132M4	120	239		
294	240	4.91	7730	1.60			125	240		
319	220	4.52	7560	2.6						
357	200	4.04	7340	3.0						
397	180	3.64*	7140	3.3						
438	163	3.30	6940	3.6						
494	145	2.92	6710	4.1						



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B		m [кг]					
7.5	321	220	4.50*	5740	1.30	RX 87 RXF 87	DRS 132M4 DRS 132M4	95 237 100 238				
	382	188	3.78	5520	1.65							
	416	172	3.48	5400	2.4							
	468	153	3.09	5250	2.6							
	524	137	2.76*	5100	3.0							
	582	123	2.48	4960	3.3							
	671	107	2.15	4770	3.6							
	749	96	1.93	4630	3.7							
	903	79	1.60*	4390	4.0							
	1040	69	1.39	4220	4.2							
	445	161	3.25*	3850	1.15	RX 77 RXF 77	DRS 132M4 DRS 132M4	78 235 81 236				
	469	153	3.08*	3920	1.25							
	536	134	2.70	3820	1.60							
	595	120	2.43	3720	1.80							
	678	106	2.13	3610	1.90							
	769	93	1.88*	3500	2.0							
	867	83	1.67	3390	2.1							
	1015	70	1.42	3250	2.2							
		569	126	2.54	1540				0.95	RX 67 RXF 67	DRS 132M4 DRS 132M4	69 233 73 234
		602	119	2.40*	1650				1.05			
707		101	2.04	1840	1.30							
778		92	1.86	1960	1.35							
898		80	1.61	2090	1.45							
1030		69	1.40*	2080	1.50							
9.2		3.9	20900	376	120000	0.85	R 167R97 RF 167R97 RM 167R97	DRS 132MC4 DRS 132MC4 DRS 132MC4	800 280 810 280 1000 280			
		4.4	18600	335	120000	0.95						
		4.8	16700	303	120000	1.05						
		5.2	15400	279	120000	1.15						
	5.2	15800	280	41700	0.85	R 147R87 RF 147R87 RM 147R87	DRS 132MC4 DRS 132MC4 DRS 132MC4	495 280 500 280 670 280				
	5.9	13800	247	61000	0.95							
	6.9	11900	214	64700	1.10							
	7.8	10500	189	67000	1.25							
	9.2	8860	159	69300	1.45							
	9.0	9790	163.31	68100	1.35	R 147 RF 147 RM 147	DRS 132MC4 DRS 132MC4 DRS 132MC4	435 276 445 277 610 277				
	10.0	8800	146.91	69400	1.50							
	12	7180	119.86	71200	1.80							
	13	6550	109.31	71700	2.00	R 147 RF 147 RM 147	DRS 132MC4 DRS 132MC4 DRS 132MC4	435 276 445 277 610 277				
	15	5670	94.60*	72500	2.3							
	18	5000	83.47	72900	2.6							
	20	4320	72.09	73400	3.0							
	22	4010	66.99	73500	3.2							
	9.4	9370	156.31	43200	0.85	R 137 RF 137 RM 137	DRS 132MC4 DRS 132MC4 DRS 132MC4	305 274 325 275 435 275				
	10	8460	141.12*	52000	0.95							
	11	7680	128.18	54000	1.05							
	13	6810	113.72	55700	1.15							
	14	6180	103.20*	56700	1.30	R 137 RF 137 RM 137	DRS 132MC4 DRS 132MC4 DRS 132MC4	305 274 325 275 435 275				
	17	5310	88.70*	58000	1.50							
	18	4850	80.91*	58600	1.65							
	20	4400	73.49	59100	1.80							
	22	3910	65.20	59600	2.0							
	25	3540	59.17*	59900	2.2							
	29	3040	50.86*	60300	2.6							
	33	2660	44.39	60600	3.0							
	19	4710	78.57	26300	0.90	R 107 RF 107 RM 107	DRS 132MC4 DRS 132MC4 DRS 132MC4	215 272 220 273 310 273				
	20	4370	72.88	29100	1.00							
	22	3930	65.60*	29300	1.10							
	25	3560	59.41	28700	1.20							
	28	3150	52.68	28000	1.35							
	31	2850	47.63	27400	1.50							
	36	2420	40.37*	26400	1.80							
	42	2110	35.26	25600	2.0							
	50	1760	29.49	24500	2.4							
	48	1840	30.77	24700	2.3	R 107 RF 107 RM 107	DRS 132MC4 DRS 132MC4 DRS 132MC4	210 272 215 273 305 273				
	53	1650	27.58	24100	2.6							
	59	1490	24.90*	23400	2.9							
	65	1350	22.62	22800	3.2							
	73	1200	20.07	22100	3.6							



R...DRS R...DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{ra}^{1)}$ [Н]	SEW f_B				m [кг]	
9.2	28	3190	53.21	9960	0.95	R	97	DRS	132MC4	160 270
	31	2850	47.58	20600	1.05	RF	97	DRS	132MC4	175 271
	34	2560	42.78	20300	1.15	RM	97	DRS	132MC4	225 271
	39	2220	37.13	19800	1.35	R	97	DRS	132MC4	160 270
	44	1990	33.25	19400	1.45	RF	97	DRS	132MC4	175 271
	53	1650	27.58	18600	1.60	RM	97	DRS	132MC4	225 271
	59	1500	25.03	18200	1.90	R RF RM	97 97 97	DRS DRS DRS	132MC4 132MC4 132MC4	155 270 170 271 225 271
	65	1340	22.37	17800	2.0					
	73	1200	20.14	17300	2.2					
	80	1090	18.24	16900	2.3					
	91	960	16.17	16400	2.5					
	100	870	14.62	16000	2.6	R RF RM	97 97 97	DRS DRS DRS	132MC4 132MC4 132MC4	155 270 170 271 225 271
	118	740	12.39	15300	3.0					
	68	1280	21.51	13800	1.15					
	77	1140	19.10	13500	1.25					
	86	1020	17.08*	13200	1.35					
	95	920	15.35	12900	1.45	R RF RM	87 87 87	DRS DRS DRS	132MC4 132MC4 132MC4	115 267 125 268 155 268
	110	795	13.93	12500	1.60					
	123	715	11.33	12200	1.70					
	148	590	9.90*	11600	2.00					
	160	545	9.14*	11600	2.2					
	178	490	8.22	11300	2.4	R RF RM	77 77 77	DRS DRS DRS	132MC4 132MC4 132MC4	90 264 96 265 120 265
	205	425	7.13	10900	2.5					
	229	380	6.39	10500	2.7					
	104	840	14.05	4860	0.85					
	119	735	12.33	5710	0.95	R RF RM	77 77 77	DRS DRS DRS	132MC4 132MC4 132MC4	90 264 96 265 120 265
	135	650	10.88	6360	1.00					
	152	575	9.64	6860	1.10					
	189	460	7.74	6360	1.30					
	216	405	6.79	6760	1.40	R RF RM	77 77 77	DRS DRS DRS	132MC4 132MC4 132MC4	90 264 96 265 120 265
	244	355	5.99*	6900	1.50					
	276	315	5.31*	6690	1.60					
	282	310	5.19	9200	2.2	RX RXF	107 107	DRS DRS	132MC4 132MC4	155 241 170 242
	315	275	4.65	8950	2.5					
	349	250	4.20*	8720	3.3					
	384	225	3.81	8500	3.6					
	433	200	3.38	8220	4.1	RX RXF	97 97	DRS DRS	132MC4 132MC4	120 239 130 240
	324	270	4.52	7340	2.2					
	362	240	4.04	7140	2.4					
	402	215	3.64*	6950	2.7					
	444	198	3.30	6770	3.0					
	501	175	2.92	6560	3.4	RX RXF	87 87	DRS DRS	132MC4 132MC4	98 237 105 238
	554	158	2.64	6380	3.8					
	654	134	2.24*	6090	4.4					
	749	117	1.96	5860	4.9					
	895	98	1.64	5560	5.2					
	1035	85	1.42	5330	5.4	RX RXF	77 77	DRS DRS	132MC4 132MC4	81 235 84 236
	421	205	3.48	5200	1.95					
	475	185	3.09	5060	2.2					
	531	166	2.76*	4930	2.4					
	590	149	2.48	4800	2.7					
	680	129	2.15	4630	3.0	RX RXF	87 87	DRS DRS	132MC4 132MC4	98 237 105 238
	760	116	1.93	4500	3.1					
	916	96	1.60*	4280	3.3					
	1055	83	1.39	4120	3.5					
	603	146	2.43	3060	1.50	RX RXF	77 77	DRS DRS	132MC4 132MC4	81 235 84 236
	688	128	2.13	3200	1.55					
	779	113	1.88*	3300	1.65					
	879	100	1.67	3270	1.75					
	1030	85	1.42	3140	1.80					
11.0	5.0	19300	295	120000	0.95	R	167R107	DRS	160M4	870 280
	5.4	17900	270	120000	1.00	RF	167R107	DRS	160M4	880 280
	6.4	15100	229	120000	1.20	RM	167R107	DRS	160M4	1070 280
	7.3	13200	200	120000	1.35	R RF RM	167R107 167R107 167R107	DRS DRS DRS	160M4 160M4 160M4	860 280 870 280 1070 280
	8.6	11100	169	120000	1.60					
	5.0	19600	291	120000	0.90					



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B		m [кг]	
11.0	4.4	22400	335	120000	0.80	R 167R97 DRS 160M4	820	280
	4.8	20100	303	120000	0.90	RF 167R97 DRS 160M4	830	280
	5.2	18600	279	120000	0.95	RM 167R97 DRS 160M4	1020	280
	5.9	16500	247	27000	0.80	R 147R87 DRS 160M4	520	280
	6.8	14300	214	58400	0.90	RF 147R87 DRS 160M4	520	280
	7.7	12600	189	63300	1.05	RM 147R87 DRS 160M4	520	280
	9.2	10600	159	66800	1.20			
	6.4	16500	229.71	120000	1.10	R 167 DRS 160M4	700	278
	7.8	13400	186.93*	120000	1.35	RF 167 DRS 160M4	700	279
						RM 167 DRS 160M4	900	279
	9.5	11000	153.07	120000	1.65			
	10	10000	139.98	120000	1.80			
	12	8760	121.81*	120000	2.0	R 167 DRS 160M4	700	278
	14	7730	107.49	120000	2.3	RF 167 DRS 160M4	700	279
	16	6700	93.19	120000	2.7	RM 167 DRS 160M4	900	279
	18	5960	82.91*	120000	3.0			
	8.9	11700	163.31	65000	1.10	R 147 DRS 160M4	450	276
	9.9	10500	146.91	66900	1.25	RF 147 DRS 160M4	460	277
	12	8620	119.86	69600	1.50	RM 147 DRS 160M4	630	277
	13	7860	109.31	70500	1.65			
	15	6800	94.60*	71500	1.90			
	17	6000	83.47	72200	2.2	R 147 DRS 160M4	450	276
	20	5180	72.09	72800	2.5	RF 147 DRS 160M4	460	277
	22	4810	66.99	73100	2.7	RM 147 DRS 160M4	630	277
	24	4390	61.09	73300	3.0			
	28	3800	52.87	73600	3.4			
	10	10100	141.12*	25000	0.80			
	11	9220	128.18	45800	0.85			
	13	8180	113.72	53000	1.00			
	14	7420	103.20*	54600	1.10			
	16	6380	88.70*	56400	1.25			
	18	5820	80.91*	57300	1.35	R 137 DRS 160M4	320	274
	20	5280	73.49	58000	1.50	RF 137 DRS 160M4	345	275
	22	4690	65.20	58800	1.70	RM 137 DRS 160M4	455	275
	25	4250	59.17*	59200	1.90			
	29	3650	50.86*	59800	2.2			
	33	3190	44.39	60200	2.5			
	39	2700	37.65	60500	3.0			
	44	2360	32.91	60700	3.4			
	22	4710	65.60*	26000	0.90			
	25	4270	59.41	27600	1.00			
	28	3790	52.68	27000	1.15	R 107 DRS 160M4	235	272
	31	3420	47.63	26500	1.25	RF 107 DRS 160M4	245	273
	36	2900	40.37*	25700	1.50	RM 107 DRS 160M4	330	273
	41	2530	35.26	24900	1.70			
	50	2120	29.49	23900	2.0			
	47	2210	30.77	24200	1.95			
	53	1980	27.58	23600	2.2	R 107 DRS 160M4	230	272
	59	1790	24.90*	23000	2.4	RF 107 DRS 160M4	235	273
	65	1620	22.62	22400	2.6	RM 107 DRS 160M4	325	273
	73	1440	20.07	21700	3.0			
	80	1310	18.21	21200	3.3			
	34	3070	42.78	16600	0.95			
	39	2670	37.13	18900	1.10	R 97 DRS 160M4	180	270
	44	2390	33.25	18600	1.20	RF 97 DRS 160M4	195	271
	53	1980	27.58	18000	1.35	RM 97 DRS 160M4	250	271
	58	1800	25.03	17700	1.55	R 97 DRS 160M4	175	270
	65	1600	22.37	17300	1.70	RF 97 DRS 160M4	195	271
	72	1440	20.14	16900	1.80	RM 97 DRS 160M4	245	271
	80	1310	18.24	16500	1.90			
	90	1160	16.17	16100	2.1			
	100	1050	14.62	15700	2.2			
	118	890	12.39	15000	2.5	R 97 DRS 160M4	175	270
	135	775	10.83	14500	2.7	RF 97 DRS 160M4	195	271
	157	665	9.29	14200	3.0	RM 97 DRS 160M4	245	271
	174	600	8.39	13800	3.4			
	205	510	7.12	13200	3.9			
	235	445	6.21	12600	4.2			



R...DRS R...DRS [кВт]

P _m [кВт]	n _a [об/мин]	M _a [Нм]	i	F _{Ra} ¹⁾ [Н]	SEW f _B					m [кг]	
11.0	68	1540	21.51	13200	0.95	R	87	DRS	160M4	135	267
	76	1370	19.10	13000	1.05	RF	87	DRS	160M4	145	268
	85	1220	17.08*	12700	1.15	RM	87	DRS	160M4	175	268
	95	1100	15.35	12500	1.20						
	110	950	13.33	12100	1.35						
	122	850	11.93	11900	1.45						
	147	710	9.90*	11400	1.65	R	87	DRS	160M4	135	267
	160	655	9.14*	11400	1.85	RF	87	DRS	160M4	145	268
	178	590	8.22	11100	1.95	RM	87	DRS	160M4	175	268
	205	510	7.13	10700	2.1						
	229	455	6.39	10400	2.2						
	275	380	5.30*	9870	2.4						
	134	780	10.88	4340	0.85	R	77	DRS	160M4	110	264
	151	690	9.64	5080	0.90	RF	77	DRS	160M4	115	265
						RM	77	DRS	160M4	140	265
	189	555	7.74	4700	1.10	R	77	DRS	160M4	110	264
	215	485	6.79	5300	1.20	RF	77	DRS	160M4	115	265
	244	430	5.99*	5770	1.25	RM	77	DRS	160M4	140	265
	275	380	5.31*	6120	1.35						
	281	370	5.19	8970	1.85						
	314	330	4.65	8740	2.1						
	348	300	4.20*	8530	2.8	RX	107	DRS	160M4	175	241
	383	270	3.81	8320	3.0	RXF	107	DRS	160M4	190	242
	431	240	3.38	8070	3.4						
	475	220	3.07	7860	3.8						
	553	190	2.64*	7540	4.4						
	323	325	4.52	7130	1.85						
	361	290	4.04	6950	2.0						
	401	260	3.64*	6780	2.3						
	443	235	3.30	6620	2.5						
	499	210	2.92	6420	2.8	RX	97	DRS	160M4	145	239
	552	190	2.64	6260	3.1	RXF	97	DRS	160M4	150	240
	652	161	2.24*	5980	3.7						
	746	141	1.96	5770	4.0						
	892	118	1.64	5480	4.3						
	1030	102	1.42	5260	4.5						
	420	250	3.48	5010	1.60						
	473	220	3.09	4890	1.80	RX	87	DRS	160M4	120	237
	529	199	2.76*	4780	2.0	RXF	87	DRS	160M4	125	238
	588	178	2.48	4660	2.3						
	678	155	2.15	4510	2.5						
	757	139	1.93	4390	2.6	RX	87	DRS	160M4	120	237
	912	115	1.60*	4180	2.7	RXF	87	DRS	160M4	125	238
	1050	100	1.39	4030	2.9						
	601	175	2.43	1940	1.25						
	685	153	2.13	2190	1.30	RX	77	DRS	160M4	105	235
	777	135	1.88*	2370	1.40	RXF	77	DRS	160M4	105	236
	876	120	1.67	2500	1.45						
	1025	102	1.42	2610	1.50						
15.0	6.4	20700	229	120000	0.85	R	167R107	DRS	160MC4	880	280
	7.3	18000	200	120000	1.00	RF	167R107	DRS	160MC4	880	280
	8.6	15200	169	120000	1.20	RM	167R107	DRS	160MC4	1080	280
	6.5	20800	227	120000	0.85	R	167R107	DRS	160MC4	870	280
	7.4	18100	198	120000	1.00	RF	167R107	DRS	160MC4	880	280
						RM	167R107	DRS	160MC4	1070	280
	6.4	22400	229.71	120000	0.80	R	167	DRS	160MC4	700	278
	7.8	18200	186.93*	120000	1.00	RF	167	DRS	160MC4	710	279
						RM	167	DRS	160MC4	900	279
	9.6	14900	153.07	120000	1.20						
	10	13600	139.98	120000	1.30						
	12	11900	121.81*	120000	1.50						
	14	10500	107.49	120000	1.70						
	16	9110	93.19	120000	2.00	R	167	DRS	160MC4	700	278
	18	8100	82.91*	120000	2.2	RF	167	DRS	160MC4	710	279
	20	7200	73.70*	120000	2.5	RM	167	DRS	160MC4	900	279
	22	6580	67.40	120000	2.7						



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B					m [кг]	
15.0	9.0	15900	163.31	37100	0.80	R	147	DRS	160MC4	455	276
	10.0	14300	146.91	58000	0.90	RF	147	DRS	160MC4	465	277
	12	11700	119.86	65100	1.10	RM	147	DRS	160MC4	630	277
	13	10600	109.31	66800	1.20						
	15	9240	94.60*	68800	1.40						
	18	8160	83.47	70100	1.60						
	20	7040	72.09	71300	1.85	R	147	DRS	160MC4	455	276
	22	6540	66.99	71700	2.00	RF	147	DRS	160MC4	465	277
	24	5970	61.09	72200	2.2	RM	147	DRS	160MC4	630	277
	28	5160	52.87	72800	2.5						
	31	4560	46.65	73200	2.8						
	14	10000	103.20*	27000	0.80	R	137	DRS	160MC4	325	274
	17	8670	88.70*	51100	0.90	RF	137	DRS	160MC4	350	275
	18	7910	80.91*	53600	1.00	RM	137	DRS	160MC4	460	275
	20	7180	73.49	55000	1.10						
	22	6370	65.20	56400	1.25						
	25	5780	59.17*	57400	1.40						
	29	4970	50.86*	58400	1.60	R	137	DRS	160MC4	325	274
	33	4340	44.39	59200	1.85	RF	137	DRS	160MC4	350	275
	39	3680	37.65	59800	2.2	RM	137	DRS	160MC4	460	275
	45	3210	32.91	60200	2.5						
	53	2720	27.83	60500	2.8						
	31	4650	47.63	24400	0.90						
	36	3940	40.37*	23900	1.10	R	107	DRS	160MC4	240	272
	42	3440	35.26	23400	1.25	RF	107	DRS	160MC4	250	273
	50	2880	29.49	22600	1.50	RM	107	DRS	160MC4	335	273
	48	3000	30.77	22800	1.45						
	53	2690	27.58	22300	1.60						
	59	2430	24.90*	21900	1.75						
	65	2210	22.62	21400	1.95	R	107	DRS	160MC4	235	272
	73	1960	20.07	20900	2.2	RF	107	DRS	160MC4	240	273
	80	1780	18.21	20400	2.4	RM	107	DRS	160MC4	330	273
	94	1530	15.65	19700	2.8						
	107	1330	13.66	19000	3.2						
53	2690	27.58	16500	1.00	R	97	DRS	160MC4	185	270	
					RF	97	DRS	160MC4	200	271	
					RM	97	DRS	160MC4	255	271	
59	2440	25.03	16300	1.15							
65	2180	22.37	16100	1.25							
73	1960	20.14	15800	1.35							
80	1780	18.24	15500	1.40							
91	1580	16.17	15200	1.50							
100	1420	14.62	14900	1.60	R	97	DRS	160MC4	180	270	
118	1210	12.39	14400	1.80	RF	97	DRS	160MC4	200	271	
135	1050	10.83	14000	1.95	RM	97	DRS	160MC4	250	271	
158	900	9.29	13800	2.2							
175	820	8.39	13400	2.5							
206	695	7.12	12800	2.9							
236	605	6.21	12400	3.1							
86	1660	17.08*	11600	0.85	R	87	DRS	160MC4	140	267	
95	1500	15.35	11500	0.90	RF	87	DRS	160MC4	150	268	
110	1300	13.33	11300	1.00	RM	87	DRS	160MC4	180	268	
123	1160	11.93	11100	1.05							
148	960	9.90*	10700	1.20							
160	890	9.14*	11000	1.35							
178	800	8.22	10700	1.45	R	87	DRS	160MC4	140	267	
205	695	7.13	10300	1.55	RF	87	DRS	160MC4	150	268	
229	620	6.39	10100	1.65	RM	87	DRS	160MC4	180	268	
276	515	5.30*	9590	1.75							
282	505	5.19	8430	1.35							
315	450	4.65	8250	1.55							
349	410	4.20*	8080	2.0	RX	107	DRS	160MC4	180	241	
384	370	3.81	7920	2.2	RXF	107	DRS	160MC4	200	242	



R...DRS R...DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B		m [кг]	
15.0	433	330	3.38	7700	2.5			
	477	300	3.07	7530	2.8			
	555	255	2.64*	7250	3.2	RX 107	DRS 160MC4	180 241
	636	225	2.30	7000	3.7	RXF 107	DRS 160MC4	200 242
	750	191	1.95	6700	4.0			
	858	167	1.71	6460	4.2			
	1015	141	1.44	6160	4.6			
	324	440	4.52	6660	1.35			
	362	395	4.04	6520	1.50			
	402	355	3.64*	6390	1.65			
	444	320	3.30	6260	1.85			
	501	285	2.92	6100	2.1	RX 97	DRS 160MC4	150 239
	554	255	2.64	5960	2.3	RXF 97	DRS 160MC4	155 240
	654	215	2.24*	5730	2.7			
	749	191	1.96	5540	3.0			
	895	160	1.64	5290	3.2			
	1035	138	1.42	5080	3.3			
	421	335	3.48	4280	1.20			
	475	300	3.09	4500	1.35	RX 87	DRS 160MC4	125 237
	531	265	2.76*	4420	1.50	RXF 87	DRS 160MC4	130 238
	590	240	2.48	4340	1.65			
	680	210	2.15	4230	1.85			
	760	189	1.93	4130	1.90	RX 87	DRS 160MC4	125 237
	916	156	1.60*	3960	2.0	RXF 87	DRS 160MC4	130 238
	1055	136	1.39	3840	2.1			
18.5	7.8	22600	186.93*	120000	0.80	R 167	DRS 180M4	740 278
	9.5	18500	153.07	120000	0.95	RF 167	DRS 180M4	750 279
	10	16900	139.98	120000	1.05	RM 167	DRS 180M4	950 279
	12	14700	121.81*	120000	1.20			
	14	13000	107.49	120000	1.40			
	16	11200	93.19	120000	1.60			
	18	10000	82.91*	120000	1.80	R 167	DRS 180M4	740 278
	20	8910	73.70*	120000	2.0	RF 167	DRS 180M4	750 279
	22	8150	67.40	120000	2.2	RM 167	DRS 180M4	950 279
	25	7090	58.65	120000	2.5			
	12	14500	119.86	56400	0.90	R 147	DRS 180M4	500 276
	13	13200	109.31	62200	1.00	RF 147	DRS 180M4	510 277
	15	11400	94.60*	65500	1.15	RM 147	DRS 180M4	670 277
	17	10100	83.47	67600	1.30			
	20	8720	72.09	69500	1.50			
	22	8100	66.99	70200	1.60	R 147	DRS 180M4	500 276
	24	7390	61.09	71000	1.75	RF 147	DRS 180M4	510 277
	28	6390	52.87	71900	2.0	RM 147	DRS 180M4	670 277
	31	5640	46.65	72500	2.3			
	36	4870	40.29	73000	2.7			
	18	9790	80.91*	34900	0.80	R 137	DRS 180M4	370 274
	20	8890	73.49	50100	0.90	RF 137	DRS 180M4	395 275
	22	7880	65.20	53600	1.00	RM 137	DRS 180M4	500 275
	25	7150	59.17*	55100	1.10			
	29	6150	50.86*	56800	1.30			
	33	5370	44.39	57900	1.50	R 137	DRS 180M4	370 274
	39	4550	37.65	58900	1.75	RF 137	DRS 180M4	395 275
	44	3980	32.91	59500	2.0	RM 137	DRS 180M4	500 275
	52	3360	27.83	60100	2.3			
	49	3570	29.57*	59900	2.2			
	61	2910	24.12	60400	2.7	R 137	DRS 180M4	360 274
	66	2660	22.00*	60600	3.0	RF 137	DRS 180M4	385 275
	77	2300	19.04*	60800	3.5	RM 137	DRS 180M4	495 275
	87	2030	16.80*	60900	3.9			
	36	4880	40.37*	19400	0.90	R 107	DRS 180M4	285 272
	41	4260	35.26	22100	1.00	RF 107	DRS 180M4	295 273
	50	3560	29.49	21500	1.20	RM 107	DRS 180M4	380 273



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{ra}^{1)}$ [Н]	SEW f_B				m [кг]	
18.5	59	3010	24.90*	20900	1.45					
	65	2730	22.62	20600	1.55					
	73	2420	20.07	20100	1.75					
	80	2200	18.21	19700	1.95					
	93	1890	15.65	19100	2.3	R	107	DRS	180M4	280 272
	107	1650	13.66	18500	2.6	RF	107	DRS	180M4	285 273
	126	1400	11.59	17800	3.1	RM	107	DRS	180M4	375 273
	144	1220	10.13	17200	3.5					
	186	950	7.86	16300	3.1					
	219	800	6.66	15600	3.7					
	72	2430	20.14	14900	1.05					
	80	2200	18.24	14700	1.15					
	90	1950	16.17	14500	1.25					
	100	1760	14.62	14200	1.30					
	118	1490	12.39	13800	1.45	R	97	DRS	180M4	225 270
	135	1310	10.83	13500	1.60	RF	97	DRS	180M4	245 271
	157	1120	9.29	13400	1.80	RM	97	DRS	180M4	295 271
	174	1010	8.39	13100	2.0					
	205	860	7.12	12600	2.3					
	235	750	6.21	12100	2.5					
	281	625	5.20	11600	2.8					
	324	540	4.50*	11100	3.0					
	110	1610	13.33	10600	0.80					
	122	1440	11.93	10400	0.85					
	147	1190	9.90*	10200	1.00	R	87	DRS	180M4	185 267
	160	1100	9.14*	10600	1.10	RF	87	DRS	180M4	195 268
	178	990	8.22	10300	1.15	RM	87	DRS	180M4	225 268
	205	860	7.13	10000	1.25					
	229	770	6.39	9780	1.30					
	275	640	5.30*	9360	1.40					
	348	505	4.20*	7720	1.65					
	383	460	3.81	7580	1.80	RX	107	DRS	180M4	225 241
	431	405	3.38	7400	2.0	RXF	107	DRS	180M4	240 242
	475	370	3.07	7250	2.2					
	553	315	2.64*	7010	2.6					
	634	275	2.30	6790	3.0	RX	107	DRS	180M4	225 241
	747	235	1.95	6520	3.2	RXF	107	DRS	180M4	240 242
	855	205	1.71	6290	3.4					
	1010	175	1.44	6020	3.7					
	401	440	3.64*	6060	1.35					
	443	395	3.30	5960	1.50					
	499	350	2.92	5830	1.70					
	552	315	2.64	5720	1.85	RX	97	DRS	180M4	190 239
	652	270	2.24*	5520	2.2	RXF	97	DRS	180M4	200 240
	746	235	1.96	5350	2.4					
	892	198	1.64	5130	2.6					
	1030	171	1.42	4940	2.6					
	529	330	2.76*	3020	1.20					
	588	300	2.48	3330	1.35					
	678	260	2.15	3620	1.50	RX	87	DRS	180M4	170 237
	730	230	1.93	3800	1.50	RXF	87	DRS	180M4	175 238
	912	194	1.60*	3770	1.65					
	1050	168	1.39	3670	1.70					
22	9.5	22000	153.07	120000	0.80	R	167	DRS	180L4	760 278
	10	20100	139.98	120000	0.90	RF	167	DRS	180L4	770 279
	12	17500	121.81*	120000	1.05	RM	167	DRS	180L4	970 279
	14	15400	107.49	120000	1.15					
	16	13400	93.19	120000	1.35					
	18	11900	82.91*	120000	1.50					
	20	10600	73.70*	120000	1.70	R	167	DRS	180L4	760 278
	22	9690	67.40	120000	1.85	RF	167	DRS	180L4	770 279
	25	8430	58.65	120000	2.1	RM	167	DRS	180L4	970 279
	28	7440	51.76	120000	2.4					
	33	6450	44.87	120000	2.8					
	13	15700	109.31	40600	0.85					
	15	13600	94.60*	61400	0.95	R	147	DRS	180L4	520 276
	17	12000	83.47	64500	1.10	RF	147	DRS	180L4	530 277
	20	10300	72.09	67200	1.25	RM	147	DRS	180L4	690 277



R...DRS R...DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B				m [кг]	
22	22	9630	66.99	68300	1.35					
	24	8790	61.09	69400	1.50					
	28	7600	52.87	70700	1.70	R	147	DRS	180L4	520 276
	31	6710	46.65	71600	1.95	RF	147	DRS	180L4	530 277
	36	5790	40.29	72400	2.2	RM	147	DRS	180L4	690 277
	41	5120	35.64	72900	2.5					
	49	4300	29.95	73400	3.0					
	22	9380	65.20	43100	0.85	R	137	DRS	180L4	390 274
	25	8510	59.17*	51800	0.95	RF	137	DRS	180L4	415 275
	29	7310	50.86*	54800	1.10	RM	137	DRS	180L4	520 275
	33	6380	44.39	56400	1.25					
	39	5410	37.65	57900	1.50	R	137	DRS	180L4	390 274
	44	4730	32.91	58700	1.70	RF	137	DRS	180L4	415 275
	52	4000	27.83	59500	1.90	RM	137	DRS	180L4	520 275
	49	4250	29.57*	59200	1.85					
	61	3470	24.12	60000	2.3	R	137	DRS	180L4	380 274
	66	3160	22.00*	60200	2.5	RF	137	DRS	180L4	405 275
	77	2730	19.04*	60500	2.9	RM	137	DRS	180L4	510 275
	87	2410	16.80*	60700	3.3	R	137	DRS	180L4	380 274
	101	2080	14.51	60900	3.8	RF	137	DRS	180L4	405 275
	114	1840	12.83	61000	4.3	RM	137	DRS	180L4	510 275
30	41	5070	35.26	4470	0.85	R	107	DRS	180L4	305 272
	50	4240	29.49	20400	1.00	RF	107	DRS	180L4	310 273
						RM	107	DRS	180L4	400 273
	59	3580	24.90*	20000	1.20	R	107	DRS	180L4	300 272
	65	3250	22.62	19700	1.30	RF	107	DRS	180L4	305 273
	73	2880	20.07	19400	1.50	RM	107	DRS	180L4	395 273
	80	2620	18.21	19000	1.65					
	93	2250	15.65	18500	1.90					
	107	1960	13.66	18000	2.2					
	126	1660	11.59	17300	2.6	R	107	DRS	180L4	300 272
	144	1450	10.13	16800	3.0	RF	107	DRS	180L4	305 273
	170	1230	8.56	16100	3.5	RM	107	DRS	180L4	395 273
	186	1130	7.86	16100	2.6					
	219	950	6.66	15400	3.1					
	251	830	5.82	14800	3.5					
	72	2890	20.14	14000	0.90	R	97	DRS	180L4	245 270
	80	2620	18.24	13900	0.95	RF	97	DRS	180L4	265 271
	90	2320	16.17	13700	1.05	RM	97	DRS	180L4	315 271
	100	2100	14.62	13600	1.10					
	118	1780	12.39	13300	1.25					
	135	1550	10.83	13000	1.35					
40	157	1330	9.29	13100	1.50					
	174	1200	8.39	12800	1.70	R	97	DRS	180L4	245 270
	205	1020	7.12	12300	1.95	RF	97	DRS	180L4	265 271
	235	890	6.21	11900	2.1	RM	97	DRS	180L4	315 271
	281	745	5.20	11400	2.4					
	324	645	4.50*	10900	2.5					
	147	1420	9.90*	9640	0.85					
	160	1310	9.14*	10100	0.90					
	178	1180	8.22	9960	1.00	R	87	DRS	180L4	205 267
	205	1020	7.13	9700	1.05	RF	87	DRS	180L4	215 268
	229	910	6.39	9490	1.10	RM	87	DRS	180L4	245 268
	275	760	5.30*	9120	1.20					
50	348	600	4.20*	7340	1.35					
	383	545	3.81	7230	1.50					
	431	485	3.38	7090	1.70	RX	107	DRS	180L4	245 241
	475	440	3.07	6970	1.90	RXF	107	DRS	180L4	260 242
	553	375	2.64*	6760	2.2					
	634	330	2.30	6570	2.5					
	747	280	1.95	6320	2.7	RX	107	DRS	180L4	245 241
	855	245	1.71	6120	2.9	RXF	107	DRS	180L4	260 242
	1010	205	1.44	5870	3.1					



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B		m [кг]		
22	401	520	3.64*	5720	1.15				
	443	470	3.30	5550	1.25				
	499	420	2.92	5560	1.40				
	552	380	2.64	5470	1.55	RX 97	DRS 180L4	210	239
	652	320	2.24*	5300	1.85	RXF 97	DRS 180L4	220	240
	746	280	1.96	5160	2.0				
	892	235	1.64	4960	2.1				
	1030	200	1.42	4790	2.2				
	529	395	2.76*	1240	1.00				
	588	355	2.48	1690	1.15				
	678	305	2.15	2140	1.25	RX 87	DRS 180L4	185	237
	757	275	1.93	2430	1.30	RXF 87	DRS 180L4	190	238
	912	230	1.60*	2740	1.35				
	1050	200	1.39	3020	1.45				
30	14	20900	107.49	120000	0.85	R 167	DRS 180LC4	780	278
	16	18100	93.19	120000	1.00	RF 167	DRS 180LC4	780	279
	18	16100	82.91*	120000	1.10	RM 167	DRS 180LC4	980	279
	20	14300	73.70*	120000	1.25				
	22	13100	67.40	120000	1.35				
	25	11400	58.65	120000	1.55				
	28	10000	51.76	120000	1.80	R 167	DRS 180LC4	780	278
	33	8740	44.87	120000	2.1	RF 167	DRS 180LC4	780	279
	37	7770	39.92	120000	2.3	RM 167	DRS 180LC4	980	279
	43	6700	34.41	120000	2.7				
	53	5440	27.96	120000	3.3				
	62	4620	23.71	120000	3.9				
	18	16200	83.47	32400	0.80	R 147	DRS 180LC4	530	276
	20	14000	72.09	60400	0.95	RF 147	DRS 180LC4	540	277
	22	13000	66.99	62500	1.00	RM 147	DRS 180LC4	700	277
	24	11900	61.09	64700	1.10				
	28	10300	52.87	67300	1.25				
	32	9090	46.65	69000	1.45	R 147	DRS 180LC4	530	276
	36	7850	40.29	70500	1.65	RF 147	DRS 180LC4	540	277
	41	6940	35.64	71400	1.85	RM 147	DRS 180LC4	700	277
	49	5830	29.95	72300	2.2				
	61	4710	24.19	73100	2.5				
	72	3980	20.44	73600	3.0	R 147	DRS 180LC4	520	276
	82	3510	18.04	73800	3.0	RF 147	DRS 180LC4	520	277
	94	3040	15.64	74000	4.3	RM 147	DRS 180LC4	690	277
	29	9910	50.86*	31900	0.80				
	33	8650	44.39	51200	0.90	R 137	DRS 180LC4	400	274
	39	7330	37.65	54700	1.10	RF 137	DRS 180LC4	425	275
	45	6410	32.91	56400	1.25	RM 137	DRS 180LC4	540	275
	53	5420	27.83	57900	1.40				
	61	4700	24.12	58800	1.70	R 137	DRS 180LC4	390	274
	67	4280	22.00*	59200	1.85	RF 137	DRS 180LC4	415	275
	77	3710	19.04*	59800	2.2	RM 137	DRS 180LC4	530	275
	88	3270	16.80*	60100	2.4				
	101	2820	14.51	59500	2.8	R 137	DRS 180LC4	390	274
	115	2500	12.83	58400	3.2	RF 137	DRS 180LC4	415	275
	136	2100	10.79	56600	3.8	RM 137	DRS 180LC4	530	275
	194	1470	7.59	53300	3.4				
	230	1240	6.38	51300	4.1				
	73	3910	20.07	17600	1.10				
	81	3540	18.21	17400	1.20				
	94	3050	15.65	17100	1.40				
	108	2660	13.66	16800	1.60				
	127	2250	11.59	16300	1.90	R 107	DRS 180LC4	310	272
	145	1970	10.13	15900	2.2	RF 107	DRS 180LC4	315	273
	172	1660	8.56	15400	2.6	RM 107	DRS 180LC4	405	273
	187	1530	7.86	15500	1.95				
	221	1290	6.66	14900	2.3				
	252	1130	5.82	14400	2.6				
	299	950	4.92	13700	3.0				
	101	2840	14.62	12000	0.80				
	119	2410	12.39	11900	0.90	R 97	DRS 180LC4	255	270
	136	2100	10.83	11800	1.00	RF 97	DRS 180LC4	275	271
	158	1800	9.29	12300	1.10	RM 97	DRS 180LC4	325	271
	175	1630	8.39	12100	1.25				




R...DRS R...DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B					m [кг]					
30	207	1380	7.12	11700	1.45	R RF RM	97 97 97	DRS DRS DRS	180LC4 180LC4 180LC4	255	270				
	237	1210	6.21	11400	1.55					275	271				
	283	1010	5.20	10900	1.75					325	271				
	327	870	4.50*	10500	1.85										
	434	655	3.38	6370	1.25	RX RXF	107 107	DRS DRS	180LC4 180LC4	255	241				
	479	595	3.07	6310	1.40					270	242				
	557	510	2.64*	6180	1.60										
	638	445	2.30	6050	1.85										
	752	380	1.95	5870	2.0										
	860	330	1.71	5720	2.1										
	1020	280	1.44	5520	2.3										
	503	565	2.92	3120	1.05	RX RXF	97 97	DRS DRS	180LC4 180LC4	225	239				
	556	515	2.64	3560	1.15					230	240				
	656	435	2.24*	4050	1.35										
	751	380	1.96	4450	1.50										
	898	315	1.64	4580	1.60										
	1040	275	1.42	4450	1.65										
37	16	22300	93.19	120000	0.80	R RF RM	167 167 167	DRS DRS DRS	225S4 225S4 225S4	890	278				
	18	19900	82.91*	120000	0.90					900	279				
	20	17700	73.70*	120000	1.00					1100	279				
	22	16100	67.40	120000	1.10										
	25	14000	58.65	120000	1.30										
	28	12400	51.76	120000	1.45										
	33	10700	44.87	120000	1.65	R RF RM	147 147 147	DRS DRS DRS	225S4 225S4 225S4	650	276				
	37	9590	39.92	120000	1.90					660	277				
	43	8270	34.41	120000	2.2					820	277				
	53	6710	27.96	120000	2.7										
	48	7380	30.71	120000	1.35					R RF RM	167 167 167	DRS DRS DRS	225S4 225S4 225S4	890	278
	60	5900	24.57	120000	2.4									890	279
	67	5250	21.85	120000	2.5	1090	279								
	77	4570	19.03	120000	3.5										
	87	4080	16.98	120000	3.7										
	22	16100	66.99	35000	0.80	R	147	DRS	225S4					650	276
	24	14600	61.09	54200	0.90	RF	147	DRS	225S4	660	277				
	28	12700	52.87	63200	1.00	RM	147	DRS	225S4	820	277				
	32	11200	46.65	65900	1.15	R	147	DRS	225S4	650	276				
	36	9680	40.29	68200	1.35	RF	147	DRS	225S4	660	277				
	41	8560	35.64	69700	1.50	RM	147	DRS	225S4	820	277				
	49	7190	29.95	71100	1.80										
	61	5810	24.19	72400	2.0										
	72	4910	20.44	73000	2.4	R	147	DRS	225S4	630	276				
	82	4330	18.04	73400	2.4	RF	147	DRS	225S4	640	277				
	94	3750	15.64	73700	3.5	RM	147	DRS	225S4	810	277				
	106	3340	13.91	73900	3.8	R	147	DRS	225S4	630	276				
						RF	147	DRS	225S4	640	277				
						RM	147	DRS	225S4	810	277				
	39	9050	37.65	48500	0.90	R	137	DRS	225S4	520	274				
	45	7910	32.91	53600	1.00	RF	137	DRS	225S4	540	275				
	53	6680	27.83	55900	1.15	RM	137	DRS	225S4	650	275				
	61	5790	24.12	57300	1.40										
67	5280	22.00*	58000	1.50	R	137	DRS	225S4	510	274					
77	4570	19.04*	57800	1.75	RF	137	DRS	225S4	530	275					
88	4030	16.80*	57300	2.00	RM	137	DRS	225S4	640	275					
101	3480	14.51	56600	2.3											
115	3080	12.83	55800	2.6											
136	2590	10.79	54400	3.1	R	137	DRS	225S4	510	274					
169	2090	8.71	52600	3.7	RF	137	DRS	225S4	530	275					
194	1820	7.59	51900	2.8	RM	137	DRS	225S4	640	275					
230	1530	6.38	50100	3.3											
285	1230	5.15	47800	3.7											



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B					m [кг]							
37	73	4820	20.07	16100	0.90	R RF RM	107 107 107	DRS DRS DRS	225S4 225S4 225S4	430 435 520	272 273 273						
	81	4370	18.21	16100	1.00												
	94	3760	15.65	15900	1.15												
	108	3280	13.66	15700	1.30												
	127	2780	11.59	15400	1.55												
	145	2430	10.13	15100	1.75												
	172	2050	8.56	14700	2.1												
	187	1880	7.86	15000	1.55												
	221	1600	6.66	14400	1.85												
	252	1390	5.82	14000	2.1												
	299	1180	4.92	13400	2.4												
	434	810	3.38	4470	1.00	RX RXF	107 107	DRS DRS	225S4 225S4	375 390	241 242						
	479	735	3.07	4950	1.10												
	557	630	2.64*	5530	1.30												
	638	550	2.30	5610	1.50												
	752	465	1.95	5490	1.65												
45	860	410	1.71	5370	1.70	R RF RM	167 167 167	DRS DRS DRS	225M4 225M4 225M4	920 920 1120	278 279 279						
	1020	345	1.44	5220	1.85												
	20	21300	73.70*	120000	0.85												
	22	19500	67.40	120000	0.90												
	25	17000	58.65	120000	1.05												
	29	15000	51.76	120000	1.20												
	33	13000	44.87	120000	1.40												
	37	11500	39.92	120000	1.55												
	43	9990	34.41	120000	1.80												
	53	8110	27.96	120000	2.2												
	62	6880	23.71	120000	2.6												
	48	8910	30.71	120000	1.10							R RF RM	167 167 167	DRS DRS DRS	225M4 225M4 225M4	910 920 1110	278 279 279
	60	7130	24.57	120000	1.95												
	68	6340	21.85	120000	2.0												
	78	5520	19.03	120000	2.9												
	87	4930	16.98	120000	3.0												
	28	15300	52.87	45800	0.85	R RF RM	147 147 147	DRS DRS DRS	225M4 225M4 225M4	670 680 840	276 277 277						
	32	13500	46.65	61500	0.95												
	37	11600	40.29	65100	1.10												
	42	10300	35.64	67300	1.25												
	49	8690	29.95	69500	1.50												
	61	7020	24.19	71300	1.70												
	72	5930	20.44	72300	2.0												
	82	5230	18.04	72800	2.0												
	95	4540	15.64	73200	2.9	R RF RM	147 147 147	DRS DRS DRS	225M4 225M4 225M4	650 660 830	276 277 277						
	106	4030	13.91	73500	3.1												
	123	3480	11.99	73800	3.7												
	204	2100	7.25	74300	4.1												
	45	9550	32.91	39800	0.85	R RF RM	137 137 137	DRS DRS DRS	225M4 225M4 225M4	540 560 670	274 275 275						
	53	8070	27.83	51300	0.95												
	61	7000	24.12	52500	1.15												
	67	6380	22.00*	52900	1.25	R RF RM	137 137 137	DRS DRS DRS	225M4 225M4 225M4	530 550 660	274 275 275						
	78	5520	19.04*	53300	1.45												
	88	4870	16.80*	53400	1.65												
	102	4210	14.51	53100	1.90												
	115	3720	12.83	52700	2.2	R RF RM	137 137 137	DRS DRS DRS	225M4 225M4 225M4	530 550 660	274 275 275						
	137	3130	10.79	51900	2.6												
	170	2520	8.71	50500	3.1												
	195	2200	7.59	50200	2.3												
	232	1850	6.38	48600	2.8												
	287	1490	5.15	46600	3.1												
	95	4540	15.65	14600	0.95							R RF RM	107 107 107	DRS DRS DRS	225M4 225M4 225M4	450 455 540	272 273 273
	108	3960	13.66	14600	1.10												
	128	3360	11.59	14400	1.30												
	146	2940	10.13	14300	1.45												
	173	2480	8.56	14000	1.75												
	188	2280	7.86	14400	1.30												
	222	1930	6.66	13900	1.55												
254	1690	5.82	13600	1.75													
301	1420	4.92	13000	2.0													



R...DRS R...DRS [кВт]

P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B				m [кг]	
45	437	980	3.38	1430	0.85					
	482	890	3.07	2140	0.95					
	561	765	2.64*	3020	1.10	RX	107	DRS	225M4	395 241
	642	665	2.30	3680	1.25	RXF	107	DRS	225M4	410 242
	757	565	1.95	4240	1.35					
	866	495	1.71	4580	1.40					
	1025	415	1.44	4880	1.55					
55	25	20800	58.65	120000	0.85					
	29	18300	51.76	120000	1.00					
	33	15900	44.87	120000	1.15	R	167	DRS	225MC4	930 278
	37	14100	39.92	120000	1.25	RF	167	DRS	225MC4	930 279
	43	12200	34.41	120000	1.45	RM	167	DRS	225MC4	1130 279
	53	9920	27.96	120000	1.80					
	62	8410	23.71	120000	2.1					
	60	8710	24.57	120000	1.60	R	167	DRS	225MC4	920 278
	68	7750	21.85	120000	1.70	RF	167	DRS	225MC4	930 279
	78	6750	19.03	120000	2.4	RM	167	DRS	225MC4	1120 279
	87	6020	16.98	120000	2.5	R	167	DRS	225MC4	920 278
	102	5130	14.48	120000	3.5	RF	167	DRS	225MC4	930 279
	123	4250	11.99	120000	4.0	RM	167	DRS	225MC4	1120 279
	32	16500	46.65	27600	0.80					
	37	14200	40.29	58700	0.90					
	42	12600	35.64	63400	1.05	R	147	DRS	225MC4	680 276
	49	10600	29.95	66800	1.20	RF	147	DRS	225MC4	690 277
	61	8580	24.19	69600	1.40	RM	147	DRS	225MC4	860 277
	72	7250	20.44	71100	1.65					
	82	6400	18.04	71900	1.65	R	147	DRS	225MC4	670 276
	95	5540	15.64	72600	2.3	RF	147	DRS	225MC4	680 277
	106	4930	13.91	73000	2.6	RM	147	DRS	225MC4	840 277
	123	4250	11.99	73400	3.0					
	152	3450	9.74	73800	3.8	R	147	DRS	225MC4	670 276
	204	2570	7.25	74200	3.4	RF	147	DRS	225MC4	680 277
	251	2090	5.89	72500	4.2	RM	147	DRS	225MC4	840 277
	78	6750	19.04*	47800	1.20	R	137	DRS	225MC4	540 274
	88	5960	16.80*	48500	1.35	RF	137	DRS	225MC4	570 275
	102	5140	14.51	48900	1.55	RM	137	DRS	225MC4	680 275
75	115	4550	12.83	49000	1.75					
	137	3820	10.79	48700	2.1					
	170	3090	8.71	48000	2.5	R	137	DRS	225MC4	540 274
	195	2690	7.59	48100	1.90	RF	137	DRS	225MC4	570 275
	232	2260	6.38	46900	2.3	RM	137	DRS	225MC4	680 275
	287	1820	5.15	45200	2.5					
	33	21700	44.87	120000	0.85					
	37	19300	39.92	120000	0.95					
	43	16800	34.41	120000	1.10	R	167	DV	280S4	1190 278
	53	13500	27.96	120000	1.35	RF	167	DV	280S4	1190 279
	62	11400	23.71	120000	1.55					
	60	11800	24.57	120000	1.20					
	68	10500	21.85	120000	1.25	R	167	DV	280S4	1180 278
	78	9210	19.03	120000	1.75	RF	167	DV	280S4	1190 279
	87	8210	16.98	120000	1.85					
	102	7000	14.48	120000	2.6	R	167	DV	280S4	1180 278
	123	5800	11.99	116600	2.9	RF	167	DV	280S4	1190 279
	145	4950	10.24	112600	3.4					
	49	14400	29.95	56500	0.90	R	147	DV	280S4	940 276
	61	11700	24.19	65100	1.00	RF	147	DV	280S4	950 277
	72	9890	20.44	67900	1.20					
	82	8720	18.04	69500	1.20	R	147	DV	280S4	930 276
	95	7560	15.64	70800	1.70	RF	147	DV	280S4	940 277
	106	6730	13.91	71600	1.85					
	123	5800	11.99	72400	2.2					
	152	4710	9.74	73100	2.8					
	179	3990	8.26	73500	3.2	R	147	DV	280S4	930 276
	204	3500	7.25	73100	2.5	RF	147	DV	280S4	940 277
	251	2850	5.89	70100	3.0					
	296	2410	5.00	67600	3.6					



P_m [кВт]	n_a [об/мин]	M_a [Нм]	i	$F_{Ra}^{1)}$ [Н]	SEW f_B		m [кг]	
90	37	23100	39.92	120000	0.80			
	43	19900	34.41	120000	0.90	R	167	DV 280M4
	53	16200	27.96	120000	1.10	RF	167	DV 280M4
	62	13700	23.71	120000	1.30			
	78	11000	19.03	120000	1.45	R	167	DV 280M4
						RF	167	DV 280M4
	87	9860	16.93	120000	1.50			
	102	8400	14.48	117300	2.1	R	167	DV 280M4
	123	6960	11.99	113500	2.4	RF	167	DV 280M4
	145	5940	10.24	110100	2.9			
	95	9080	15.64	69000	1.45	R	147	DV 280M4
	106	8070	13.91	70200	1.55	RF	147	DV 280M4
	123	6960	11.99	71400	1.85			
	152	5650	9.74	72500	2.3			
	179	4790	8.26	73000	2.7	R	147	DV 280M4
	204	4210	7.25	70900	2.1	RF	147	DV 280M4
	251	3420	5.89	68300	2.5			
	296	2900	5.00	66100	3.0			
110	53	19800	27.96	117100	0.90	R	167	DRS 315K4
						RF	167	DRS 315K4
	62	16800	23.71	116900	1.05	RM	167	DRS 315K4
						R	167	DRS 315K4/ERF/NS
						RF	167	DRS 315K4/ERF/NS
						RM	167	DRS 315K4/ERF/NS
	78	13400	19.03	115500	1.20			
	87	12000	16.98	114300	1.25	R	167	DRS 315K4
	102	10200	14.48	112200	1.75	RF	167	DRS 315K4
	124	8500	11.99	109300	2.0	RM	167	DRS 315K4
132	145	7250	10.24	106500	2.3			
	62	20100	23.71	107900	0.90	R	167	DRS 315S4
						RF	167	DRS 315S4
						RM	167	DRS 315S4
	78	16200	19.03	108300	1.00	R	167	DRS 315S4/ERF/NS
	87	14400	16.98	107900	1.05	RF	167	DRS 315S4/ERF/NS
						RM	167	DRS 315S4/ERF/NS
	102	12300	14.48	106700	1.45	R	167	DRS 315S4
	123	10200	11.99	104700	1.65	RF	167	DRS 315S4
	145	8710	10.24	102600	1.95	RM	167	DRS 315S4
160	102	14900	14.48	99700	1.20	R	167	DRS 315M4
	124	12300	11.99	98900	1.40	RF	167	DRS 315M4
	145	10500	10.24	97600	1.60	RM	167	DRS 315M4