




**CMG****ЦИЛИНДРИЧЕСКИЕ РЕДУКТОРЫ
HELICAL GEARBOXES****Таблицы выбора****Technical data**


P_1 [кВт]	n_2 [об/мин]	M_2 [Нм]	sf	i			P_1 [кВт]	n_2 [об/мин]	M_2 [Нм]	sf	i					
0.06							0.12									
56A4 (1400 об/мин)	279	2	20.3	5.03	CMG002	B5/B14	63A4 (1400 об/мин)	22.1	49	2.5	63.22	CMG013	B5			
	230	2	16.7	6.10			B5/B14	18.6	58	2.1	75.08			B5		
	187	3	13.6	7.49			B5/B14	15.7	69	1.7	89.17			B5		
	156	4	14.2	8.99			B5/B14	12.4	87	1.4	113.05			B5		
	138	4	12.5	10.16			B5/B14	10.4	103	1.2	134.27			B5		
	116	5	10.5	12.07			B5/B14	8.1	134	0.9	173.72			B5		
	105	5	13.3	13.40			B5/B14	6.9	156	0.8	202.16			B5		
	92.5	6	11.8	15.14			B5/B14	5.4	201	0.6	261.57			B5		
	77.1	7	9.8	18.17			B5/B14	4.6	234	0.5	304.00			B5		
	64.9	8	8.3	21.58			B5/B14	3.6	303	0.4	393.33			B5		
	59.6	9	7.6	23.51			B5/B14									
	55.8	10	7.1	25.10			B5/B14	21.9	49	4.1	64.01			CMG023	B5	
	51.7	11	6.6	27.08			B5/B14	18.4	58	3.4	76.02			B5		
	43.1	13	5.5	32.49			B5/B14	15.5	69	2.9	90.29			B5		
	33.3	17	4.2	42.04			B5/B14	12.2	88	2.3	114.46			B5		
	31.2	18	4.0	44.89			B5/B14	10.3	105	1.9	135.95			B5		
	28.7	19	3.6	48.86			B5/B14	8.0	135	1.5	175.89			B5		
									6.8	157	1.3			204.69	B5	
									5.3	204	1.0			264.84	B5	
							4.5	237	0.8	307.80	B5					
							3.5	306	0.7	398.25	B5					
0.09							0.18									
56B4 (1400 об/мин)	279	3	13.5	5.03	CMG002	B5/B14	63B4 (1400 об/мин)	19.2	56	5.4	72.83	CMG033	B5			
	230	4	11.1	6.10			B5/B14	14.4	75	4.0	97.45			B5		
	187	4	9.1	7.49			B5/B14	12.1	89	3.4	115.74			B5		
	156	5	9.4	8.99			B5/B14	9.9	108	2.8	140.81			B5		
	138	6	8.3	10.16			B5/B14	8.0	134	2.2	174.26			B5		
	116	7	7.0	12.07			B5/B14	6.2	173	1.7	225.47			B5		
	105	8	8.9	13.40			B5/B14	5.3	202	1.5	262.05			B5		
	92.5	9	7.8	15.14			B5/B14	4.3	251	1.2	325.79			B5		
	77.1	11	6.5	18.17			B5/B14	3.7	291	1.0	378.64			B5		
	64.9	13	5.5	21.58			B5/B14	19.2	56	8.9	72.83			CMG043	B5	
	59.6	14	5.1	23.51			B5/B14	14.4	75	6.7	97.45			B5		
	55.8	15	4.7	25.10			B5/B14	12.1	89	5.6	115.74			B5		
	51.7	16	4.4	27.08			B5/B14	9.9	108	4.6	140.81			B5		
	43.1	19	3.7	32.49			B5/B14	8.0	134	3.7	174.26			B5		
	33.3	25	2.8	42.04			B5/B14	6.2	173	2.9	225.47			B5		
	31.2	26	2.6	44.89			B5/B14	5.3	202	2.5	262.05			B5		
	28.7	29	2.4	48.86			B5/B14	4.3	251	2.0	325.79			B5		
									3.7	291	1.7			378.64	B5	
0.12							0.18									
63A4 (1400 об/мин)	279	4	10.1	5.03	CMG002	B5/B14	63B4 (1400 об/мин)	279	6	6.8	5.03	CMG002	B5/B14			
	230	5	8.3	6.10			B5/B14	230	7	5.6	6.10			B5/B14		
	187	6	6.8	7.49			B5/B14	187	9	4.5	7.49			B5/B14		
	156	7	7.1	8.99			B5/B14	156	11	4.7	8.99			B5/B14		
	138	8	6.3	10.16			B5/B14	138	12	4.2	10.16			B5/B14		
	116	9	5.3	12.07			B5/B14	116	14	3.5	12.07			B5/B14		
	105	11	6.7	13.40			B5/B14	105	16	4.4	13.40			B5/B14		
	92.5	12	5.9	15.14			B5/B14	92.5	18	3.9	15.14			B5/B14		
	77.1	14	4.9	18.17			B5/B14	77.1	21	3.3	18.17			B5/B14		
	64.9	17	4.1	21.58			B5/B14	64.9	25	2.8	21.58			B5/B14		
	59.6	18	3.8	23.51			B5/B14	59.6	28	2.5	23.51			B5/B14		
	55.8	20	3.5	25.10			B5/B14	55.8	30	2.4	25.10			B5/B14		
	51.7	21	3.3	27.08			B5/B14	51.7	32	2.2	27.08			B5/B14		
	43.1	26	2.7	32.49			B5/B14	43.1	38	1.8	32.49			B5/B14		
	33.3	33	2.1	42.04			B5/B14	33.3	50	1.4	42.04			B5/B14		
	31.2	35	2.0	44.89			B5/B14	31.2	53	1.3	44.89			B5/B14		
	28.7	38	1.8	48.86			B5/B14	28.7	58	1.2	48.86			B5/B14		
	59.4	19	6.5	23.56			CMG012	B5								
	47.4	23	5.2	29.56					B5							
	39.5	28	4.3	35.47	B5											
	30.5	36	3.3	45.89	B5											
	28.6	39	3.1	49.00	B5											
	26.3	42	2.9	53.33	B5											

**CMG****ЦИЛИНДРИЧЕСКИЕ РЕДУКТОРЫ
HELICAL GEARBOXES****Таблицы выбора****Technical data**

P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i			P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i					
0.25							0.37									
71A4 (1400 об/мин)	19.2	117	4.3	72.83	CMG043	B5/B14	71B4 (1400 об/мин)	383	9	11.3	3.66	CMG022	B5/B14			
	14.4	156	3.2	97.45					316	11	9.3			4.43		B5/B14
	12.1	186	2.7	115.74					257	13	7.6			5.45		B5/B14
	9.9	226	2.2	140.81					189	18	6.7			7.39		B5/B14
	8.0	279	1.8	174.26					160	21	5.6			8.78		B5/B14
	6.2	361	1.4	225.47					141	24	5.0			9.93		B5/B14
	5.3	420	1.2	262.05					127	27	7.5			11.01		B5/B14
	4.3	522	1.0	325.79					116	29	6.8			12.05		B5
	3.7	607	0.8	378.64					106	32	6.2			13.21		B5
	21.7	103	8.7	64.48			CMG053	B5		94.6	36			5.6	14.81	
	18.7	120	7.5	74.96					81.9	41	3.9	17.10		B5/B14		
	17.3	130	6.9	81.07					76.7	44	3.6	18.26		B5/B14		
	16.2	138	6.5	86.24					69.7	49	4.1	20.08		B5/B14		
	12.9	174	5.2	108.43					58.7	58	3.5	23.85		B5/B14		
	10.9	207	4.4	128.84					46.8	73	2.8	29.93		B5/B14		
	8.1	276	3.3	172.32					39.0	87	2.3	35.91		B5/B14		
	7.5	298	3.0	186.17					30.1	113	1.8	46.46		B5/B14		
	6.5	347	2.6	216.19					28.2	120	1.7	49.61		B5/B14		
	5.6	399	2.3	248.99					25.9	131	1.5	54.00		B5/B14		
	4.8	464	1.9	289.15				21.9	152	1.3	64.01	CMG023	B5/B14			
								18.4	180	1.1	76.02		B5/B14			
								15.5	214	0.9	90.29		B5/B14			



0.37							0.37									
71B4 (1400 об/мин)	279	12	3.3	5.03	CMG002	B5/B14	71B4 (1400 об/мин)	374	9	16.5	3.74	CMG032	B5			
	230	15	2.7	6.10					311	11	13.7			4.50		B5
	187	18	2.2	7.49					255	13	11.3			5.48		B5
	156	22	2.3	8.99					222	15	11.8			6.31		B5
	138	25	2.0	10.16					177	19	9.4			7.93		B5
	116	29	1.7	12.07					154	22	8.2			9.08		B5
	105	32	2.2	13.40					128	26	6.8			10.93		B5
	92.5	37	1.9	15.14					111	31	8.2			12.60		B5
	77.1	44	1.6	18.17					105	32	7.8			13.30		B5
	64.9	52	1.3	21.58					91.5	37	7.6			15.30		B5
	59.6	57	1.2	23.51	CMG012	B5/B14		76.9	44	6.3	18.21		B5			
	55.8	61	1.2	25.10					72.8	47	6.0	19.24		B5		
	51.7	66	1.1	27.08					66.2	51	5.5	21.15		B5		
	43.1	79	0.9	32.49					56.0	61	5.0	24.99		B5		
	367	9	6.5	3.82					45.8	74	4.0	30.57		B5		
	302	11	5.3	4.63					40.9	83	3.6	34.20		B5		
	246	14	4.4	5.69					36.2	94	3.2	38.63		B5		
	181	19	4.3	7.72					31.7	107	2.8	44.18		B5		
	153	22	3.6	9.17					27.3	124	2.4	51.30		B5		
	143	24	3.4	9.81					23.0	147	2.0	60.80		B5		
	122	28	3.6	11.50				19.2	173	1.7	72.83	CMG033	B5/B14			
	118	29	3.5	11.90				14.4	231	1.3	97.45		B5/B14			
	101	33	3.6	13.80				12.1	275	1.1	115.74		B5/B14			
	95.7	35	3.4	14.62				9.9	334	0.9	140.81	B5/B14				
	78.4	43	2.8	17.86					19.2	173	2.9	72.83	CMG043	B5/B14		
	73.4	46	2.6	19.07				14.4	231	2.2	97.45	B5/B14				
	70.6	48	2.5	19.83				12.1	275	1.8	115.74	B5/B14				
	59.4	57	2.1	23.56				9.9	334	1.5	140.81	B5/B14				
	47.4	72	1.7	29.56				8.0	413	1.2	174.26	B5/B14				
	39.5	86	1.4	35.47				6.2	535	0.9	225.47	B5/B14				
	30.5	111	1.1	45.89								B5/B14				
	28.6	119	1.0	49.00								B5/B14				
	26.3	129	0.9	53.33								B5/B14				
	22.1	150	0.8	63.22	CMG013	B5/B14										

ЦИЛИНДРИЧЕСКИЕ РЕДУКТОРЫ HELICAL GEARBOXES CMG




Таблицы выбора

Technical data

P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i			P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i									
1.1							1.5													
90S4 (1400 об/мин)	374	27	5.6	3.74	CMG032	B5/B14	90L4 (1400 об/мин)	367	38	1.6	3.82	CMG012	B5/B14							
	311	32	4.6	4.50					302	45	1.3			4.63						
	255	39	3.8	5.48					246	56	1.1			5.69						
	222	45	4.0	6.31					181	76	1.1			7.72						
	177	57	3.2	7.93					153	90	0.9			9.17						
	154	65	2.8	9.08												CMG022	B5/B14			
	128	79	2.3	10.93					383	36	2.8			3.66						
	111	91	2.8	12.60					316	44	2.3			4.43						
	105	96	2.6	13.30					257	54	1.9			5.45						
	91.5	110	2.5	15.30					189	73	1.7			7.39						
	76.9	131	2.1	18.21					160	86	1.4			8.78						
	72.8	139	2.0	19.24					141	98	1.2			9.93						
	66.2	152	1.8	21.15					116	118	1.7			12.05						
	56.0	180	1.7	24.99					106	130	1.5			13.21						
	45.8	220	1.4	30.57					94.6	145	1.4			14.81						
	40.9	246	1.2	34.20					69.7	197	1.0			20.08						
	36.2	278	1.1	38.63					58.7	234	0.9			23.85						
	31.7	318	0.9	44.18																
	374	27	8.5	3.74			CMG042	B5/B14		374	37			4.1	3.74	CMG032	B5/B14			
	311	32	7.1	4.50							311			44	3.4			4.50		
	255	39	5.8	5.48							255			54	2.8			5.48		
	222	45	5.7	6.31							222			62	2.9			6.31		
	177	57	4.6	7.93							177			78	2.3			7.93		
	154	65	4.3	9.08							154			89	2.0			9.08		
	128	79	3.6	10.93							128			107	1.7			10.93		
	111	91	3.9	12.60							111			124	2.0			12.60		
	105	96	3.7	13.30							105			131	1.9			13.30		
	91.5	110	3.8	15.30							91.5			150	1.9			15.30		
	76.9	131	3.2	18.21							76.9			179	1.6			18.21		
	72.8	139	3.0	19.24							72.8			189	1.5			19.24		
	66.2	152	2.8	21.15							66.2			208	1.3			21.15		
	56.0	180	2.8	24.99							56.0			245	1.2			24.99		
	45.8	220	2.3	30.57							45.8			300	1.0			30.57		
	40.8	247	2.0	34.30							40.9			336	0.9			34.20		
	36.2	278	1.8	38.63							36.2			379	0.8			38.63		
	31.7	318	1.6	44.18																
	27.3	370	1.4	51.30							374			37	6.3			3.74	CMG042	B5/B14
	23.0	438	1.1	60.80					311	44	5.2	4.50								
							255	54	4.3	5.48										
							222	62	4.2	6.31										
							177	78	3.3	7.93										
							154	89	3.1	9.08										
							128	107	2.6	10.93										
							111	124	2.8	12.60										
							105	131	2.7	13.30										
							91.5	150	2.8	15.30										
							76.9	179	2.3	18.21										
							72.8	189	2.2	19.24										
							66.2	208	2.0	21.15										
							56.0	245	2.0	24.99										
							45.8	300	1.7	30.57										
							40.9	336	1.5	34.20										
							36.2	379	1.3	38.63										
							31.7	434	1.2	44.18										
							27.3	504	1.0	51.30										
	19.2	514	1.0	72.83	CMG043	B5/B14														
	371	27	15.1	3.78	CMG052	B5/B14														
	292	35	11.9	4.80																
	241	42	9.8	5.82																
	210	48	9.8	6.68																
	167	60	7.8	8.37																
	153	66	7.7	9.16																
	141	71	7.1	9.90																
	120	84	7.5	11.64																
	106	95	6.6	13.25																
	99.2	102	7.4	14.11																
	86.4	117	6.4	16.20																
	68.9	146	5.1	20.31																
	58.3	173	5.2	24.02																
	43.6	231	3.9	32.13																
	30.2	334	2.7	46.31																
	26.1	387	2.3	53.74																
	21.7	455	2.0	64.48	CMG053	B5/B14														
	18.7	529	1.7	74.96																
	17.3	572	1.6	81.07																
	16.2	608	1.5	86.24																
	12.9	765	1.2	108.43																
	10.9	909	1.0	128.84																

CMG





CMG

**ЦИЛИНДРИЧЕСКИЕ РЕДУКТОРЫ
HELICAL GEARBOXES**

Таблицы выбора

Technical data

P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i		
-------------------------	----------------------------	------------------------	----	---	---	---

P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i		
-------------------------	----------------------------	------------------------	----	---	---	---

1.5							
90L4 (1400 об/мин)	371	37	11.1	3.78	CMG052	B5/B14	
	292	47	8.7	4.80		B5/B14	
	241	57	7.2	5.82		B5/B14	
	210	66	7.2	6.68		B5/B14	
	167	82	5.7	8.37		B5/B14	
	153	90	5.7	9.16		B5/B14	
	141	97	5.2	9.90		B5/B14	
	120	114	5.5	11.64		B5/B14	
	106	130	4.8	13.25		B5/B14	
	99.2	139	5.4	14.11		B5/B14	
	86.4	159	4.7	16.20		B5/B14	
	68.9	199	3.8	20.31		B5/B14	
	58.3	236	3.8	24.02		B5/B14	
	43.6	316	2.9	32.13		B5/B14	
	30.2	455	2.0	46.31		B5/B14	
	26.1	528	1.7	53.74		B5/B14	
	21.7	620	1.5	64.48		CMG053	B5/B14
	18.7	721	1.2	74.96			B5/B14
	17.3	780	1.2	81.07			B5/B14
16.2	829	1.1	86.24	B5/B14			
12.9	1043	0.9	108.43	B5/B14			

1.85							
90LB4 (1400 об/мин)	56.0	303	1.7	24.99	CMG042	B5/B14	
	45.8	370	1.3	30.57		B5/B14	
	40.9	414	1.2	34.20		B5/B14	
	36.2	468	1.1	38.63		B5/B14	
	31.7	535	0.9	44.18		B5/B14	
	27.3	621	0.8	51.30		B5/B14	
	371	46	9.0	3.78		CMG052	B5/B14
	292	58	7.1	4.80			B5/B14
	241	70	5.8	5.82			B5/B14
	210	81	5.8	6.68			B5/B14
	167	101	4.6	8.37			B5/B14
	153	111	4.6	9.16			B5/B14
	141	120	4.3	9.90			B5/B14
	120	141	4.5	11.64			B5/B14
	106	160	3.9	13.25			B5/B14
	99.2	171	4.4	14.11			B5/B14
	86.4	196	3.8	16.20			B5/B14
	68.9	246	3.0	20.31			B5/B14
	58.3	291	3.1	24.02			B5/B14
43.6	389	2.3	32.13	B5/B14			
30.2	561	1.6	46.31	B5/B14			
26.1	651	1.4	53.74	B5/B14			
21.7	765	1.2	64.48	CMG053	B5/B14		
18.7	889	1.0	74.96		B5/B14		
17.3	962	0.9	81.07		B5/B14		
16.2	1023	0.9	86.24		B5/B14		

1.85								
90LB4 (1400 об/мин)	367	46	1.3	3.82	CMG012	B5/B14		
	302	56	1.1	4.63		B5/B14		
	383	44	2.3	3.66		CMG022	B5/B14	
	316	54	1.9	4.43			B5/B14	
	257	66	1.5	5.45			B5/B14	
	189	90	1.3	7.39			B5/B14	
	160	106	1.1	8.78			B5/B14	
	141	120	1.0	9.93			B5/B14	
	116	146	1.4	12.05			B5/B14	
	106	160	1.2	13.21			B5/B14	
	94.6	179	1.1	14.81			B5/B14	
	374	45	3.3	3.74			CMG032	B5/B14
	311	55	2.7	4.50				B5/B14
	255	66	2.3	5.48				B5/B14
	222	76	2.4	6.31				B5/B14
	177	96	1.9	7.93				B5/B14
	154	110	1.6	9.08				B5/B14
	128	132	1.4	10.93				B5/B14
	111	153	1.6	12.60				B5/B14
105	161	1.6	13.30	B5/B14				
91.5	185	1.5	15.30	B5/B14				
76.9	221	1.3	18.21	B5/B14				
72.8	233	1.2	19.24	B5/B14				
66.2	256	1.1	21.15	B5/B14				
56.0	303	1.0	24.99	B5/B14				
45.8	370	0.8	30.57	B5/B14				
374	45	5.1	3.74	CMG042	B5/B14			
311	55	4.2	4.50		B5/B14			
255	66	3.5	5.48		B5/B14			
222	76	3.4	6.31		B5/B14			
177	96	2.7	7.93		B5/B14			
154	110	2.5	9.08		B5/B14			
128	132	2.1	10.93		B5/B14			
111	153	2.3	12.60		B5/B14			
105	161	2.2	13.30		B5/B14			
91.5	185	2.3	15.30		B5/B14			
76.9	221	1.9	18.21		B5/B14			
72.8	233	1.8	19.24		B5/B14			



2.2							
100LA4 (1400 об/мин)	374	54	2.8	3.74	CMG032	B5/B14	
	311	65	2.3	4.50		B5/B14	
	255	79	1.9	5.48		B5/B14	
	222	91	2.0	6.31		B5/B14	
	177	114	1.6	7.93		B5/B14	
	154	131	1.4	9.08		B5/B14	
	128	157	1.1	10.93		B5/B14	
	111	182	1.4	12.60		B5/B14	
	105	192	1.3	13.30		B5/B14	
	91.5	220	1.3	15.30		B5/B14	
	76.9	262	1.1	18.21		B5/B14	
	72.8	277	1.0	19.24		B5/B14	
	66.2	305	0.9	21.15		B5/B14	
	56.0	360	0.8	24.99		B5/B14	
	374	54	4.3	3.74		CMG042	B5/B14
	311	65	3.5	4.50			B5/B14
	255	79	2.9	5.48			B5/B14
	222	91	2.9	6.31			B5/B14
	177	114	2.3	7.93			B5/B14
154	131	2.1	9.08	B5/B14			
128	157	1.8	10.93	B5/B14			
111	182	1.9	12.60	B5/B14			
105	192	1.8	13.30	B5/B14			
91.5	220	1.9	15.30	B5/B14			
76.9	262	1.6	18.21	B5/B14			
72.8	277	1.5	19.24	B5/B14			
56.0	360	1.4	24.99	B5/B14			
45.8	440	1.1	30.57	B5/B14			
40.8	494	1.0	34.30	B5/B14			
36.2	557	0.9	38.63	B5/B14			

ЦИЛИНДРИЧЕСКИЕ РЕДУКТОРЫ HELICAL GEARBOXES CMG



Таблицы выбора

Technical data

P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i			P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i		
2.2							4						
100LA4 (1400 об/мин)	371 292 241 210 167 153 141 120 106 99.2 86.4 68.9 58.3 43.6 30.2 26.1	54 69 84 96 121 132 143 168 191 203 233 293 346 463 667 774	7.5 5.9 4.9 4.9 3.9 3.9 3.6 3.8 3.3 3.7 3.2 2.6 2.6 1.9 1.3 1.2	3.78 4.80 5.82 6.68 8.37 9.16 9.90 11.64 13.25 14.11 16.20 20.31 24.02 32.13 46.31 53.74	CMG052	B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14	112M4 (1400 об/мин)	374 311 255 222 177	98 118 144 165 208	1.5 1.3 1.0 1.1 0.9	3.74 4.50 5.48 6.31 7.93	CMG032	B5/B14 B5/B14 B5/B14 B5/B14
	21.7 18.7	910 1057	1.0 0.9	64.48 74.96	CMG053	B5/B14 B5/B14	371 292 241 210 167 153 141 120 106 99.2 86.4 68.9 58.3 43.6	99 126 152 175 219 240 259 305 347 370 424 532 629 842	4.1 3.3 2.7 2.7 2.1 2.1 2.0 2.1 1.8 2.0 1.8 1.4 1.4 1.1	3.78 4.80 5.82 6.68 8.37 9.16 9.90 11.64 13.25 14.11 16.20 20.31 24.02 32.13	CMG052	B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14	
3							5.5						
100LB4 (1400 об/мин)	374 311 255 222 177 154 128 111 105 91.5	74 88 108 124 156 178 215 248 261 301	2.0 1.7 1.4 1.5 1.2 1.0 0.8 1.0 1.0 0.9	3.74 4.50 5.48 6.31 7.93 9.08 10.93 12.60 13.30 15.30	CMG032	B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14	132S4 (1400 об/мин)	371 292 241 210 167 153 141 120 106 99.2 86.4 68.9 58.3	136 173 210 241 302 330 357 419 477 508 583 731 865	3.0 2.4 2.0 2.0 1.6 1.5 1.4 1.5 1.3 1.5 1.3 1.0 1.0	3.78 4.80 5.82 6.68 8.37 9.16 9.90 11.64 13.25 14.11 16.20 20.31 24.02	CMG052	B5 B5 B5 B5 B5 B5 B5 B5 B5 B5 B5 B5
	374 311 255 222 177 154 128 111 105 91.5 76.9 72.8 56.0 45.8	74 88 108 124 156 178 215 248 261 301	3.1 2.6 2.1 2.1 1.7 1.6 1.3 1.4 1.3 1.4	3.74 4.50 5.48 6.31 7.93 9.08 10.93 12.60 13.30 15.30	CMG042	B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14	132MA4	371 292 241 210 167 153 141 120 106 99.2 86.4 68.9 58.3	185 236 286 328 411 450 486 572 651 693 796	2.2 1.7 1.4 1.4 1.1 1.1 1.0 1.1 1.0 1.1 0.9	3.78 4.80 5.82 6.68 8.37 9.16 9.90 11.64 13.25 14.11 16.20	CMG052	B5 B5 B5 B5 B5 B5 B5 B5 B5 B5 B5
	371 292 241 210 167 153 141 120 106 99.2 86.4 68.9 58.3 43.6 30.2 26.1	74 94 114 131 164 180 195 229 260 277 318 399 472 631 910 1056	5.5 4.3 3.6 3.6 2.9 2.8 2.6 2.8 2.4 2.7 2.4 1.9 1.9 1.4 1.0 0.9	3.78 4.80 5.82 6.68 8.37 9.16 9.90 11.64 13.25 14.11 16.20 20.31 24.02 32.13 46.31 53.74	CMG052	B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14 B5/B14							

CMG