

**CM/CMR****ЧЕРВЯЧНЫЕ РЕДУКТОРЫ**
WORMGEARBOXES**ПРОМЫШЛЕННЫЕ**
РЕДУКТОРЫ**Таблицы выбора****Technical data**

P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i				P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i			
-------------------------	----------------------------	------------------------	----	---	--	--	--	-------------------------	----------------------------	------------------------	----	---	--	--	--

0.06

56A4 (1400 об/мин)	280	2	7.3	5	CM026		B14
	187	3	5.4	7.5	CM026		B14
	140	3	4.1	10	CM026		B14
	93	5	2.9	15	CM026		B14
	70	6	2.3	20	CM026		B14
	47	8	1.9	30	CM026		B14
	35	10	1.4	40	CM026		B14
	28	12	1.1	50	CM026		B14
	23	13	0.9	60	CM026		B14
	280	2	10.2	5	CM030		B5/B14
	187	3	7.7	7.5	CM030		B5/B14
	140	3	6.1	10	CM030		B5/B14
	93	5	4.3	15	CM030		B5/B14
	70	6	3.1	20	CM030		B5/B14
	56	7	2.7	25	CM030		B5/B14
	47	8	2.7	30	CM030		B5/B14
	35	10	2.0	40	CM030		B5/B14
	28	12	1.6	50	CM030		B5/B14
	23	14	1.3	60	CM030		B5/B14
	23	16	1.6	60		CMR056/030	B14
	19	19	1.4	75		CMR056/030	B14
	18	16	1.0	80	CM030		B5/B14
	16	21	1.5	90		CMR056/030	B14
	14	18	0.8	100	CM030		B5/B14
	12	26	1.1	120		CMR056/030	B14
	9.3	29	0.9	150		CMR056/030	B14
	28	12	3.2	50	CM040		B5/B14
	23	14	2.5	60	CM040		B5/B14
	23	17	3.4	60		CMR056/040	B14
	19	20	2.6	75		CMR056/040	B14
	18	17	1.9	80	CM040		B5/B14
	16	23	3.1	90		CMR056/040	B14
	14	19	1.6	100	CM040		B5/B14
	12	28	2.2	120		CMR056/040	B14
	9.3	32	1.8	150		CMR056/040	B14
	7.8	35	1.5	180		CMR056/040	B14
	5.8	41	1.1	240		CMR056/040	B14
	4.7	46	0.9	300		CMR056/040	B14

0.09

56A2 (1400 об/мин)	31	17	1.6	90	CM030	CMP056/030	B14	
	28	16	0.7	100		B5/B14		
	23	21	1.1	120		CMP056/030	B14	
	19	24	0.9	150		CMP056/030	B14	
	47	13	3.4	60		CMP056/040	B14	
	37	16	2.8	75		CMP056/040	B14	
	31	18	3.1	90		CMP056/040	B14	
	23	22	2.2	120		CMP056/040	B14	
	19	26	1.8	150		CMP056/040	B14	
	16	29	1.5	180		CMP056/040	B14	
	12	33	1.2	240		CMP056/040	B14	
	9.3	37	1.0	300		CMP056/040	B14	
	56B4 (1400 об/мин)	280	3	4.9	5	CM026		B14
		187	4	3.6	7.5	CM026		B14
		140	5	2.7	10	CM026		B14
		93	7	1.9	15	CM026		B14
70		9	1.5	20	CM026	B14		
47		12	1.2	30	CM026	B14		
35		15	0.9	40	CM026	B14		
28		17	0.7	50	CM026	B14		
280		3	6.8	5	CM030		B5/B14	
187		4	5.1	7.5	CM030		B5/B14	
140		5	4.1	10	CM030		B5/B14	
93		7	2.9	15	CM030		B5/B14	
70		9	2.1	20	CM030		B5/B14	
56		11	1.8	25	CM030		B5/B14	
47		12	1.8	30	CM030		B5/B14	
35		15	1.3	40	CM030		B5/B14	
28		18	1.1	50	CM030		B5/B14	
23		20	0.8	60	CM030		B5/B14	
23		24	1.1	60	CM030		CMP056/030	B14
19		29	0.9	75			CMP056/030	B14
18		24	0.6	80			B5/B14	
16		32	1.0	90			CMP056/030	B14
12		38	0.8	120	CMP056/030		B14	
28		18	2.1	50	CM040			B5/B14
23		21	1.7	60		B5/B14		
23		25	2.3	60	CM040	CMP056/040		B14
19		30	1.7	75		CMP056/040		B14
18		26	1.3	80	CM040	B5/B14		
16		34	2.1	90	CM040	CMP056/040	B14	
14		28	1.1	100		B5/B14		
12		42	1.5	120		CMP056/040	B14	
9.3		48	1.2	150		CMP056/040	B14	
7.8	53	1.0	180	CMP056/040		B14		
5.8	62	0.8	240	CMP056/040		B14		
63A6 (900 об/мин)	180	4	5.2	5	CM030		B5/B14	
	120	6	4.0	7.5	CM030		B5/B14	
	90	8	3.1	10	CM030		B5/B14	
	60	11	2.3	15	CM030		B5/B14	
	45	14	1.6	20	CM030		B5/B14	
	36	16	1.4	25	CM030		B5/B14	
	30	18	1.5	30	CM030		B5/B14	
	23	22	1.0	40	CM030		B5/B14	
	18	25	0.9	50	CM030		B5/B14	

0.09

56A2 (2800 об/мин)	560	1	7.3	5	CM026		B14
	373	2	5.5	7.5	CM026		B14
	280	3	4.2	10	CM026		B14
	187	4	2.9	15	CM026		B14
	140	5	2.2	20	CM026		B14
	93	7	1.8	30	CM026		B14
	70	8	1.3	40	CM026		B14
	56	10	1.0	50	CM026		B14
	47	11	0.8	60	CM026		B14
	140	5	2.8	20	CM030		B5/B14
	112	6	2.5	25	CM030		B5/B14
	93	7	2.6	30	CM030		B5/B14
	70	9	1.9	40	CM030		B5/B14
	56	10	1.5	50	CM030		B5/B14
	47	11	1.2	60	CM030		B5/B14
	47	13	1.7	60		CMR056/030	B14
	37	15	1.4	75		CMR056/030	B14
	35	14	0.9	80	CM030		B5/B14



Таблицы выбора

Technical data

P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i				P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i					
0.09								0.12									
63A6 (900 об/мин)	45	14	3.2	20	CM040		B5/B14	56B2 (2800 об/мин)	35	20	1.4	80	CM040		B5/B14		
	36	17	2.6	25	CM040		B5/B14		31	24	2.4	90	CM040	CMP056/040	B14		
	30	19	3.0	30	CM040		B5/B14		28	23	1.0	100	CM040		B5/B14		
	23	23	2.1	40	CM040		B5/B14		23	29	1.7	120		CMP056/040	B14		
	18	27	1.7	50	CM040		B5/B14		19	34	1.3	150		CMP056/040	B14		
	15	30	1.4	60	CM040		B5/B14		16	38	1.1	180		CMP056/040	B14		
	15	38	1.8	60		CMP063/040	B14		12	44	0.9	240		CMP056/040	B14		
	12	45	1.3	75		CMP063/040	B14										
	11	35	1.1	80	CM040		B5/B14		63A4 (1400 об/мин)	280	4	5.1	5	CM030		B5/B14	
	10	48	1.7	90		CMP063/040	B14			187	5	3.8	7.5	CM030		B5/B14	
	9	39	0.9	100	CM040		B5/B14			140	7	3.1	10	CM030		B5/B14	
	7.5	58	1.1	120		CMP063/040	B14			93	10	2.2	15	CM030		B5/B14	
										70	12	1.5	20	CM030		B5/B14	
	15	32	2.4	60	CM050		B5/B14			56	15	1.4	25	CM030		B5/B14	
	15	38	3.2	60		CMP063/050	B14			47	16	1.3	30	CM030		B5/B14	
	12	45	2.5	75		CMP063/050	B14			35	20	1.0	40	CM030		B5/B14	
	11	37	1.9	80	CM050		B5/B14			28	24	0.8	50	CM030		B5/B14	
	10	49	3.0	90		CMP063/050	B14										
	9	41	1.6	100	CM050		B5/B14			280	4	11.4	5	CM040		B5/B14	
	7.5	60	2.0	120		CMP063/050	B14			187	5	8.3	7.5	CM040		B5/B14	
	6.0	67	1.7	150		CMP063/050	B14			140	7	6.5	10	CM040		B5/B14	
	5.0	74	1.4	180		CMP063/050	B14			93	10	4.5	15	CM040		B5/B14	
	3.8	85	1.0	240		CMP063/050	B14			70	13	3.1	20	CM040		B5/B14	
										56	15	2.5	25	CM040		B5/B14	
	6.0	70	3.0	150		CMP063/063	B14			47	17	2.8	30	CM040		B5/B14	
	5.0	77	2.5	180		CMP063/063	B14			35	21	2.0	40	CM040		B5/B14	
	3.8	90	1.9	240		CMP063/063	B14			28	25	1.6	50	CM040		B5/B14	
	3.0	98	1.5	300		CMP063/063	B14			23	28	1.3	60	CM040		B5/B14	
56B2 (2800 об/мин)	560	2	5.5	5	CM026		B14	63B6 (900 об/мин)		180	5	3.9	5	CM030		B5/B14	
	373	3	4.1	7.5	CM026		B14			120	8	3.0	7.5	CM030		B5/B14	
	280	3	3.2	10	CM026		B14			90	10	2.3	10	CM030		B5/B14	
	187	5	2.2	15	CM026		B14			60	14	1.7	15	CM030		B5/B14	
	140	7	1.7	20	CM026		B14			45	18	1.2	20	CM030		B5/B14	
	93	9	1.3	30	CM026		B14			36	22	1.0	25	CM030		B5/B14	
	70	11	1.0	40	CM026		B14			30	24	1.1	30	CM030		B5/B14	
	56	13	0.8	50	CM026		B14			23	30	0.8	40	CM030		B5/B14	
	560	2	7.1	5	CM030		B5/B14										
	373	3	5.6	7.5	CM030		B5/B14										
	280	4	4.5	10	CM030		B5/B14										
	187	5	3.1	15	CM030		B5/B14										
	140	7	2.1	20	CM030		B5/B14										
	112	8	1.9	25	CM030		B5/B14										
	93	9	2.0	30	CM030		B5/B14										
	70	11	1.4	40	CM030		B5/B14										
	56	13	1.1	50	CM030		B5/B14										
	47	15	0.9	60	CM030		B5/B14										
	47	17	1.3	60		CMP056/030	B14		9.3	69	2.8	150		CMP063/063	B14		
	37	20	1.1	75		CMP056/030	B14		7.8	77	2.3	180		CMP063/063	B14		
	31	22	1.2	90		CMP056/030	B14		5.8	90	1.7	240		CMP063/063	B14		
	23	28	0.8	120		CMP056/030	B14		4.7	101	1.4	300		CMP063/063	B14		
	93 (900 об/мин)	93	9	4.0	30	CM040			B5/B14	56B2 (2800 об/мин)	35	22	3.5	40	CM050		B5/B14
		70	12	2.8	40	CM040			B5/B14		28	26	2.8	50	CM050		B5/B14
		56	14	2.3	50	CM040			B5/B14		23	29	2.3	60	CM050		B5/B14
		47	16	1.8	60	CM040			B5/B14		23	34	3.0	60		CMP063/050	B14
		47	18	2.5	60		CMP056/040		B5/B14		19	40	2.3	75		CMP063/050	B14
		37	20	1.1	75		CMP056/030		B14		18	35	1.7	80	CM050		B5/B14
31		22	1.2	90		CMP056/030	B14	16	47		2.7	90		CMP063/050	B14		
23		28	0.8	120		CMP056/030	B14	14	40		1.4	100	CM050		B5/B14		
								12	57		1.9	120		CMP063/050	B14		
								9.3	66		1.6	150		CMP063/050	B14		
								7.8	74		1.3	180		CMP063/050	B14		
56B2 (2800 об/мин)	560	2	5.5	5	CM026		B14	63B6 (900 об/мин)	180	5	3.9	5	CM030		B5/B14		
	373	3	4.1	7.5	CM026		B14		120	8	3.0	7.5	CM030		B5/B14		
	280	3	3.2	10	CM026		B14		90	10	2.3	10	CM030		B5/B14		
	187	5	2.2	15	CM026		B14		60	14	1.7	15	CM030		B5/B14		
	140	7	1.7	20	CM026		B14		45	18	1.2	20	CM030		B5/B14		
	93	9	1.3	30	CM026		B14		36	22	1.0	25	CM030		B5/B14		
	70	11	1.0	40	CM026		B14		30	24	1.1	30	CM030		B5/B14		
	56	13	0.8	50	CM026		B14		23	30	0.8	40	CM030		B5/B14		
	560	2	7.1	5	CM030		B5/B14										
	373	3	5.6	7.5	CM030		B5/B14										
	280	4	4.5	10	CM030		B5/B14										

**CM/CMP****ЧЕРВЯЧНЫЕ РЕДУКТОРЫ**
WORMGEARBOXES**ПРОМЫШЛЕННЫЕ**
РЕДУКТОРЫ**Таблицы выбора****Technical data**

P_1 [кВт]	n_2 [об/мин]	M_2 [Нм]	sf	i				P_1 [кВт]	n_2 [об/мин]	M_2 [Нм]	sf	i			
0.12								0.18							
63B6 (900 об/мин)	60	15	3.7	15	CM040		B5/B14	63A2 (2800 об/мин)	35	30	1.5	80	CM050		B5/B14
	45	19	2.4	20	CM040		B5/B14		31	37	2.7	90	CM050	CMP063/050	B14
	36	22	2.0	25	CM040		B5/B14		28	36	1.2	100	CM050	CMP063/050	B5/B14
	30	25	2.2	30	CM040		B5/B14		23	45	1.9	120		CMP063/050	B14
	23	31	1.6	40	CM040		B5/B14		19	53	1.5	150		CMP063/050	B14
	18	36	1.3	50	CM040		B5/B14		16	60	1.3	180		CMP063/050	B14
	15	40	1.1	60	CM040		B5/B14		12	69	1.0	240		CMP063/050	B14
	15	50	1.3	60		CMP063/040	B14		19	55	2.7	150		CMP063/063	B14
	12	60	1.0	75		CMP063/040	B14		16	63	2.3	180		CMP063/063	B14
	11	47	0.9	80	CM040		B5/B14		12	75	1.7	240		CMP063/063	B14
	10	64	1.3	90		CMP063/040	B14		9.3	85	1.4	300		CMP063/063	B14
	7.5	78	0.9	120		CMP063/040	B14								
	30	26	3.8	30	CM050		B5/B14	63B4 (1400 об/мин)	280	5	3.4	5	CM030		B5/B14
	23	32	2.7	40	CM050		B5/B14		187	8	2.6	7.5	CM030		B5/B14
	18	38	2.2	50	CM050		B5/B14		140	10	2.0	10	CM030		B5/B14
	15	42	1.8	60	CM050		B5/B14		93	15	1.4	15	CM030		B5/B14
	15	51	2.4	60		CMP063/050	B14		70	18	1.0	20	CM030		B5/B14
	12	60	1.9	75		CMP063/050	B14		56	22	0.9	25	CM030		B5/B14
	11	49	1.4	80	CM050		B5/B14		47	25	0.9	30	CM030		B5/B14
	10	65	2.2	90		CMP063/050	B14						CM030		
	9	55	1.2	100	CM050		B5/B14		280	5	7.6	5	CM040		B5/B14
	7.5	79	1.5	120		CMP063/050	B14		187	8	5.6	7.5	CM040		B5/B14
	6.0	90	1.3	150		CMP063/050	B14		140	10	4.4	10	CM040		B5/B14
	5.0	99	1.0	180		CMP063/050	B14		93	15	3.0	15	CM040		B5/B14
	3.8	114	0.8	240		CMP063/050	B14		70	19	2.1	20	CM040		B5/B14
	7.5	81	2.9	120		CMP063/063	B14		56	23	1.7	25	CM040		B5/B14
	6.0	94	2.2	150		CMP063/063	B14		47	26	1.9	30	CM040		B5/B14
	5.0	103	1.9	180		CMP063/063	B14		35	32	1.3	40	CM040		B5/B14
	3.8	120	1.4	240		CMP063/063	B14		28	37	1.1	50	CM040		B5/B14
	3.0	131	1.1	300		CMP063/063	B14		23	43	0.8	60	CM040		B5/B14
									23	51	1.1	60		CMP063/040	B14
									19	60	0.9	75		CMP063/040	B14
									16	68	1.0	90		CMP063/040	B14
0.18								0.18							
63A2 (2800 об/мин)	560	3	4.8	5	CM030		B5/B14	63B4 (1400 об/мин)	35	33	2.3	40	CM050		B5/B14
	373	4	3.7	7.5	CM030		B5/B14		28	39	1.9	50	CM050		B5/B14
	280	5	3.0	10	CM030		B5/B14		23	44	1.6	60	CM050		B5/B14
	187	8	2.1	15	CM030		B5/B14		23	51	2.0	60		CMP063/050	B14
	140	10	1.4	20	CM030		B5/B14		19	60	1.5	75		CMP063/050	B14
	112	12	1.3	25	CM030		B5/B14		18	53	1.1	80	CM050		B5/B14
	93	14	1.3	30	CM030		B5/B14		16	70	1.8	90		CMP063/050	B14
	70	17	0.9	40	CM030		B5/B14		14	60	0.9	100	CM050		B5/B14
	56	20	0.8	50	CM030		B5/B14		12	85	1.3	120		CMP063/050	B14
	140	10	3.0	20	CM040		B5/B14		9.3	99	1.0	150		CMP063/050	B14
	112	12	2.3	25	CM040		B5/B14		7.8	110	0.9	180		CMP063/050	B14
	93	14	2.7	30	CM040		B5/B14								
	70	18	1.9	40	CM040		B5/B14		23	46	2.7	60	CM063		B5
	56	21	1.5	50	CM040		B5/B14		23	53	3.6	60		CMP063/063	B14
	47	24	1.2	60	CM040		B5/B14		19	63	2.7	75		CMP063/063	B14
	47	27	1.7	60		CMP063/040	B14		18	56	2.1	80	CM063		B5
	37	32	1.4	75		CMP063/040	B14		16	69	3.4	90		CMP063/063	B14
	35	29	0.9	80	CM040		B5/B14		14	64	1.8	100	CM063		B5
	31	36	1.6	90		CMP063/040	B14		12	87	2.4	120		CMP063/063	B14
	23	43	1.1	120		CMP063/040	B14		9.3	103	1.9	150		CMP063/063	B14
	56	22	2.6	50	CM050		B5/B14		7.8	115	1.6	180		CMP063/063	B14
	47	25	2.1	60	CM050		B5/B14		5.8	136	1.1	240		CMP063/063	B14
	47	27	3.0	60		CMP063/050	B14		4.7	152	0.9	300		CMP063/063	B14
	37	32	2.3	75		CMP063/050	B14								



Таблицы выбора

Technical data

P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i				P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i				
0.18								0.22								
71A6 (900 об/мин)	180	8	5.7	5	CM040		B5/B14	63C4 (1400 об/мин)	35	40	1.9	40	CM050		B5/B14	
	120	12	4.2	7.5	CM040		B5/B14		28	47	1.5	50	CM050		B5/B14	
	90	16	3.3	10	CM040		B5/B14		23	54	1.3	60	CM050		B5/B14	
	60	22	2.4	15	CM040		B5/B14		23	63	1.6	60		CMP063/050	B14	
	45	28	1.6	20	CM040		B5/B14		19	74	1.2	75		CMP063/050	B14	
	36	33	1.3	25	CM040		B5/B14		18	65	0.9	80	CM050		B5/B14	
	30	38	1.5	30	CM040		B5/B14		16	86	1.5	90		CMP063/050	B14	
	23	46	1.0	40	CM040		B5/B14		14	74	0.8	100	CM050		B5/B14	
									12	104	1.1	120		CMP063/050	B14	
									9.3	121	0.9	150		CMP063/050	B14	
	36	34	2.2	25	CM050		B5/B14									
	30	39	2.5	30	CM050		B5/B14		23	57	2.2	60	CM063		B5	
	23	47	1.8	40	CM050		B5/B14		23	64	2.9	60		CMP063/063	B14	
	18	56	1.4	50	CM050		B5/B14		19	77	2.2	75		CMP063/063	B14	
	15	63	1.2	60	CM050		B5/B14		18	68	1.7	80	CM063		B5	
	15	76	1.6	60		CMP071/050	B14		16	85	2.8	90		CMP063/063	B14	
	12	90	1.2	75		CMP071/050	B14		14	78	1.5	100	CM063		B5	
	11	73	0.9	80	CM050		B5/B14		12	106	1.9	120		CMP063/063	B14	
	10	98	1.5	90		CMP071/050	B14		9.3	126	1.5	150		CMP063/063	B14	
									7.8	140	1.3	180		CMP063/063	B14	
	15	66	2.1	60	CM063		B5/B14		5.8	166	0.9	240		CMP063/063	B14	
	15	75	3.1	60		CMP071/063	B14		4.7	185	0.8	300		CMP063/063	B14	
	12	88	2.3	75		CMP071/063	B14									
	11	79	1.6	80	CM063		B5/B14									
	10	101	2.8	90		CMP071/063	B14									
	9	90	1.4	100	CM063		B5/B14									
	7.5	121	1.9	120		CMP071/063	B14									
	6.0	140	1.5	150		CMP071/063	B14									
	5.0	155	1.3	180		CMP071/063	B14									
	11	84	2.5	80	CM075		B5	0.25	63B2 (2800 об/мин)	560	4	3.4	5	CM030		B5/B14
	9	96	2.0	100	CM075		B5			373	6	2.7	7.5	CM030		B5/B14
	7.5	128	3.0	120		CMP071/075	B14			280	7	2.2	10	CM030		B5/B14
	6.0	149	2.3	150		CMP071/075	B14			187	11	1.5	15	CM030		B5/B14
	5.0	165	1.9	180		CMP071/075	B14			140	14	1.0	20	CM030		B5/B14
	3.8	193	1.4	240		CMP071/075	B14			112	17	0.9	25	CM030		B5/B14
	3.0	213	1.1	300		CMP071/075	B14			93	19	1.0	30	CM030		B5/B14
	5.0	179	2.9	180		CMP071/090	B14			140	14	2.2	20	CM040		B5/B14
	3.8	211	2.1	240		CMP071/090	B14			112	17	1.6	25	CM040		B5/B14
	3.0	236	1.7	300		CMP071/090	B14			93	20	1.9	30	CM040		B5/B14
										70	25	1.4	40	CM040		B5/B14
										56	29	1.1	50	CM040		B5/B14
										47	34	0.9	60	CM040		B5/B14
0.22										47	37	1.2	60		CMP063/040	B14
										37	44	1.0	75		CMP063/040	B14
										31	50	1.1	90		CMP063/040	B14
										23	60	0.8	120		CMP063/040	B14
										47	35	1.5	60	CM050		B5/B14
										47	38	2.1	60		CMP063/050	B14
										37	45	1.7	75		CMP063/050	B14
										35	42	1.1	80	CM050		B5/B14
										31	51	1.9	90		CMP063/050	B14
										28	49	0.9	100	CM050		B5/B14
										23	62	1.4	120		CMP063/050	B14
										19	74	1.1	150		CMP063/050	B14
										16	83	0.9	180		CMP063/050	B14
										47	39	3.9	60		CMP063/063	B14
										37	47	2.9	75		CMP063/063	B14
										35	44	2.0	80	CM063		B5
										31	53	3.5	90		CMP063/063	B14
										28	51	1.6	100	CM063		B5

Таблицы выбора

Technical data

P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i				P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i				
0.25								0.25								
63B2 (2800 об/мин)	23	65	2.5	120		CMP063/063	B14	71B6 (900 об/мин)	45	40	2.0	20	CM050		B5/B14	
	19	76	2.0	150		CMP063/063	B14		36	48	1.6	25	CM050		B5/B14	
	16	87	1.6	180		CMP063/063	B14		30	54	1.8	30	CM050		B5/B14	
	12	104	1.2	240		CMP063/063	B14		23	66	1.3	40	CM050		B5/B14	
	9.3	118	1.0	300		CMP063/063	B14		18	78	1.0	50	CM050		B5/B14	
71A4 (1400 об/мин)	280	8	5.5	5	CM040		B5/B14	15	88	0.9	60	CM050			B5/B14	
	187	11	4.0	7.5	CM040		B5/B14	15	106	1.2	60		CMP071/050		B14	
	140	14	3.1	10	CM040		B5/B14	12	125	0.9	75		CMP071/050		B14	
	93	21	2.2	15	CM040		B5/B14	10	136	1.1	90		CMP071/050		B14	
	70	27	1.5	20	CM040		B5/B14	18	81	1.9	50	CM063		B5/B14		
	56	32	1.2	25	CM040		B5/B14	15	92	1.5	60	CM063		B5/B14		
	47	36	1.3	30	CM040		B5/B14	15	105	2.2	60		CMP071/063		B14	
	35	44	0.9	40	CM040		B5/B14	12	123	1.7	75		CMP071/063		B14	
	70	27	2.7	20	CM050		B5/B14	11	110	1.2	80	CM063		B5/B14		
	56	32	2.2	25	CM050		B5/B14	10	140	2.0	90		CMP071/063		B14	
	47	37	2.4	30	CM050		B5/B14	9	125	1.0	100	CM063		B5/B14		
	35	46	1.7	40	CM050		B5/B14	7.5	168	1.4	120		CMP071/063		B14	
	28	54	1.3	50	CM050		B5/B14	6.0	195	1.1	150		CMP071/063		B14	
	23	61	1.1	60	CM050		B5/B14	5.0	215	0.9	180		CMP071/063		B14	
	23	71	1.4	60		CMP071/050		B14	15	97	2.4	60	CM075		B5	
	19	84	1.1	75		CMP071/050		B14	15	108	3.6	60		CMP071/075		B14
	18	74	0.8	80	CM050		B5/B14	12	129	2.7	75		CMP071/075		B14	
	16	98	1.3	90		CMP071/050		B14	11	117	1.8	80	CM075		B5	
	28	56	2.4	50	CM063		B5/B14	10	147	3.1	90		CMP071/075		B14	
	23	64	2.0	60	CM063		B5/B14	9	133	1.5	100	CM075		B5		
	23	73	2.6	60		CMP071/063		B14	7.5	178	2.2	120		CMP071/075		B14
	19	88	2.0	75		CMP071/063		B14	6.0	207	1.6	150		CMP071/075		B14
	18	78	1.5	80	CM063		B5/B14	5.0	229	1.4	180		CMP071/075		B14	
	16	96	2.4	90		CMP071/063		B14	3.8	268	1.0	240		CMP071/075		B14
	14	89	1.3	100	CM063		B5/B14	3.0	296	0.8	300		CMP071/075		B14	
	12	120	1.7	120		CMP071/063		B14	6.0	222	2.6	150		CMP071/090		B14
	9.3	143	1.3	150		CMP071/063		B14	5.0	248	2.1	180		CMP071/090		B14
	7.8	159	1.1	180		CMP071/063		B14	3.8	293	1.5	240		CMP071/090		B14
	23	68	3.1	60	CM075		B5	3.0	328	1.2	300		CMP071/090		B14	
	23	75	4.2	60		CMP071/075		B14	0.37							
	19	90	3.1	75		CMP071/075		B14	71A2 (2800 об/мин)	560	6	5.1	5	CM040		B5/B14
	18	82	2.3	80	CM075		B5	373	8	3.7	7.5		CM040		B5/B14	
16	105	3.6	90		CMP071/075		B14	280	11	3.0	10	CM040		B5/B14		
14	96	1.8	100	CM075		B5	187	16	2.2	15	CM040		B5/B14			
12	130	2.6	120		CMP071/075		B14	140	21	1.5	20	CM040		B5/B14		
9.3	153	2.0	150		CMP071/075		B14	112	25	1.1	25	CM040		B5/B14		
7.8	171	1.7	180		CMP071/075		B14	93	29	1.3	30	CM040		B5/B14		
5.8	201	1.2	240		CMP071/075		B14	70	37	0.9	40	CM040		B5/B14		
4.7	226	1.0	300		CMP071/075		B14	70	37	1.6	40	CM050		B5/B14		
7.8	177	2.6	180		CMP071/090		B14	56	45	1.3	50	CM050		B5/B14		
5.8	213	2.0	240		CMP071/090		B14	47	51	1.0	60	CM050		B5/B14		
4.7	241	1.5	300		CMP071/090		B14	47	56	1.4	60	CM050		B5/B14		
71B6 (900 об/мин)	180	11	4.1	5	CM040		B5/B14	47	67	1.1	75		CMP071/050		B14	
	120	17	3.1	7.5	CM040		B5/B14	31	76	1.3	90		CMP071/050		B14	
	90	22	2.4	10	CM040		B5/B14	56	46	2.2	50	CM063		B5/B14		
	60	31	1.8	15	CM040		B5/B14	47	53	1.8	60	CM063		B5/B14		
	45	39	1.1	20	CM040		B5/B14	47	58	2.7	60		CMP071/063		B14	
	36	46	0.9	25	CM040		B5/B14	37	70	2.0	75		CMP071/063		B14	
	30	53	1.1	30	CM040		B5/B14	35	66	1.3	80	CM063		B5/B14		
	23	64	0.8	40	CM040		B5/B14									

Таблицы выбора

Technical data

P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i				P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i			
0.37								0.37							
71A2 (2800 об/мин)	31	78	2.4	90	CM063	CMP071/063	B14	71B4 (1400 об/мин)	18	129	2.3	80	CM090		B5
	28	76	1.1	100		CMP071/063	B5/B14		14	151	1.8	100	CM090		B5
	23	96	1.7	120		CMP071/063	B14		12	196	2.9	120		CMP071/090	B14
	19	113	1.3	150		CMP071/063	B14		9.3	226	2.3	150		CMP071/090	B14
	16	129	1.1	180		CMP071/063	B14		7.8	263	1.8	180		CMP071/090	B14
	47	59	4.3	60		CMP071/075	B14	5.8	315	1.3	240		CMP071/090	B14	
	37	71	3.2	75		CMP071/075	B14	4.7	356	1.0	300		CMP071/090	B14	
	31	81	3.8	90		CMP071/075	B14								
	23	101	2.6	120		CMP071/075	B14	80A6 (900 об/мин)	60	47	2.0	15	CM050		B5/B14
	19	119	2.0	150		CMP071/075	B14	45	59	1.4	20	CM050		B5/B14	
	16	136	1.7	180		CMP071/075	B14	36	71	1.1	25	CM050		B5/B14	
	12	163	1.3	240		CMP071/075	B14	30	80	1.2	30	CM050		B5/B14	
	9.3	186	1.0	300		CMP071/075	B14	36	74	1.9	25	CM063		B5/B14	
	16	145	2.6	180		CMP071/090	B14	30	82	2.3	30	CM063		B5/B14	
	12	178	2.0	240		CMP071/090	B14	23	102	1.6	40	CM063		B5/B14	
	9.3	204	1.6	300		CMP071/090	B14	18	120	1.3	50	CM063		B5/B14	
								15	137	1.0	60	CM063		B5/B14	
								15	155	1.5	60		CMP080/063	B14	
							12	182	1.1	75		CMP080/063	B14		
							10	208	1.3	90		CMP080/063	B14		
71B4 (1400 об/мин)	280	11	3.7	5	CM040		B5/B14	18	126	1.9	50	CM075		B5/B14	
	187	16	2.7	7.5	CM040		B5/B14	15	144	1.6	60	CM075		B5/B14	
	140	21	2.1	10	CM040		B5/B14	15	159	2.5	60		CMP080/075	B14	
	93	31	1.5	15	CM040		B5/B14	12	190	1.8	75		CMP080/075	B14	
	70	39	1.0	20	CM040		B5/B14	11	173	1.2	80	CM075		B5/B14	
	56	47	0.8	25	CM040		B5/B14	10	218	2.1	90		CMP080/075	B14	
	47	53	0.9	30	CM040		B5/B14	9	196	1.0	100	CM075		B5/B14	
	70	40	1.8	20	CM050		B5/B14	7.5	263	1.5	120		CMP080/075	B14	
	56	48	1.5	25	CM050		B5/B14	15	153	2.5	60	CM090		B5/B14	
	47	55	1.6	30	CM050		B5/B14	15	166	4.1	60		CMP080/090	B14	
	35	68	1.1	40	CM050		B5/B14	12	199	3.0	75		CMP080/090	B14	
	28	80	0.9	50	CM050		B5/B14	11	188	1.9	80	CM090		B5/B14	
	23	91	0.8	60	CM050		B5/B14	10	229	3.5	90		CMP080/090	B14	
	23	105	1.0	60		CMP071/050	B14	9	216	1.5	100	CM090		B5/B14	
	19	124	0.7	75		CMP071/050	B14	7.5	235	2.9	120		CMP080/090	B14	
	16	145	0.9	90		CMP071/050	B14	6.0	329	1.7	150		CMP080/090	B14	
								5.0	367	1.4	180		CMP080/090	B14	
	28	83	1.6	50	CM063		B5/B14	6.0	352	3.0	150		CMP080/110	B14	
	23	95	1.3	60	CM063		B5/B14	5.0	395	2.3	180		CMP080/110	B14	
	23	108	1.7	60		CMP071/063	B14	3.8	471	1.7	240		CMP080/110	B14	
	19	130	1.3	75		CMP071/063	B14	3.0	531	1.3	300		CMP080/110	B14	
	18	115	1.0	80	CM063		B5/B14	3.8	471	2.4	240		CMP080/130	B14	
	16	142	1.6	90		CMP071/063	B14	3.0	554	1.8	300		CMP080/130	B14	
	14	131	0.9	100	CM063		B5/B14								
	12	178	1.2	120		CMP071/063	B14								
	9.3	211	0.9	150		CMP071/063	B14								
	7.8	236	0.8	180		CMP071/063	B14								
	28	87	2.4	50	CM075		B5								
	23	100	2.1	60	CM075		B5								
	23	111	2.8	60		CMP071/075	B14								
	19	134	2.1	75		CMP071/075	B14								
	18	121	1.6	80	CM075		B5								
	16	156	2.4	90		CMP071/075	B14								
	14	141	1.2	100	CM075		B5								
	12	193	1.7	120		CMP071/075	B14								
	9.3	226	1.4	150		CMP071/075	B14								
7.8	254	1.2	180		CMP071/075	B14									
5.8	297	0.8	240		CMP071/075	B14									
4.7	334	0.7	300		CMP071/075	B14									
0.55								0.55							
								71B2 (2800 об/мин)	560	8	3.4	5	CM040		B5/B14
									373	13	2.5	7.5	CM040		B5/B14
									280	16	2.0	10	CM040		B5/B14
									187	24	1.5	15	CM040		B5/B14
									140	31	1.0	20	CM040		B5/B14
									140	32	1.7	20	CM050		B5/B14
									112	38	1.3	25	CM050		B5/B14
									93	44	1.5	30	CM050		B5/B14
									70	56	1.1	40	CM050		B5/B14
									56	67	0.9	50	CM050		B5/B14

Таблицы выбора


Technical data

P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i				P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i																			
0.55								0.55																							
71B2 (2800 об/мин)	47	83	1.0	60		CMP071/050	B14	71C4 (1400 об/мин)	14	210	0.8	100	CM075	CMP071/075	B14																
	37	99	0.8	75					12	287	1.2	120				CMP071/075	B14														
	31	113	0.9	90					9.3	336	0.9	150						CMP071/075	B14												
	70	57	2.0	40					7.8	377	0.8	180								CMP071/090	B14										
	56	68	1.5	50					23	172	3.0	60										CMP071/090	B14								
	47	79	1.2	60					19	207	2.2	75												CM090	B5						
	47	86	1.8	60					18	192	1.6	80														CM090	B14				
	37	103	1.3	75					16	232	2.7	90																CM090	B5		
	35	98	0.9	80					14	225	1.2	100																		CM090	B14
	31	116	1.6	90					12	291	2.0	120																			
	23	143	1.1	120	9.3	336	1.5		150	CM090	B14																				
	19	168	0.9	150	7.8	390	1.2		180			CM090	B14																		
	47	79	1.8	60	5.8	468	0.9		240					CM090	B14																
	47	88	2.9	60	CM075	CMP071/075	B14		80A4 (1400 об/мин)							187	24	3.2	7.5	CM050	B5/B14										
	37	106	2.2	75												140	32	2.6	10			CM050	B5/B14								
	35	96	1.3	80												93	46	1.8	15					CM050	B5/B14						
	31	121	2.5	90												70	59	1.2	20							CM050	B5/B14				
	28	113	1.0	100												56	71	1.0	25									CM050	B5/B14		
	23	150	1.8	120												47	81	1.1	30											CM050	B5/B14
	19	176	1.4	150												93	47	3.3	15												
16	202	1.2	180	70				61		2.2	20					CM063	B5/B14														
12	243	0.9	240	56				73		1.8	25	CM063	B5/B14																		
35	107	2.2	80	47				84		2.0	30			CM063	B5/B14																
28	126	1.7	100	35	105	1.4	40	CM063	B5/B14																						
23	159	2.9	120	28	124	1.1	50			CM063	B5/B14																				
19	188	2.2	150	23	142	0.9	60											CM063	B5/B14												
16	215	1.8	180	23	161	1.2	60													CM063	B5/B14										
12	265	1.3	240	19	193	0.9	75															CM063	B5/B14								
9.3	303	1.0	300	16	212	1.1	90																	CM063	B5/B14						
																										CM063	B5/B14				
																CM063	B5/B14														
												CM063	B5/B14																		
														CM063	B5/B14																
								CM063	B5/B14																						
										CM063	B5/B14																				
																		CM063	B5/B14												
																				CM063	B5/B14										
																						CM063	B5/B14								
																								CM063	B5/B14						
																										CM063	B5/B14				
																CM063	B5/B14														
												CM063	B5/B14																		
														CM063	B5/B14																
								CM063	B5/B14																						
										CM063	B5/B14																				
																		CM063	B5/B14												
																				CM063	B5/B14										
																						CM063	B5/B14								
																								CM063	B5/B14						
																										CM063	B5/B14				
																CM063	B5/B14														
												CM063	B5/B14																		
														CM063	B5/B14																
								CM063	B5/B14																						
										CM063	B5/B14																				
																		CM063	B5/B14												
																				CM063	B5/B14										
																						CM063	B5/B14								
																								CM063	B5/B14						
																										CM063	B5/B14				
																CM063	B5/B14														
												CM063	B5/B14																		
														CM063	B5/B14																
								CM063	B5/B14																						
										CM063	B5/B14																				
																		CM063	B5/B14												
																				CM063	B5/B14										
																						CM063	B5/B14								
																								CM063	B5/B14						
																										CM063	B5/B14				
																CM063	B5/B14														
												CM063	B5/B14																		
														CM063	B5/B14																
								CM063	B5/B14																						
										CM063	B5/B14																				
																		CM063	B5/B14												
																				CM063	B5/B14										
																						CM063	B5/B14								
																								CM063	B5/B14						
																										CM063	B5/B14				
																CM															

Таблицы выбора

Technical data

P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i				P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i				
0.55								0.75								
80A4 (1400 об/мин)	7.8	424	2.6	180			CMP080/130	B14	80A2 (2800 об/мин)	47	117	1.3	60		CMP080/063	B14
	5.8	512	1.9	240			CMP080/130	B14		37	141	1.0	75		CMP080/063	B14
	4.7	585	1.5	300			CMP080/130	B14		31	158	1.2	90		CMP080/063	B14
80B6 (900 об/мин)	120	37	2.5	7.5	CM050			B5/B14		47	111	1.4	60	CM075		B5/B14
	90	49	1.9	10	CM050			B5/B14		47	120	2.1	60		CMP080/075	B14
	60	69	1.4	15	CM050			B5/B14		37	145	1.6	75		CMP080/075	B14
	45	88	0.9	20	CM050			B5/B14		35	139	1.0	80	CM075		B5/B14
										31	165	1.9	90		CMP080/075	B14
										28	161	0.8	100	CM075		B5/B14
	45	91	1.7	20	CM063			B5/B14		23	205	1.3	120		CMP080/075	B14
	36	109	1.3	25	CM063			B5/B14								
	30	123	1.5	30	CM063			B5/B14								
	23	152	1.1	40	CM063			B5/B14								
	18	178	0.8	50	CM063			B5/B14								
	15	230	1.0	60			CMP080/063	B14								
	12	270	0.8	75			CMP080/063	B14		47	115	2.2	60	CM090		B5/B14
	10	309	0.9	90			CMP080/063	B14		47	123	3.6	60		CMP080/090	B14
										37	150	2.6	75		CMP080/090	B14
										35	145	1.6	80	CM090		B5/B14
										31	171	3.1	90		CMP080/090	B14
										28	171	1.2	100	CM090		B5/B14
	18	187	1.3	50	CM075			B5/B14		23	217	2.1	120		CMP080/090	B5/B14
	15	214	1.1	60	CM075			B5/B14		19	256	1.6	150		CMP080/090	B14
	15	237	1.7	60			CMP080/075	B14		16	293	1.3	180		CMP080/090	B14
	12	283	1.2	75			CMP080/075	B14								
	11	257	0.8	80	CM075			B5/B14		35	149	2.7	80	CM110		B5
	10	324	1.4	90			CMP080/075	B14		28	179	2.0	100	CM110		B5
	7.5	391	1.0	120			CMP080/075	B14		19	267	2.8	150		CMP080/110	B14
										16	307	2.2	180		CMP080/110	B14
										12	379	1.6	240		CMP080/110	B14
	15	228	1.7	60	CM090			B5/B14		9.3	444	1.2	300		CMP080/110	B14
	15	247	2.7	60			CMP080/090	B14								
	12	296	2.0	75			CMP080/090	B14								
	11	280	1.2	80	CM090			B5/B14		16	316	2.9	180		CMP080/130	B14
	10	340	2.3	90			CMP080/090	B14		12	385	2.2	240		CMP080/130	B14
	9	321	1.0	100	CM090			B5/B14		9.3	444	1.7	300		CMP080/130	B14
	7.5	350	1.9	120			CMP080/090	B14								
	6.0	489	1.2	150			CMP080/090	B14								
	5.0	546	0.9	180			CMP080/090	B14								
										187	33	2.4	7.5	CM050		B5/B14
										140	43	1.9	10	CM050		B5/B14
										93	63	1.3	15	CM050		B5/B14
										70	81	0.9	20	CM050		B5/B14
										56	97	0.7	25	CM050		B5/B14
										47	111	0.8	30	CM050		B5/B14
	11	294	2.1	80	CM110			B5								
	9	344	1.6	100	CM110			B5		187	34	4.3	7.5	CM063		B5/B14
	7.5	446	2.7	120			CMP080/110	B14		140	44	3.4	10	CM063		B5/B14
	6.0	523	2.0	150			CMP080/110	B14		93	64	2.4	15	CM063		B5/B14
	5.0	587	1.6	180			CMP080/110	B14		70	83	1.6	20	CM063		B5/B14
	3.8	700	1.1	240			CMP080/110	B14		56	100	1.4	25	CM063		B5/B14
	3.0	789	0.9	300			CMP080/110	B14		47	115	1.4	30	CM063		B5/B14
										35	143	1.0	40	CM063		B5/B14
										28	169	0.8	50	CM063		B5/B14
	6.0	523	2.7	150			CMP080/130	B14		23	220	0.9	60		CMP080/063	B14
	5.0	587	2.2	180			CMP080/130	B14		19	263	0.7	75		CMP080/063	B14
	3.8	700	1.6	240			CMP080/130	B14		16	289	0.8	90		CMP080/063	B14
	3.0	824	1.2	300			CMP080/130	B14								
0.75																
80A2 (2800 об/мин)	373	17	3.3	7.5	CM050			B5/B14		70	85	2.6	20	CM075		B5/B14
	280	23	2.7	10	CM050			B5/B14		56	102	2.0	25	CM075		B5/B14
	187	33	1.9	15	CM050			B5/B14		47	118	2.3	30	CM075		B5/B14
	140	43	1.3	20	CM050			B5/B14		35	149	1.6	40	CM075		B5/B14
	112	52	1.0	25	CM050			B5/B14		28	177	1.2	50	CM075		B5/B14
	93	60	1.1	30	CM050			B5/B14		23	203	1.0	60	CM075		B5/B14
										23	226	1.4	60		CMP080/075	B14
										19	271	1.0	75		CMP080/075	B14
										18	246	0.8	80	CM075		B5/B14
	93	61	2.1	30	CM063			B5/B14		16	316	1.2	90		CMP080/075	B14
	70	78	1.4	40	CM063			B5/B14								
	56	93	1.1	50	CM063			B5/B14								
	47	107	0.9	60	CM063			B5/B14								

**CM/СМР****ЧЕРВЯЧНЫЕ РЕДУКТОРЫ**
WORMGEARBOXESПРОМЫШЛЕННЫЕ
РЕДУКТОРЫ

Таблицы выбора

Technical data


P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i				P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i			
0.75															
80B4 (1400 об/мин)	12	391	0.9	120				80B2 (2800 об/мин)	47	176	1.4	60			
	35	156	2.6	40	CM090				37	212	1.1	75			
	28	184	1.9	50	CM090				31	242	1.3	90			
	23	212	1.5	60	CM090				23	300	0.9	120			
	23	235	2.2	60		CMP080/090	B14		56	146	1.9	50	CM090		B5/B14
	19	282	1.6	75		CMP080/090	B14		47	169	1.5	60	CM090		B5/B14
	18	262	1.2	80	CM090				47	181	2.4	60		CMP080/090	B14
	16	316	2.0	90		CMP080/090	B14		37	221	1.8	75		CMP080/090	B14
	14	307	0.9	100	CM090				35	213	1.1	80	CM090		B5/B14
	12	397	1.5	120		CMP080/090	B14		31	251	2.1	90		CMP080/090	B14
	9.3	459	1.1	150		CMP080/090	B14		28	251	0.9	100	CM090		B5/B14
	7.8	532	0.9	180		CMP080/090	B14		23	318	1.4	120		CMP080/090	B14
									19	375	1.1	150		CMP080/090	B14
									16	430	0.9	180		CMP080/090	B14
	23	224	2.6	60	CM110		B5								
	19	290	2.9	75		CMP080/110	B14								
	18	278	1.9	80	CM110		B5		35	219	1.8	80	CM110		B5
	16	325	3.2	90		CMP080/110	B14		28	263	1.4	100	CM110		B5
	14	327	1.5	100	CM110		B5		23	331	2.5	120		CMP080/110	B14
	12	415	2.4	120		CMP080/110	B14		19	392	1.9	150		CMP080/110	B14
	9.3	489	1.9	150		CMP080/110	B14		16	450	1.5	180		CMP080/110	B14
	7.8	560	1.5	180		CMP080/110	B14		12	556	1.1	240		CMP080/110	B14
	5.8	686	1.1	240		CMP080/110	B14		9.3	651	0.9	300		CMP080/110	B14
	4.7	782	0.8	300		CMP080/110	B14								
	18	282	2.9	80	CM130		B5		19	403	2.5	150		CMP080/130	B14
	14	327	2.2	100	CM130		B5		16	463	2.0	180		CMP080/130	B14
	9.3	504	2.4	150		CMP080/130	B14		12	565	1.5	240		CMP080/130	B14
	7.8	578	1.9	180		CMP080/130	B14		9.3	651	1.2	300		CMP080/130	B14
	5.8	698	1.4	240		CMP080/130	B14								
	4.7	797	1.1	300		CMP080/130	B14								
90S6 (900 об/мин)	45	127	2.0	20	CM075		B5/B14	80C4 (1400 об/мин)	187	49	1.6	7.5	CM050		B5/B14
	36	153	1.5	25	CM075		B5/B14		140	64	1.3	10	CM050		B5/B14
	30	174	1.8	30	CM075		B5/B14		93	92	0.9	15	CM050		B5/B14
	23	216	1.2	40	CM075		B5/B14		187	50	2.9	7.5	CM063		B5/B14
									140	65	2.3	10	CM063		B5/B14
	18	271	1.5	50					93	95	1.6	15	CM063		B5/B14
	15	310	1.2	60	CM090		B5/B14		70	122	1.1	20	CM063		B5/B14
					CM090				56	146	0.9	25	CM063		B5/B14
	15	325	2.1	60					47	169	1.0	30	CM063		B5/B14
	11	401	1.5	80	CM110		B5/B14		70	125	1.8	20	CM075		B5/B14
	9	470	1.2	100	CM110		B5/B14		56	150	1.3	25	CM075		B5/B14
									47	173	1.6	30	CM075		B5/B14
									35	219	1.1	40	CM075		B5/B14
									28	259	0.8	50	CM075		B5/B14
									23	331	0.9	60		CMP080/075	B14
									19	397	0.7	75		CMP080/075	B14
									16	463	0.8	90		CMP080/075	B14
	140	63	1.6	20	CM063		B5/B14		35	228	1.8	40	CM090		B5/B14
	112	78	1.2	25	CM063		B5/B14		28	270	1.3	50	CM090		B5/B14
	93	89	1.4	30	CM063		B5/B14		23	311	1.1	60	CM090		B5/B14
	70	114	1.0	40	CM063		B5/B14		23	344	1.5	60		CMP080/090	B14
	47	172	0.9	60		CMP080/063	B14		19	414	1.1	75		CMP080/090	B14
	37	207	0.7	75		CMP080/063	B14		18	384	0.8	80	CM090		B5/B14
	31	232	0.8	90		CMP080/063	B14		16	463	1.4	90		CMP080/090	B14
									12	582	1.0	120		CMP080/090	B14
	93	91	2.3	30	CM075		B5/B14		9.3	673	0.8	150		CMP080/090	B14
	70	117	1.6	40	CM075		B5/B14								
	56	141	1.2	50	CM075		B5/B14		23	329	1.8	60	CM110		B5
	47	162	1.0	60	CM075		B5/B14		23	353	2.5	60		CMP080/110	B14
									19	425	2.0	75		CMP080/110	B14



Таблицы выбора

Technical data

P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i				P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i			
1.1								1.1							
80C4 (1400 об/мин)	18	408	1.3	80	CM110		B5	90L6 (900 об/мин)	18	414	1.8	50	CM110		B5/B14
	16	477	2.2	90		CMP080/110	B14		15	476	1.4	60	CM110		B5/B14
	14	480	1.0	100	CM110		B5		11	588	1.0	80	CM110		B5/B14
	12	609	1.6	120		CMP080/110	B14		9	689	0.8	100	CM110		B5/B14
	9.3	717	1.3	150		CMP080/110	B14								
	7.8	821	1.0	180		CMP080/110	B14		11	598	1.5	80	CM130		B5
									9	689	1.1	100	CM130		B5
	23	349	3.6	60		CMP080/130	B14	1.5							
	19	425	2.7	75		CMP080/130	B14	90S2 (2800 об/мин)	373	35	3.0	7.5	CM063		B5/B14
	18	414	2.0	80	CM130		B5		280	45	2.4	10	CM063		B5/B14
90S4 (1400 об/мин)	16	477	3.1	90		CMP080/130	B14		187	66	1.7	15	CM063		B5/B14
	14	480	1.5	100	CM130		B5		140	86	1.2	20	CM063		B5/B14
	12	600	2.3	120		CMP080/130	B14		112	106	0.9	25	CM063		B5/B14
	9.3	739	1.7	150		CMP080/130	B14		93	121	1.0	30	CM063		B5/B14
	7.8	847	1.3	180		CMP080/130	B14		140	87	2.0	20	CM075		B5/B14
	5.8	1024	0.9	240		CMP080/130	B14		112	107	1.4	25	CM075		B5/B14
									93	124	1.7	30	CM075		B5/B14
	187	50	2.9	7.5	CM063		B5/B14		70	160	1.1	40	CM075		B5/B14
	140	65	2.3	10	CM063		B5/B14		70	164	1.9	40	CM090		B5/B14
	93	95	1.6	15	CM063		B5/B14		56	200	1.4	50	CM090		B5/B14
90L6 (900 об/мин)	70	122	1.1	20	CM063		B5/B14		47	230	1.1	60	CM090		B5/B14
	56	146	0.9	25	CM063		B5/B14		47	236	1.9	60	CM110		B5/B14
	47	169	1.0	30	CM063		B5/B14		35	299	1.3	80	CM110		B5/B14
	187	50	4.4	7.5	CM075		B5/B14		28	358	1.0	100	CM110		B5/B14
	140	65	3.6	10	CM075		B5/B14	90L4 (1400 об/мин)	187	68	2.1	7.5	CM063		B5/B14
	93	95	2.6	15	CM075		B5/B14		140	88	1.7	10	CM063		B5/B14
	70	125	1.8	20	CM075		B5/B14		93	129	1.2	15	CM063		B5/B14
	56	150	1.3	25	CM075		B5/B14		70	166	0.8	20	CM063		B5/B14
	47	173	1.6	30	CM075		B5/B14		187	68	3.2	7.5	CM075		B5/B14
	35	219	1.1	40	CM075		B5/B14		140	89	2.7	10	CM075		B5/B14
	56	156	2.2	25	CM090		B5/B14		93	129	1.9	15	CM075		B5/B14
	47	178	2.6	30	CM090		B5/B14		70	170	1.3	20	CM075		B5/B14
	35	228	1.8	40	CM090		B5/B14		56	205	1.0	25	CM075		B5/B14
	28	270	1.3	50	CM090		B5/B14		47	236	1.1	30	CM075		B5/B14
90LA6 (900 об/мин)	23	311	1.1	60	CM090		B5/B14		35	299	0.8	40	CM075		B5/B14
	18	384	0.8	80	CM090		B5/B14		56	212	1.6	25	CM090		B5/B14
	35	237	3.0	40	CM110		B5/B14		47	243	1.9	30	CM090		B5/B14
	28	285	2.3	50	CM110		B5/B14		35	311	1.3	40	CM090		B5/B14
	23	329	1.8	60	CM110		B5/B14		28	368	1.0	50	CM090		B5/B14
	18	408	1.3	80	CM110		B5/B14		23	424	0.8	60	CM090		B5/B14
	14	480	1.0	100	CM110		B5/B14		35	323	2.2	40	CM110		B5/B14
	23	329	2.7	60	CM130		B5		28	389	1.7	50	CM110		B5/B14
	18	414	2.0	80	CM130		B5		23	448	1.3	60	CM110		B5/B14
	14	480	1.5	100	CM130		B5		18	557	0.9	80	CM110		B5/B14
90LA6 (900 об/мин)	23	329	2.7	60	CM130		B5		23	448	2.0	60	CM130		B5
	18	414	2.0	80	CM130		B5		18	565	1.5	80	CM130		B5
	14	480	1.5	100	CM130		B5		14	655	1.1	100	CM130		B5
	120	75	2.2	7.5	CM063		B5/B14								
	90	98	1.8	10	CM063		B5/B14								
	60	142	1.3	15	CM063		B5/B14								
	45	182	0.8	20	CM063		B5/B14								
	45	187	1.4	20	CM075		B5/B14								
	36	225	1.0	25	CM075		B5/B14								
	30	256	1.2	30	CM075		B5/B14								
90LA6 (900 об/мин)	23	317	0.8	40	CM075		B5/B14								
	23	336	1.4	40	CM090		B5/B14		120	104	2.5	7.5	CM075		B5/B14
	18	397	1.0	50	CM090		B5/B14		90	135	2.0	10	CM075		B5/B14
	15	455	0.8	60	CM090		B5/B14		60	198	1.5	15	CM075		B5/B14

**CM/СМР****ЧЕРВЯЧНЫЕ РЕДУКТОРЫ**
WORMGEARBOXES**ПРОМЫШЛЕННЫЕ**
РЕДУКТОРЫ

Таблицы выбора

Technical data

P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i			IEC	P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i			IEC
1.5								2.2							
100LA6 (900 об/мин)	60	201	2.4	15	CM090		B5/B14	100LA4 (1400 об/мин)	187	100	2.2	7.5	CM075		B5/B14
	45	261	1.7	20	CM090		B5/B14		140	131	1.8	10	CM075		B5/B14
	36	318	1.2	25	CM090		B5/B14		93	189	1.3	15	CM075		B5/B14
	30	363	1.5	30	CM090		B5/B14		187	101	3.1	7.5	CM090		B5/B14
	23	478	1.7	40	CM110		B5/B14		140	132	2.7	10	CM090		B5/B14
	18	565	1.3	50	CM110		B5/B14		93	194	2.1	15	CM090		B5/B14
	15	649	1.1	60	CM110		B5/B14		70	252	1.5	20	CM090		B5/B14
	11	815	1.1	80	CM130		B5		56	311	1.1	25	CM090		B5/B14
	9	939	0.8	100	CM130		B5		47	356	1.3	30	CM090		B5/B14
									70	255	2.6	20	CM110		B5/B14
1.85								3.0							
90LB4 (1400 об/мин)	187	83	1.7	7.5	CM063		B5/B14	112M6 (900 об/мин)	120	154	2.5	7.5	CM090		B5/B14
	140	109	1.4	10	CM063		B5/B14		90	203	2.0	10	CM090		B5/B14
	93	159	1.0	15	CM063		B5/B14		60	294	1.6	15	CM090		B5/B14
	187	84	2.6	7.5	CM075		B5/B14		45	383	1.2	20	CM090		B5/B14
	140	110	2.2	10	CM075		B5/B14		36	467	0.8	25	CM090		B5/B14
	93	159	1.6	15	CM075		B5/B14		30	532	1.0	30	CM090		B5/B14
	70	209	1.1	20	CM075		B5/B14		36	479	1.5	25	CM110		B5/B14
	56	252	0.8	25	CM075		B5/B14		30	546	1.6	30	CM110		B5/B14
	47	292	0.9	30	CM075		B5/B14		23	700	1.2	40	CM110		B5/B14
									18	829	0.9	50	CM110		B5/B14
	93	163	2.5	15	CM090		B5/B14		18	852	1.2	50	CM130		B5
	70	212	1.8	20	CM090		B5/B14		15	980	1.0	60	CM130		B5
	56	262	1.3	25	CM090		B5/B14	100LA2 (2800 об/мин)	373	69	2.3	7.5	CM075		B5/B14
	47	299	1.5	30	CM090		B5/B14		280	91	1.9	10	CM075		B5/B14
	35	384	1.1	40	CM090		B5/B14		187	134	1.4	15	CM075		B5/B14
	28	454	0.8	50	CM090		B5/B14		187	135	2.2	15	CM090		B5/B14
	47	303	2.5	30	CM110		B5/B14		140	176	1.6	20	CM090		B5/B14
	35	399	1.8	40	CM110		B5/B14		112	217	1.2	25	CM090		B5/B14
	28	480	1.4	50	CM110		B5/B14		93	255	1.4	30	CM090		B5/B14
	23	553	1.0	60	CM110		B5/B14		112	220	2.2	25	CM110		B5/B14
	18	687	0.8	80	CM110		B5/B14		93	252	2.3	30	CM110		B5/B14
									70	332	1.7	40	CM110		B5/B14
2.2								2.2							
90L2 (2800 об/мин)	373	51	2.0	7.5	CM063		B5/B14	100LB4 (1400 об/мин)	187	137	1.6	7.5	CM075		B5/B14
	280	66	1.7	10	CM063		B5/B14		140	178	1.3	10	CM075		B5/B14
	187	97	1.2	15	CM063		B5/B14		93	258	1.0	15	CM075		B5/B14
	140	126	0.8	20	CM063		B5/B14		187	138	2.3	7.5	CM090		B5/B14
	187	98	1.9	15	CM075		B5/B14		140	180	2.0	10	CM090		B5/B14
	140	128	1.3	20	CM075		B5/B14								
	112	158	1.0	25	CM075		B5/B14								
	93	182	1.1	30	CM075		B5/B14								
	112	159	1.6	25	CM090		B5/B14								
	93	187	1.9	30	CM090		B5/B14								
	70	240	1.3	40	CM090		B5/B14								
	56	293	1.0	50	CM090		B5/B14								
	70	243	2.3	40	CM110		B5/B14								
	56	296	1.7	50	CM110		B5/B14								
	47	347	1.3	60	CM110		B5/B14								
	35	438	0.9	80	CM110		B5/B14								



Таблицы выбора

Technical data

P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i				P ₁ [кВт]	n ₂ [об/мин]	M ₂ [Нм]	sf	i			
3.0								4.0							
100LB4 (1400 об/мин)	93	264	1.5	15	CM090		B5/B14	132L6 (900 об/мин)	120	280	2.4	7.5	CM110		B5/B14
	70	344	1.1	20	CM090		B5/B14		90	369	2.0	10	CM110		B5/B14
	56	425	0.8	25	CM090		B5/B14		60	535	1.5	15	CM110		B5/B14
	47	485	0.9	30	CM090		B5/B14		45	705	1.1	20	CM110		B5/B14
	93	264	2.6	15	CM110		B5/B14		45	696	1.5	20	CM130		B5/B14
	70	348	1.9	20	CM110		B5/B14		36	860	1.2	25	CM130		B5/B14
	56	430	1.4	25	CM110		B5/B14		30	980	1.2	30	CM130		B5/B14
	47	491	1.5	30	CM110		B5/B14								
	35	647	1.1	40	CM110		B5/B14								
	28	778	0.8	50	CM110		B5/B14								
	35	622	1.7	40	CM130		B5								
	28	767	1.3	50	CM130		B5								
	23	896	1.0	60	CM130		B5								
132S6 (900 об/мин)	120	210	3.2	7.5	CM110		B5/B14	132SA2 (2800 об/мин)	373	127	3.2	7.5	CM110		B5/B14
	90	277	2.6	10	CM110		B5/B14		280	167	2.7	10	CM110		B5/B14
	60	401	2.0	15	CM110		B5/B14		187	248	2.0	15	CM110		B5/B14
	45	528	1.4	20	CM110		B5/B14		140	326	1.5	20	CM110		B5/B14
	36	653	1.1	25	CM110		B5/B14		112	403	1.2	25	CM110		B5/B14
	36	645	1.6	25	CM130		B5/B14		140	326	2.1	20	CM130		B5/B14
	30	735	1.6	30	CM130		B5/B14		112	403	1.6	25	CM130		B5/B14
	23	942	1.2	40	CM130		B5/B14		93	461	1.7	30	CM130		B5/B14
									70	600	1.3	40	CM130		B5/B14
								132S4 (1400 об/мин)	187	250	2.2	7.5	CM110		B5/B14
									140	330	1.9	10	CM110		B5/B14
									93	484	1.4	15	CM110		B5/B14
									70	638	1.0	20	CM110		B5/B14
									56	788	0.8	25	CM110		B5/B14
									187	250	3.0	7.5	CM130		B5/B14
									140	330	2.5	10	CM130		B5/B14
									93	484	1.9	15	CM130		B5/B14
									70	630	1.4	20	CM130		B5/B14
									56	778	1.2	25	CM130		B5/B14
									47	889	1.2	30	CM130		B5/B14
									35	1141	0.9	40	CM130		B5/B14
4.0								7.5							
112M2 (2800 об/мин)	373	92	1.7	7.5	CM075		B5/B14	132SB2 (2800 об/мин)	373	173	2.4	7.5	CM110		B5/B14
	280	121	1.4	10	CM075		B5/B14		280	228	2.0	10	CM110		B5/B14
	187	178	1.0	15	CM075		B5/B14		187	338	1.5	15	CM110		B5/B14
	280	123	2.1	10	CM090		B5/B14		140	445	1.1	20	CM110		B5/B14
	187	180	1.7	15	CM090		B5/B14		112	550	0.9	25	CM110		B5/B14
	140	235	1.2	20	CM090		B5/B14		187	338	2.1	15	CM130		B5/B14
	140	237	2.1	20	CM110		B5/B14		140	445	1.5	20	CM130		B5/B14
	112	293	1.6	25	CM110		B5/B14		112	550	1.2	25	CM130		B5/B14
	93	336	1.8	30	CM110		B5/B14		93	629	1.3	30	CM130		B5/B14
	70	442	1.3	40	CM110		B5/B14		70	819	0.9	40	CM130		B5/B14
	56	539	0.9	50	CM110		B5/B14								
								132MA4 (1400 об/мин)	187	341	1.6	7.5	CM110		B5/B14
112M4 (1400 об/мин)	187	182	1.2	7.5	CM075		B5/B14		140	450	1.4	10	CM110		B5/B14
	140	237	1.0	10	CM075		B5/B14		93	660	1.0	15	CM110		B5/B14
	187	184	1.7	7.5	CM090		B5/B14		70	870	0.8	20	CM110		B5/B14
	140	240	1.5	10	CM090		B5/B14		187	341	2.2	7.5	CM130		B5/B14
	93	352	1.1	15	CM090		B5/B14		140	450	1.8	10	CM130		B5/B14
	70	458	0.8	20	CM090		B5/B14		93	660	1.4	15	CM130		B5/B14
	187	182	3.1	7.5	CM110		B5/B14		70	860	1.1	20	CM130		B5/B14
	140	240	2.6	10	CM110		B5/B14		56	1062	0.9	25	CM130		B5/B14
	93	352	1.9	15	CM110		B5/B14		47	1213	0.9	30	CM130		B5/B14
	70	464	1.4	20	CM110		B5/B14								
	56	573	1.1	25	CM110		B5/B14								
	47	655	1.2	30	CM110		B5/B14								
	35	862	0.8	40	CM110		B5/B14								
	70	458	2.0	20	CM130		B5								
	56	566	1.6	25	CM130		B5								
	47	647	1.6	30	CM130		B5								
	35	829	1.3	40	CM130		B5								
	28	1023	0.9	50	CM130		B5								